
PLAN: HOUSEKEEPING PAD SCALE: N.T.S



SECTION: HOUSEKEEPING PAD

SCALE: N.T.S

Certificate of Authorization
SNC-Lavalin Inc.
No. 4489

SNC-LAVALIN INC. 148 Nature Park Way SNC • LAVALIN Winnipeg, MB, Canada R3P 0X7 204-786-8080 DESIGNED BY: CHECKED BY: K. KOTYK R. DIONISIO APPROVED BY: DRAWN BY: B. CLEVEN W. LOPEZ ISSUED FOR CONSTRUCTION SCALE: N.T.S. K. ZUREK DATE: 2018/11/07 DATE: 2018/12/14 2018/12/14 KK RD CONSULTANT NO.: 00 ISSUED FOR TENDER AND CONSTRUCTION DATE DESIGN CHECK NO. REVISIONS

EER'S SEAL

KOTYK

Member

Winnipeg THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT

ROLAND FLOOD PUMPING STATION
2019 UPGRADES
HOUSEKEEPING PADS
NEW WORK

CITY DRAWING NUMBER SHEET REV. SIZE 1-0179F-S0002 001 00 A1

GENERAL NOTES:

DESIGN LOAD

- 1. THE HOUSEKEEPING PAD SHOWN IS NOT STRUCTURAL. THE SUPPORTING STRUCTURE UPON WHICH THE HOUSEKEEPING PAD IS INSTALLED SHALL BE CAPABLE OF SUPPORTING ALL LOADS AND DYNAMIC EFFECTS.
- 2. THE HOUSEKEEPING PAD HAS NOT BEEN DESIGNED FOR CORROSIVE ENVIRONMENTS.

CONCRETE

- 1. ALL MATERIALS AND WORKMANSHIP SHALL CONFORM TO CSA STANDARD CSA A23.1 AND CSA A23.2 INCLUDING HEATING/HOARDING AND REQUIREMENTS FOR COLD WEATHER CONCRETING.
- 2. CONCRETE SHALL BE READY MIXED, CONFORMING TO CSA A23.1 (ALTERNATIVE 1), AND AS NOTED HEREIN:

CEMENT TYPE: GU
CONCRETE COMPRESSIVE STRENGTH @ 28 DAYS: 30 MPa

MAXIMUM AGGREGATE SIZE: 20 MM

MAXIMUM SLUMP: 100 MM

AIR CONTENT: 0% TO 3%

W/C RATIO: 0.45 MAXIMUM

CLASS OF SULPHATE AND CHLORIDE EXPOSURE: S-3 AND C-3

- 3. REINFORCING STEEL SHALL BE NEW BILLET GRADE STEEL MEETING THE REQUIREMENT OF CSA G30.18, GRADE 400.
- 4. SUPPORT REINFORCING STEEL ON SUFFICIENT SUPPORT CHAIRS TO MAINTAIN CONCRETE COVER OF 50mm.
- 5. REMOVE ALL LOOSE AND DELETERIOUS MATERIAL FROM REINFORCING STEEL.
- 6. TOLERANCES SHALL BE AS STIPULATED IN ACI 315.
- 7. SATURATE THE CONCRETE SURFACE FOR ONE HOUR PRIOR TO APPLYING THE BONDED CONCRETE TOPPING. PROVIDE A SATURATED SURFACE DRY CONDITION.
- 8. APPLY LATEX BONDING AGENT IN ACCORDANCE WITH MANUFACTURER'S PRINTED INSTRUCTIONS. BONDING AGENT TO BE DARAWELD 'C'.
- 9. PROVIDE A WET 'BURLAP' CURE FOR 7 DAYS MIN.
- 10. EXPOSED CONCRETE SHALL BE SEALED WITH MEADOWS SEALTIGHT CS-309.
- 11. ALL WORK TO BE EXECUTED IN A NEAT WORKMANLIKE MANNER.

REFERENCE

1. REFER TO ELECTRICAL DRAWINGS FOR LOCATION AND DIMENSIONS OF HOUSEKEEPING PAD(S).