



351-2007 ADDENDUM No.1

**SHINGLE ROOF REPLACEMENT- FIRE STATION NO. 29
1525 DAKOTA ST**

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: July 24, 2007
BY: Len Roche
TELEPHONE NO. (204) 986-2148

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20060821

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART B - BIDDING PROCEDURES

Revise: B2.1 The Submission Deadline is 12:00 noon Winnipeg time, July 27, 2007.

PART E – SPECIFICATIONS

Revise: E6.6 Supply and install new (25 year warranty) Rampart shingles or approved equal in accordance with B6, color to be determined by Contract Administrator as per manufacturer's specifications and application instructions. Supply and install two (2) ply felt underlayment with this application