



625-2008 ADDENDUM 1

LA BARRIERE PARK PEDESTRIAN BRIDGE REHABILITATION

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: August 15, 2008
BY: Asnee Pochanart, Ph.D., P.Eng.
TELEPHONE NO. (204) 928-8441

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

- Add: E8.3.1 (d) The Contract Administrator will provide a site instruction should there be a location where the decay extends below 75 mm from the top of the existing tension tie. Additional shoring/temporary support may be required. The additional shoring/temporary support are not considered part of the current scope of work for the Contract.
- Revise: E10.2.8 (a) to read: Fastenings and hardware: to the requirements of CAN/CSA-S6-00. All fastenings and hardware including bolts, nuts, washers and screws shall be hot-dip galvanized in accordance with CSA G164 with minimum retention of 610 g/m². For galvanized nails, the minimum retention shall be 250 g/m².