



581-2013 ADDENDUM 1

INSTALLATION OF SURVEY MONUMENTS AT NEWPCC

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: July 23, 2013
BY: Remi Adedapo., M.A.Sc., P.Eng.
TELEPHONE NO. (204) 986-5496

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20130301

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Add: E4.15

Grading and Restoration of Grassed Surfaces

- (a) Restore all existing surface areas disturbed by construction activities including but not limited to areas disturbed by; construction equipment and, placement of equipment trailers shall be restored as follows:
 - (i) Ditches and grassed areas – sodding using imported topsoil in accordance with CW 3510.
 - (ii) Asphalt surfaces – match existing base course and asphalt thickness or a minimum 150 millimetres of base course and 75 millimetres of Type 1A Asphaltic Concrete, whichever is greater, in accordance with CW 3410
 - (iii) Restoration of existing grassed or asphalt areas construction activities will not be measured for payment and will be included with the Work.
- (b) E4.15(a) applies to existing landscaped and asphalt areas at the NEWPCC site
 - (i) Asphalt areas include the access roads to Parcel 2 of the project area