



969-2017 ADDENDUM 2

SUPPLY OF REINFORCING STEEL AND ACCESSORIES

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: February 16, 2018
BY: Jean-Luc Lambert
TELEPHONE NO. 204 986-7087

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20160708

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

- Revise: E2.4 (a) to read: bar mat reinforcement shall be Grade 400 or **higher** bars with all bar intersections welded by an electric resistance spot welder. Welding shall be done in such a manner that the minimum requirements for tensile strength and yield point of the reinforcing steel shall be met when a specimen is tested across points of weld;
- Revise: E2.4 (d) to read: deformed reinforcing bars shall be Grade 400 or **higher** deformed bars;
- Revise: E2.4 (e) to read: dowel bars shall be Grade 400 or **higher** plain bars;