

734-2025 ADDENDUM 1

THE FORKS RAIL CN BRIDGE PEDESTRIAN CANOPY

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE
BID/PROPOSAL**

ISSUED: September 12, 2025
BY: David Bodnarchuck
TELEPHONE NO. 204 986-8839

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID/PROPOSAL AND SHALL FORM
A PART OF THE CONTRACT DOCUMENTS**

Template Version: Add 2024-02-01

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 12:00 noon Winnipeg time, September 17th, 2025

PART D – SUPPLEMENTAL CONDITIONS

- Add: D3.4 The Contractor shall apply for the building permit required for the Work. The Contractor will be provided with the address or legal description to complete the permit process.
- Add: D3.5 The work area and laydown area shall be secured with metal construction fencing for the duration of the Work and the Contractor shall limit any equipment and materials left on the site when possible. Any laydown area, path closure, or re-routing shall be addressed through the Accessibility Plan noted in Section D20 of this document.
- Add: D3.6 The structure requires a duplex system of powder-coat over hot-dipped galvanized. The Contractor will be required to prepare the steel members prior to coating, including pre-heating and light sandblasting with a fine grit in order to preserve the zinc coating.
- Add: D4.2 It is the responsibility of the Bidder to review the Site for access conditions and dimensions to determine feasibility of vehicular and equipment access. Vehicles can access this Riverwalk location via the ramp at The Forks and from Assiniboine Avenue near Donald Street.
- Add: D19.6 There are no specific hours of work designated for this Site. All Work must comply with the City of Winnipeg noise by-law. It is the Contractor's responsibility to ensure safe working conditions in consideration of seasonal conditions.

DRAWINGS

Replace: 4B734-2025 _Drawing_S001 with 4B734-2025 _Addendum_1 Drawing S001_R1

Replace: 4B734-2025 _Drawing_S101 with 4B734-2025 _Addendum_1 Drawing S101_R1