

PART A

BID SUBMISSION

FORM A: BID
(See B8)

1. Project Title PROVINCE OF MANITOBA/CITY OF WINNIPEG - 2004 RESIDENTIAL STREET RENEWALS, PART 1 – DOLLARD BOULEVARD AND VARIOUS OTHER LOCATIONS, PART 2 – RIVERTON AVENUE AND VARIOUS OTHER LOCATIONS

2. Bidder

Name of Bidder

Street

City Province Postal Code

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one) a sole proprietor
 a partnership
 a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions unless the context otherwise requires.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- In accordance with B11.1, the Bidder encloses bid security in the form of:
- (Choose one)
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No. | Dated |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
(See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 - CITY FUNDED WORK						
A: DOLLARD BOULEVARD REHABILITATION - TACHE AVENUE TO LANGEVIN AVENUE						
A.1	Grading of Boulevards	CW 3110-R7	m ²	1000		
A.2	Miscellaneous Concrete Slab Renewal	CW 3235-R4				
	i) Sidewalk	SD-228A				
	a) Less than or equal to 5 sq.m.		m ²	100		
	b) Greater than 5 and less than 20 sq.m.		m ²	300		
	c) Greater than 20 sq.m.		m ²	100		
A.3	Concrete Curb Removal	CW 3240-R4				
	i) Barrier (Separate)		m	95		
A.4	Concrete Curb Installation	CW 3240-R4				
	i) Modified Barrier (150mm, Dowelled)	SD-203B	m	95		
A.5	Concrete Curb Renewal	CW 3240-R4				
	i) Barrier (150mm, Dowelled, Slip Form Paving)	SD-205, SD206A				
	a) Greater than 30 m		m	850		
	ii) Ramp Curb (15mm)	SD-229 E	m	110		
A.6	Construction of Asphaltic Concrete Overlay	CW 3410-R5				
	i) Main Line Paving					
	a) Type IA		tonne	850		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	90		
A.7	Planing of Pavement	CW 3450-R3				
	i) 0 - 50 mm Depth (Asphalt)		m ²	900		
A.8	Pavement Patching	E11	m ²	850		
A.9	Reflective Crack Maintenance	CW 3250-R5	m	500		
A.10	Catch Basin	CW 2130-R8				
	i) 1200mm, SD-024		each	2		

 Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.11	Catch Pit	CW 2130-R8				
	i) SD-023		each	4		
A.12	Catch Pit Connection Pipe	CW 2130-R8	m	6		
A.13	Abandonment of Existing Drainage Inlets	CW 3210-R5	each	2		
A.14	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	5		
A.15	Installation of Cast Iron Lifter Ring Inserts	CW 3210-R5				
	i) 38mm		each	10		
	ii) 51mm		each	10		
A.16	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	2		
A.17	Installation of Watermain Valve Box Extendible Section Inserts	CW 3210-R5	each	1		
A.18	Adjustment of Existing Curb Stop Boxes	CW 3210-R5	each	10		
A.19	Adjustment of Curb and Gutter Inlets	CW 3210-R5	each	1		
A.20	Adjustment of Gutter Inlets	CW 3210-R5	each	2		
A.21	Supply of Catchbasin / Manhole Frames and Covers	CW 3210-R5	each	7		
A.22	Supply of Curb Stop Box Extendible Sections	CW 3210-R5	each	15		
A.23	Sodding	CW 3510-R7				
	i) width < 600mm		m ²	200		
	ii) width > or = 600mm		m ²	1000		
A: Dollard Avenue Rehabilitation					Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 - CITY FUNDED WORK						
B: GREENE AVENUE CRACK AND SEAT- WATT STREET TO GOLSPIE STREET						
B.1	Grading of Boulevards	CW 3110-R7	m ²	1000		
B.2	Miscellaneous Concrete Slab Removal	CW 3235-R4				
	i) Sidewalk		m ²	850		
B.3	Miscellaneous Concrete Slab Installation	CW 3235-R4				
	i) Sidewalk	SD-228A	m ²	1100		
B.4	Adjustment of Precast Sidewalk Blocks	CW 3235-R4	m ²	5		
B.5	Supply of Precast Sidewalk Blocks	CW 3235-R4	m ²	5		
B.6	Concrete Curb Removal	CW 3240-R4				
	i) Barrier (Separate)		m	12		
B.7	Concrete Curb Installation	CW 3240-R4				
	i) Modified Barrier (150mm, Dowelled)	SD-203B	m	12		
B.8	Concrete Curb Renewal	CW 3240-R4				
	i) Ramp Curb (15mm)	SD-229 E	m	17		
B.9	Construction of Asphaltic Concrete Overlay	CW 3410-R5				
	i) Main Line Paving					
	a) Type IA		tonne	576		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	20		
B.10	Planing of Pavement	CW 3450-R3				
	i) 0 - 50 mm Depth (Asphalt)		m ²	2400		
B.11	Moisture Barrier/Stress Absorption Geotextile Fabric	E10	m ²	2400		
B.12	Pavement Patching	E11	m ²	300		
B.13	Cracking and Seating Pavement	E9	m ²	2400		
B.14	Partial Depth Saw-Cutting	E9	m	250		
B.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
	i) Construction of Curb and Gutter (150mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement, Slip Form Paving)	SD-200	m	710		
B.16	Reflective Crack Maintenance	CW 3250-R5	m	300		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.17	Catch Basin	CW 2130-R8				
	i) 1800mm, SD-024		each	3		
	ii) 1200mm, SD-024		each	3		
B.18	Catch Pit Connection Pipe	CW 2130-R8	m	5		
B.19	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	3		
B.20	Installation of Precast Concrete Ring Sections	CW 3210-R5	vert. m	0.3		
B.21	Installation of Cast Iron Lifter Ring Inserts	CW 3210-R5				
	i) 38mm		each	5		
	ii) 51mm		each	2		
B.22	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	4		
B.23	Installation of Watermain Valve Box Extendible Section Inserts	CW 3210-R5	each	1		
B.24	Adjustment of Existing Curb Stop Boxes	CW 3210-R5	each	15		
B.25	Supply of Catchbasin / Manhole Frames and Covers	CW 3210-R5	each	4		
B.26	Sodding	CW 3510-R7				
	i) width < 600mm		m ²	1000		
	ii) width > or = 600mm		m ²	100		
B.27	External Sewer Repair					
	i) 300mm, 3.5 m depth, Class 3 backfill	CW 2130-R8				
	a) Up to 3.0 metres	SD-022B	each	1		
	b) In addition to first 3.0 metres		m	7		
B.28	Sewer Inspection - wrc coding	CW 2130-R8	m	120.0		
B: Greene Avenue Crack and Seat					Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 - CITY FUNDED WORK						
C: HART AVENUE CRACK AND SEAT- GLENWOOD CRESCENT TO BEATRICE STREET						
C.1	Grading of Boulevards	CW 3110-R7	m ²	1000		
C.2	Miscellaneous Concrete Slab Renewal	CW 3235-R4				
	i) Sidewalk	SD-228A				
	a) Less than or equal to 5 sq.m.		m ²	65		
	b) Greater than 5 and less than 20 sq.m.		m ²	200		
	c) Greater than 20 sq.m.		m ²	250		
C.3	Concrete Curb Removal	CW 3240-R4				
	i) Barrier (Separate)		m	30		
C.4	Concrete Curb Installation	CW 3240-R4				
	i) Modified Barrier (150mm, Dowelled)	SD-203B	m	30		
C.5	Concrete Curb Renewal	CW 3240-R4				
	i) Barrier (150mm, Dowelled)	SD-205, SD206A	m			
	a) Greater than 3m and less than 30 m		m	8		
	ii) Ramp Curb (15mm)	SD-229 E	m	45		
C.6	Moisture Barrier/Stress Absorption Geotextile Fabric	E10	m ²	1750		
C.7	Pavement Patching	E11	m ²	250		
C.8	Cracking and Seating Pavement	E9	m ²	1750		
C.9	Partial Depth Saw-Cutting	E9	m	200		
C.10	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
	i) Construction of Curb and Gutter (150mm, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement, Slip Form Paving)	SD-200	m	540		
C.11	Construction of Asphaltic Concrete Overlay	CW 3410-R5				
	i) Main Line Paving					
	a) Type IA		tonne	420		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	35		
C.12	Reflective Crack Maintenance	CW 3250-R5	m	200		
C.13	Catch Basin	CW 2130-R8				
	i) 1800mm, SD-024		each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.14	Catch Pit	CW 2130-R8				
	i) SD-023		each	3		
C.15	Catch Pit Connection Pipe	CW 2130-R8	m	3		
C.16	Abandonment of Existing Drainage Inlets	CW 3210-R5	each	3		
C.17	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	1		
C.18	Installation of Precast Concrete Ring Sections	CW 3210-R5	vert. m	0.3		
C.19	Installation of Cast Iron Lifter Ring Inserts	CW 3210-R5				
	i) 38mm		each	2		
	ii) 51mm		each	1		
C.20	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	4		
C.21	Installation of Watermain Valve Box Extendible Section Inserts	CW 3210-R5	each	1		
C.22	Adjustment of Existing Curb Stop Boxes	CW 3210-R5	each	10		
C.23	Supply of Catchbasin / Manhole Frames and Covers	CW 3210-R5	each	2		
C.24	Supply of Curb Stop Box Extendible Sections	CW 3210-R5	each	5		
C.25	Sodding	CW 3510-R7				
	i) width < 600mm		m ²	460		
	ii) width > or = 600mm		m ²	1000		
C: Hart Avenue - Crack and Seat					Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 - PROVINCIALY FUNDED WORK						
D: ELIZABETH ROAD MAJOR REHABILITATION - ARCHIBALD STREET TO DRAKE STREET						
D.1	Grading of Boulevards	CW 3110-R7	m ²	1000		
D.2	Partial Slab Patches	CW 3230-R4				
	i) 200 mm Concrete Pavement (Type A)		m ²	20		
	ii) 200 mm Concrete Pavement (Type B)		m ²	290		
	iii) 200 mm Concrete Pavement (Type C)		m ²	100		
	iv) 200 mm Concrete Pavement (Type D)		m ²	100		
D.3	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	840		
D.4	Drilled Tie Bars	CW 3230-R4				
	i) 25 M Deformed Tie Bar		each	1300		
D.5	Miscellaneous Concrete Slab Renewal	CW 3235-R4				
	i) Median Slab	SD-227A	m ²	10		
	ii) Sidewalk	SD-228A				
	a) Less than or equal to 5 sq.m.		m ²	75		
	b) Greater than 5 and less than 20 sq.m.		m ²	150		
	c) Greater than 20 sq.m.		m ²	50		
D.6	Concrete Curb Removal	CW 3240-R4				
	i) Barrier (Separate)		m	50		
D.7	Concrete Curb Installation	CW 3240-R4				
	i) Modified Barrier (150mm, Dowelled)	SD-203B	m	50		
D.8	Concrete Curb Renewal	CW 3240-R4				
	i) Barrier (150mm, Dowelled, Slip Form Paving)	SD-205, SD206A				
	a) 3 m and less		m	15		
	b) Greater than 3m and less than 30 m		m	53		
	c) Greater than 30 m		m	500		
	ii) Ramp Curb (15mm)	SD-229 E	m	50		
D.9	Construction of Asphaltic Concrete Overlay	CW 3410-R5				
	i) Main Line Paving					
	a) Type IA		tonne	940		

 Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	115		
D.10	Planing of Pavement	CW 3450-R3				
	i) 0 - 50 mm Depth (Asphalt)		m ²	2600		
D.11	Reflective Crack Maintenance	CW 3250-R5	m	400		
D.12	Catch Pit	CW 2130-R8				
	i) SD-023		each	8		
D.13	Catch Pit Connection Pipe	CW 2130-R8	m	5		
D.14	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	3		
D.15	Installation of Precast Concrete Ring Sections	CW 3210-R5	vert. m	0.3		
D.16	Installation of Cast Iron Lifter Ring Inserts	CW 3210-R5				
	i) 38mm		each	4		
	ii) 51mm		each	2		
D.17	Abandonment of Existing Catchbasins/Manholes	CW 3210-R5	each	2		
D.18	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	4		
D.19	Installation of Watermain Valve Box Extendible Section Inserts	CW 3210-R5	each	1		
D.20	Adjustment of Existing Curb Stop Boxes	CW 3210-R5	each	5		
D.21	Supply of Catchbasin / Manhole Frames and Covers	CW 3210-R5	each	2		
D.22	Sodding	CW 3510-R7				
	i) width < 600mm		m ²	600.00		
	ii) width > or = 600mm		m ²	1000.00		
D: Elizabeth Road Rehabilitation					Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 - PROVINCIALY FUNDED WORK						
E: RIVERTON AVENUE RECONSTRUCTION- WATT ST. TO ELMWOOD RD.						
E.1	Excavation	CW 3110-R7	m ³	1200.0		
E.2	Sub-Grade Compaction	CW 3110-R7	m ²	2310.0		
E.3	Crushed Sub-base Material	CW 3110-R7				
	i) 50 mm - Limestone		tonne	1400.0		
E.4	Supplying and Placing Base Course Material	CW 3110-R7	m ³	180.0		
E.5	Grading of Boulevards	CW 3110-R7	m ²	950.0		
E.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	2310.0		
E.7	Pavement Removal	CW 3110-R7				
	i) Concrete Pavement		m ²	1960.0		
E.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R4	m ²	12.0		
E.9	Supply of Precast Sidewalk Blocks	CW 3235-R4	m ²	5.0		
E.10	Miscellaneous Concrete Slab Removal	CW 3235-R4				
	i) Sidewalk		m ²	665.0		
E.11	Miscellaneous Concrete Slab Installation	CW 3235-R4				
	i) Sidewalk	SD-228A	m ²	825.0		
E.12	Concrete Curb Removal	CW 3240-R4				
	i) Barrier (Separate)		m	25.0		
E.13	Concrete Curb Installation	CW 3240-R4				
	i) Modified Barrier (150mm, Dowelled)	SD-203B	m	25.0		
E.14	Concrete Curb Renewal	CW 3240-R4				
	i) Ramp Curb (15mm)	SD-229	m	15.0		
E.15	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	10.0		
E.16	Construction of Asphaltic Concrete Overlay	CW 3410-R5				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	22.5		
E.17	Planing of Pavement	CW 3450-R3				
	i) 0 - 50 mm Depth (Asphalt)		m ²	80.0		
E.18	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R8				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m ²	1940.0		

Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
	i) Construction of Barrier (150mm, Separate, Slip Form Paving)	SD-203A	m	540.0		
E.20	Reflective Crack Maintenance	CW 3250-R5	m	50.0		
E.21	Catch Basin	CW 2130-R8				
	i) 1800mm, SD-024		each	4.0		
	ii) 1200mm, SD-024		each	4.0		
E.22	Catch Pit Connection Pipe	CW 2130-R8	m	20.0		
E.23	Connecting to Existing Sewer	CW 2130-R8				
	i) 250mm PVC Connecting Pipe					
	a) Connecting to 300mm Storm Relief Sewer		each	2		
	b) Connecting to 450mm Storm Relief Sewer		each	2		
E.24	Removal of Existing Catchbasins	CW 2130-R8	each	4		
E.25	Abandonment of Existing Drainage Inlets	CW 3210-R5	each	4		
E.26	Installation of Subdrains	CW 3120-R1	m	235.0		
E.27	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	1.0		
E.28	Installation of Precast Concrete Ring Sections	CW 3210-R5	vert. m	0.9		
E.29	Installation of Cast Iron Lifter Ring Inserts	CW 3210-R5				
	i) 38mm		each	3.0		
	ii) 51mm		each	4.0		
E.30	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	2.0		
E.31	Installation of Watermain Valve Box Extendible Section Inserts	CW 3210-R5	each	1.0		
E.32	Adjustment of Existing Curb Stop Boxes	CW 3210-R5	each	10.0		
E.33	Supply of Catchbasin / Manhole Frames and Covers	CW 3210-R5	each	5.0		
E.34	Supply of Curb Stop Box Extendible Sections	CW 3210-R5	each	25.0		
E.35	Sodding	CW 3510-R7				
	i) width < 600mm		m ²	150.0		
	ii) width > or = 600mm		m ²	950.0		
E.36	External Sewer Repair					
	i) 300mm, 3.0 m depth, Class 3 backfill	CW 2130-R8				
	a) Up to 3.0 metres	SD-022A	each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.37	Sewer inspection - wrc coding	CW 2130-R8	m	94.0		
E: Riverton Avenue Reconstruction					Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 - CITY FUNDED WORK						
A:	DOLLARD BOULEVARD - TACHE AVENUE TO LANGEVIN AVENUE				Subtotal:	
B:	GREENE AVENUE - WATT STREET TO GOLSPIE STREET				Subtotal:	
C:	HART AVENUE - GLENWOOD CRESCENT TO BEATRICE STREET				Subtotal:	
PART 1					TOTAL	
PART 2 - PROVINCIALLY FUNDED WORK						
D:	ELIZABETH ROAD - ARCHIBALD STREET TO DRAKE STREET				Subtotal:	
E:	RIVERTON AVENUE - WATT STREET TO ELMWOOD ROAD				Subtotal:	
PART 2					TOTAL	
	TOTAL BID PRICE - PART 1 + PART 2 (GST extra) (in figures)				\$ _____	
	(in words)					

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 150-2004

PROVINCE OF MANITOBA/CITY OF WINNIPEG - 2004 RESIDENTIAL STREET RENEWALS, PART 1 – DOLLARD BOULEVARD AND VARIOUS OTHER LOCATIONS, PART 2 – RIVERTON AVENUE AND VARIOUS OTHER LOCATIONS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 150-2004

PROVINCE OF MANITOBA/CITY OF WINNIPEG - 2004 RESIDENTIAL STREET RENEWALS, PART 1 – DOLLARD BOULEVARD AND VARIOUS OTHER LOCATIONS, PART 2 – RIVERTON AVENUE AND VARIOUS OTHER LOCATIONS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

SPEC NOTE: Validity Period will reflect entry made to the bookmark in clause 11 of Form A after a field update.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 13, 2004.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)