

PART A

BID SUBMISSION

FORM A: BID
(See B8)

1. Project Title Province of Manitoba/City of Winnipeg 2004 Residential Street Renewals
- Part 1 - Burrows Ave & McAdam St
- Part 2 - Euclid Ave & Semple Ave
2. Bidder
- Name of Bidder _____
- Street _____
- (Mailing address if different) City _____ Province _____ Postal Code _____
- Street or P.O. Box _____
- City _____ Province _____ Postal Code _____
- (Choose one) The Bidder is:
- a sole proprietor
- a partnership
- a corporation
- carrying on business under the above name.
3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
- _____
- Contact Person _____ Title _____
- _____
- Telephone Number _____ Facsimile Number _____
4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions unless the context otherwise requires.
5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES (SEE B:9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 CITY FUNDED WORK						
A	<u>Burrows Avenue W/B-McGregor Street to Arlington Street- Pavement Reconstruction</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R7	m ³	5400		
A.2	Sub-Grade Compaction	CW 3110-R7	m ²	5500		
A.3	Crushed Sub-base Material	CW 3110-R7				
	i) 50 mm -Limestone		tonne	1700		
	ii) 150 mm - Limestone		tonne	5100		
A.4	Supplying and Placing Base Course Material	CW 3110-R7	m ³	350		
A.5	Grading of Boulevards	CW 3110-R7	m ²	2200		
A.6	Imported Fill Material	CW 3110-R7	m ³	5		
A.7	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	5550		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R7				
	i) Concrete Pavement		m ²	4620		
A.9	Miscellaneous Concrete Slab Renewal	CW 3235-R4				
	i) Sidewalk	SD-228A				
	a) Greater than 5 and less than 20 sq.m.		m ²	110		
	b) Greater than 20 sq.m.		m ²	1600		
A.10	Construction of Asphaltic Concrete Overlay	CW 3410-R5				
	i) Tie-ins and Approaches					
	a) Type II		tonne	15		
	ROADWORKS - NEW CONSTRUCTION					
A.11	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R8				
	i) Construction of 200 mm Concrete Pavement (Reinforced)		m ²	4620		
A.12	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
	i) Construction of Barrier (180mm ht, Dowelled)	SD-205	m	1120		
	ii) Construction of Modified Barrier 180 (Integral)	SD-203B	m	60		

 Name of Bidder

FORM B: PRICES (SEE B:9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	iii) Construction of Ramp Curb (15mm ht)	SD-229 E	m	35		
A.13	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	110		
A.14	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	210		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.15	Catch Basin	CW 2130-R8				
	i) SD-024		each	4		
A.16	Catch Pit	CW 2130-R8				
	i) SD-023		each	10		
A.17	Sewer Service	CW 2130-R8				
	i) 250 mm					
	a) in a Trench, PVC SDR 35, Class 2, Bedding and Backfill		m	20		
A.18	Connecting to Existing Catch Basin	CW 2130-R8				
	i) 250mm Catch Pit Lead		each	10		
A.19	Connecting to Existing Sewer	CW 2130-R8				
	i) 150mm PVC					
	a) Connecting to 500mm AC SRS Sewer		each	1		
	b) Connecting to 1350mm CONC SRS Sewer		each	1		
	c) Connecting to 300mm CLAY CS Sewer		each	1		
	d) Connecting to 442.5mm POLY CS Sewer		each	1		
A.20	Removal of Existing Catch Pit	CW 2130-R8	each	10		
A.21	Installation of Subdrains	CW 3120-R1	m	770		
ADJUSTMENTS						
A.22	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	10		
LANDSCAPING						
A.23	Sodding	CW 3510-R7				
	i) width > or = 600mm		m ²	2200		
<u>Burrows Avenue W/B-McGregor Street to Arlington Street- Pavement Reconstruction</u>					Subtotal:	

 Name of Bidder

FORM B: PRICES (SEE B:9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>McAdam Avenue-Main Street to Aikins Street- Pavement Rehabilitation</u>					
	EARTH AND BASE WORKS					
B.1	Grading of Boulevards	CW 3110-R7	m ²	250		
B.2	Imported Fill Material	CW 3110-R7	m ³	5		
	ROADWORKS - RENEWALS					
B.3	Slab Replacement	CW 3230-R4				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	140		
B.4	Partial Slab Patches	CW 3230-R4				
	i) 150 mm Concrete Pavement (Type A)		m ²	20		
	ii) 150 mm Concrete Pavement (Type B)		m ²	365		
	iii) 150 mm Concrete Pavement (Type C)		m ²	15		
	iv) 150 mm Concrete Pavement (Type D)		m ²	135		
B.5	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	1225		
B.6	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	1825		
B.7	Miscellaneous Concrete Slab Renewal	CW 3235-R4				
	i) Sidewalk	SD-228A				
	a) Less than or equal to 5 sq.m.		m ²	5		
B.8	Concrete Curb Renewal	CW 3240-R4				
	i) Barrier (150mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m and less		m	10		
	b) Greater than 3m and less than 30 m		m	420		
	ii) Ramp Curb (15mm ht)	SD-229 E	m	5		
B.9	Planing of Pavement	CW 3450-R3				
	i) 0 - 50 mm Depth (Asphalt)		m ²	1550		

FORM B: PRICES (SEE B:9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.10	Pavement Repair Fabric	E13	m ²	50		
B.11	Pavement Patching	E12	m ²	50		
ROADWORKS - NEW CONSTRUCTION						
B.12	Construction of Asphaltic Concrete Pavements	CW 3410-R5				
	i) Main Line Paving					
	a) Type I		tonne	400		
	ii) Tie-ins and Approaches					
	a) Type II		tonne	40		
JOINT AND CRACK SEALING						
B.13	Reflective Crack Maintenance	CW 3250-R5	m	380		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.14	Replacing Existing Catch Basin Frames & Covers	CW 2130-R8				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame		each	6		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	6		
ADJUSTMENTS						
B.15	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	2		
LANDSCAPING						
B.16	Sodding	CW 3510-R7				
	i) width < 600mm		m ²	230		
	ii) width > or = 600mm		m ²	20		
<u>McAdam Avenue-Main Street to Aikins Street- Pavement Rehabilitation</u>					Subtotal:	

FORM B: PRICES (SEE B:9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 PROVINCIALY FUNDED WORK (See D2)						
C <u>Euclid Avenue- Granville Street to Sutherland Avenue- Pavement Rehabilitation</u>						
EARTH AND BASE WORKS						
C.1	Grading of Boulevards	CW 3110-R7	m ²	10		
C.2	Imported Fill Material	CW 3110-R7	m ³	5		
ROADWORKS - RENEWALS						
C.3	Slab Replacement	CW 3230-R4				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	280		
C.4	Partial Slab Patches	CW 3230-R4				
	i) 150 mm Concrete Pavement (Type A)		m ²	80		
	ii) 150 mm Concrete Pavement (Type B)		m ²	360		
	iii) 150 mm Concrete Pavement (Type C)		m ²	6		
	iv) 150 mm Concrete Pavement (Type D)		m ²	280		
C.5	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	1600		
C.6	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	2400		
C.7	Miscellaneous Concrete Slab Renewal	CW 3235-R4				
	i) Sidewalk	SD-228A				
	a) Less than or equal to 5 sq.m.		m ²	10		
	b) Greater than 5 and less than 20 sq.m.		m ²	25		
C.8	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	500		
C.9	Concrete Curb Renewal	CW 3240-R4				
	i) Barrier (150mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m and less		m	40		
	b) Greater than 3m and less than 30 m		m	750		

 Name of Bidder

FORM B: PRICES (SEE B:9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.10	ii) Ramp Curb (15mm ht) Planing of Pavement	SD-229 E CW 3450-R3	m	25		
C.11	i) 0 - 50 mm Depth (Asphalt) Pavement Patching	E12	m ² m ²	4300 50		
ROADWORKS - NEW CONSTRUCTION						
C.12	Construction of Asphaltic Concrete Pavements	CW 3410-R5				
	i) Main Line Paving					
	a) Type I		tonne	1100		
	ii) Tie-ins and Approaches					
	a) Type II		tonne	100		
JOINT AND CRACK SEALING						
C.13	Reflective Crack Maintenance	CW 3250-R5	m	860		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
C.14	Replacing Existing Catch Basin Frames & Covers	CW 2130-R8				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame		each	10		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	10		
ADJUSTMENTS						
C.15	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	14		
C.16	Installation of Watermain Valve Box Extendible Section Inserts	CW 3210-R5	each	1		
C.17	Adjustment of Curb and Gutter Inlets	CW 3210-R5	each	7		
LANDSCAPING						
C.18	Sodding	CW 3510-R7				
	i) width < 600mm		m ²	20		
	ii) width > or = 600mm		m ²	20		
<i>Euclid Avenue- Granville Street to Sutherland Avenue- Pavement Rehabilitatio</i>					Subtotal:	

FORM B: PRICES (SEE B:9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Seiple Avenue-Main Street to Scotia Street- Crack and Sealing of Existing Concrete Pavement</u>					
	EARTH AND BASE WORKS					
D.1	Grading of Boulevards	CW 3110-R7	m ²	560		
D.2	Imported Fill Material	CW 3110-R7	m ³	10		
	ROADWORKS - RENEWALS					
D.3	Partial Slab Patches	CW 3230-R4				
	i) 150 mm Concrete Pavement (Type A)		m ²	5		
	ii) 150 mm Concrete Pavement (Type B)		m ²	10		
	iii) 150 mm Concrete Pavement (Type C)		m ²	5		
D.4	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	20		
D.5	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	30		
D.6	Miscellaneous Concrete Slab Installation	CW 3235-R4				
	i) Sidewalk	SD-228A	m ²	35		
D.7	Concrete Curb Installation	CW 3240-R4				
	i) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	5		
	ii) Curb and Gutter (125 mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	520		
	iii) Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	10		
	iv) Curb and Gutter (Ramp Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	10		
D.8	Concrete Curb Renewal	CW 3240-R4				
	i) Barrier (150mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m and less		m	5		

 Name of Bidder

FORM B: PRICES (SEE B:9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ii) Ramp Curb (15mm ht)	SD-229 E	m	5		
D.9	Planing of Pavement	CW 3450-R3				
	i) 0 - 50 mm Depth (Asphalt)		m ²	150		
D.10	Moisture Barrier / Stress Absorption Geotextile Fabric	E11	m ²	2050		
D.11	Pavement Patching	E12	m ²	100		
D.12	Cracking and Seating Pavement	E10	m ²	2050		
D.13	Partial Depth Saw-Cutting	E10	m	280		
ROADWORKS - NEW CONSTRUCTION						
D.14	Construction of Asphaltic Concrete Pavements	CW 3410-R5				
	i) Main Line Paving					
	a) Type I		tonne	500		
	ii) Tie-ins and Approaches					
	a) Type II		tonne	30		
JOINT AND CRACK SEALING						
D.15	Reflective Crack Maintenance	CW 3250-R5	m	370		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
D.16	Replacing Existing Catch Basin Frames & Covers	CW 2130-R8				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame		each	2		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
ADJUSTMENTS						
D.17	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	2		
D.18	Adjustment of Curb and Gutter Inlets	CW 3210-R5	each	2		
LANDSCAPING						
D.19	Sodding	CW 3510-R7				
	i) width < 600mm		m ²	70		
	ii) width > or = 600mm		m ²	550		
D	<u>Simple Avenue-Main Street to Scotia Street- Crack and Seating of Existing Concrete Pavement</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES (SEE B:9)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 CITY FUNDED WORK						
A	<u>Burrows AvenueW/B-McGregor Street to Arlington Street- Pavement Reconstruction</u>				Subtotal:	
B	<u>McAdam Avenue-Main Street to Aikins Street- Pavement Rehabilitation</u>				Subtotal:	
(total price) PART 1						
PART 2 PROVINCIALY FUNDED WORK (See D2)						
C	<u>Euclid Avenue- Granville Street to Sutherland Avenue- Pavement Rehabilitation</u>				Subtotal:	
D	<u>Semple Avenue-Main Street to Scotia Street- Crack and Seating of Existing Concrete Pavement</u>				Subtotal:	
(total price) PART 2						
TOTAL BID PRICE (GST extra) (in figures) \$ _____						
TOTAL BID PRICE (GST extra) (in words) _____						

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)

(See B11) **BID BOND**

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 194-2004

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2004 RESIDENTIAL STREET RENEWALS

PART 1 - BURROWS AVE & MCADAM ST

PART 2 - EUCLID AVE & SEMPLE AVE

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED

in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 194-2004

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2004 RESIDENTIAL STREET RENEWALS
PART 1 - BURROWS AVE & MCADAM ST
PART 2 - EUCLID AVE & SEMPLE AVE

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 194-2004

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2004 RESIDENTIAL STREET RENEWALS
PART 1 - BURROWS AVE & MCADAM ST
PART 2 - EUCLID AVE & SEMPLE AVE

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 3, 2004.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity. This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)