



**ADDENDUM NO. 1**  
**BID OPPORTUNITY NO. 543-2004**  
**DEMOLITION OF 501 PANET ROAD**

**URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

ISSUED: February 18, 2005  
BY: Graeme Remple  
TELEPHONE NO. (204) 986-3787

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20041223

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.**

---

**PART E – SPECIFICATIONS**

Revised E6.2 to read:

E6.2 The Contractor shall demolish the existing buildings, structures, fences, sidewalks, etc. on the Site. The Contractor shall completely demolish all buildings and structures/foundations that are above and below ground to a depth of 0.61 m and remove all debris and rubbish from the Site. All structures / foundations below the 0.61 m depth shall be left in place and the locations shown on an as-built plan to be provided to the Contract Administrator after the demolition works have been completed. The Contractor shall not store or permit debris or rubbish to accumulate on the Site for more than one Working Day. The Contractor shall completely clear the Site except for any existing trees, which the Contractor shall protect from damage.

**DRAWINGS**

Add: 543-2004-DRAWING-A1.pdf