

PART A

BID SUBMISSION

FORM A: BID
(See B7)

1. Project Title
2004 LOCAL IMPROVEMENTS PROGRAM
LLOYD STREET/ST. MARY'S ROAD LANES and
CHEVRIER BOULEVARD CONCRETE PAVEMENT CONSTRUCTION

2. Bidder

Name of Bidder

Street

City Province Postal Code

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person
The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions
All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions unless the context otherwise requires.

5. Offer
The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- In accordance with B10.1, the Bidder encloses bid security in the form of:
- (Choose one)
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | | | | |
|-----|-------|-------|-------|
| No. | _____ | Dated | _____ |
| | _____ | | _____ |
| | _____ | | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES (SEE B 8)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	LLOYD ST / ST. MARY'S ROAD LANEWAY CONCRETE PAVEMENT CONSTRUCTION - 14' WIDTH					
A.1	Excavation	CW 3110-R7	m ³	160		
A.2	Sub-Grade Compaction	CW 3110-R7	m ²	220		
A.3	Crushed Sub-base Material	CW 3110-R7				
	i) 50 mm - Crushed Limestone		tonne	210		
A.4	Supplying and Placing Base Course Material	CW 3110-R7	m ³	20		
A.5	Partial Slab Patches	CW 3230-R4				
	i) 150 mm Concrete Pavement (Type D)		m ²	36		
A.6	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	15		
A.7	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	25		
A.8	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R8				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m ²	230		
A.9	Construction of Asphaltic Concrete Pavements	CW 3410-R5				
	i) Tie-ins and Approaches					
	a) Type 1		tonne	3		
A	LLOYD STREET/ST. MARY'S ROAD LANEWAY CONSTRUCTION - 14' WIDTH				<i>Sub-total:</i>	

FORM B: PRICES (SEE B 8)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	LLOYD STREET/ST. MARY'S ROAD LANEWAY CONCRETE PAVEMENT CONSTRUCTION - 16' WIDTH					
B.1	Excavation	CW 3110-R7	m ³	790		
B.2	Sub-Grade Compaction	CW 3110-R7	m ²	1080		
B.3	Crushed Sub-base Material	CW 3110-R7				
	i) 50 mm - Crushed Limestone		tonne	990		
B.4	Supplying and Placing Base Course Material	CW 3110-R7	m ³	95		
B.5	Pavement Removal	CW 3110-R7				
	i) Concrete Pavement		m ²	70		
B.6	Partial Slab Patches	CW 3230-R4				
	i) 150 mm Concrete Pavement (Type D)		m ²	164		
B.7	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	30		
B.8	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	100		
B.9	Miscellaneous Concrete Slab Removal	CW 3235-R4				
	i) Sidewalk		m ²	15		
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R4 SD-228A				
	i) Sidewalk					
	a) Greater than 5 or equal to and less than 20 sq.m.		m ²	15		

FORM B: PRICES (SEE B 8)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.11	Concrete Curb Removal	CW 3240-R4				
	i) Barrier (Integral)		m	50		
B.12	Concrete Curb Installation	CW 3240-R4				
	i) Barrier (180 mm ht, Separate)	SD-203A				
	a) Greater than or equal to 3 and less than or equal to 20 sq.m.		m	25		
	ii) Modified Barrier Curb (180 mm ht, Dowelled)	SD-203B	m	25		
	iii) Ramp Curb (10-15mm ht, Integral)	SD-229C	m	15		
B.13	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R8				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m ²	1120		
B.14	Construction of Asphaltic Concrete Pavements	CW 3410-R5				
	i) Tie-ins and Approaches					
	a) Type 1		tonne	12		
B.15	Catch Basin	CW 2130-R8				
	i) SD-025		each	1		
B.16	Sewer Service	CW 2130-R8				
	i) 250mm dia: In a Trench, Class B Type 2 bedding, Class 2 Backfill		m	47		
B.17	Connecting to Existing Catch Basin	CW 2130-R8	each	1		
B.18	Installation of Subdrains	CW 3120-R1	m	12		
B.19	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	1		
B.20	Sodding	CW 3510-R7				
	i) Width > or = 600mm		m ²	100		
B	LLOYD ST / ST. MARY'S ROAD LANEWAY CONSTRUCTION-16' WIDTH				<i>Sub-total:</i>	

FORM B: PRICES (SEE B 8)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	PART C: CHEVRIER BOULEVARD LAND DRAINAGE CONSTRUCTION					
C.1	Catch Basin	CW 2130-R8				
	i) SD-024		each	12		
C.2	Sewer Service	CW 2130-R8				
	i) 250mm					
	In a Trench, Class B bedding, Class 2 Backfill		m	65		
C.3	Connecting to Existing Sewer	CW 2130-R8				
	i) Connecting to 525mm Sewer (PVC)		each	1		
	ii) Connecting to 1350mm Sewer(C-76-4)		each	1		
C.4	Installation of Subdrains	CW 3120-R1	m	1100		
C.5	Land Drainage Sewers	CW 2130-R8				
	i) Manholes					
	a) Type "A" (SD-010)		each	2		
	b) Type "B" (SD-011)		each	4		
	c) Type "C" (2100mm)		each	1		

FORM B: PRICES (SEE B 8)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ii) Pipe					
	a) 300mm Sewer (PVC SDR-35, Ribbed) In a trench, Class B Bedding, Class 3 Backfill 0-4 M. Deep		lm.	18		
	b) 450mm Sewer (PVC SDR-35, C-76-3) Trenchless, Class B Bedding, Class 4 Backfill 0-4 M. Deep		lm.	64		
	c) 525mm Sewer (C-76-3) Trenchless, Class B Bedding, Class 4 Backfill 0-4 M. Deep		lm.	57		
	d) 600mm Sewer (C-76-3) Trenchless, Class B Bedding, Class 4 Backfill 0-5 M. Deep		lm.	385		
	e) 1350mm Sewer (Concrete C-76-4) Trenchless, Class B Bedding, Class 3 Backfill 4-5 M. Deep		lm.	17		
C.6	Video Inspection of Sewers (all sizes)	CW 2145	lm.	541		
C	CHEVRIER BOULEVARD LAND DRAINAGE CONSTRUCTION				<i>Sub-total:</i>	

FORM B: PRICES (SEE B 8)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	CHEVRIER BOULEVARD CONCRETE PAVEMENT CONSTRUCTION					
D.1	Excavation	CW 3110-R7	m ³	2200		
D.2	Sub-Grade Compaction	CW 3110-R7	m ²	6250		
D.3	Crushed Sub-base Material	CW 3110-R7				
	i) 50 mm Limestone		tonne	2600		
	ii) 150 mm Limestone		tonne	7500		
D.4	Supplying and Placing Base Course Material	CW 3110-R7	m ³	500		
D.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	6500		
D.6	Common Excavation-Suitable Site Material	CW 3170-R4	m ³	2300		
D.7	Fill Material	CW 3170-R6				
	i) Placing Suitable Site Material		m ³	2300		
D.8	Pavement Removal	CW 3110-R7				
	i) Concrete Pavement		m ²	100		
	ii) Asphalt Pavement		m ²	100		
D.9	Drilled Dowels	CW 3230-R4				
	i) 28.6 mm Diameter		each	50		
D.10	Drilled Tie Bars	CW 3230-R4				
	i) 25 M Deformed Tie Bar		each	25		
D.11	CMP Removal & Disposal		each	6		

FORM B: PRICES (SEE B 8)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.12	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R8				
	i) Construction of 200 mm Concrete Pavement (Reinforced)		m ²	6250		
D.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
	i) Construction of Barrier Curb (180mm ht, Separate)	SD-203A	m	1200		
	ii) Construction of Ramp Curb	SD-229E	m	35		
D.14	Construction of Asphaltic Concrete Pavements	CW 3410-R5				
	i) Tie-ins and Approaches:					
	a) Type 1		tonne	7		
D.15	Adjustment of Existing Catchbasins / Manholes	CW 3210-R5	each	6		
D.16	Installation of Precast Concrete Ring Sections	CW 3210-R5	vert. m	1		
D.17	Adjustment of Existing Watermain Valve Boxes	CW 3210-R5	each	15		
D.18	Installation of Watermain Valve Box Extendible Section Inserts	CW 3210-R5	each	2		
D.19	Raising of Hydrant	CW 3210-R5	each	6		
D.20	Sodding	CW 3510-R7				
	i) Width > or = 600mm		m ²	5700		
D.21	Relocate & Restore Chain Link Fencing	E8	lm.	125		
D	CHEVRIER BOULEVARD CONCRETE PAVEMENT CONSTRUCTION				<i>Sub-total:</i>	

FORM B: PRICES (SEE B 8)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	CHEVRIER BOULEVARD CONCRETE SIDEWALK CONSTRUCTION					
E.1	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R8				
	i) Construction of Modified Barrier Curb (180 mm ht, Dowelled)	SD-203B	m	20		
	ii) Construction of Ramp Curb	SD-229E	m	10		
E.2	100 mm Concrete Sidewalk	CW 3325-R2	m ²	1375		
E.3	Construction of Asphaltic Concrete Pavements	CW 3410-R5				
	i) Tie-ins and Approaches					
	a) Type 1		tonne	3		
E.4	Sodding	CW 3510-R7				
	i) Width > or = 600mm		m ²	300		
E:	CHEVRIER BOULEVARD CONCRETE SIDEWALK CONSTRUCTION				<i>Sub-total:</i>	

FORM B: PRICES (SEE B 8)						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART A: LLOYD STREET/ST. MARY'S ROAD LANEWAY - 14' WIDTH					<i>Sub-total</i>	
PART B: LLOYD ST / ST. MARY'S ROAD LANEWAY -16' WIDTH					<i>Sub-total</i>	
PART C: CHEVRIER BOULEVARD LAND DRAINAGE CONSTRUCTION					<i>Sub-total</i>	
PART D: CHEVRIER BOULEVARD CONCRETE PAVEMENT					<i>Sub-total</i>	
PART E: CHEVRIER BOULEVARD CONCRETE SIDEWALK					<i>Sub-total</i>	
TOTAL BID PRICE (GST extra) <div style="float: right; margin-top: 5px;">In Figures _____</div>						
In Words _____						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 65-2004

2004 LOCAL IMPROVEMENTS PROGRAM
LLOYD STREET/ST. MARY'S ROAD LANES AND
CHEVRIER BOULEVARD CONCRETE PAVEMENT CONSTRUCTION

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 65-2004

2004 LOCAL IMPROVEMENTS PROGRAM
LLOYD STREET/ST. MARY'S ROAD LANES AND
CHEVRIER BOULEVARD CONCRETE PAVEMENT CONSTRUCTION

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Thirty (30) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 27, 2004.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)