

PART A

BID SUBMISSION

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. <u>Ellice Avenue - Century Street to Ferry Road - Roadworks</u>						
EARTH AND BASE WORKS						
A.1	Crushed Sub-base Material	CW 3110-R7				
i)	50 mm - Crushed limestone		tonne	50		
A.2	Supplying and Placing Base Course Material	CW 3110-R7	m ³	200		
A.3	Grading of Boulevards	CW 3110-R7	m ²	2000		
A.4	Common Excavation - Suitable site Material	CW 3170-R3	m ³	500		
ROADWORKS-RENEWALS						
A.5	Partial Slab Patches	CW 3230-R4				
i)	200 mm Concrete Pavement (Type A)		m ²	100		
ii)	200 mm Concrete Pavement (Type B)		m ²	500		
iii)	200 mm Concrete Pavement (Type D)		m ²	500		
A.6	Slab Replacement	CW 3230-R4				
i)	200 mm Concrete Pavement (Reinforced)		m ²	200		
A.7	Slab Replacement - Early Opening (24 hour)	CW 3230 - R4				
i)	200 mm Concrete Pavement (Reinforced)		m ²	50		
A.8	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R4				
i)	200 mm Concrete Pavement (Type B)		m ²	20		
ii)	200 mm Concrete Pavement (Type D)		m ²	20		
A.9	Drilled Dowels	CW 3230-R4				
i)	28.6 mm Diameter		each	600		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. <u>Ellice Avenue - Century Street to Ferry Road - Roadworks</u>						
A.10	Drilled Tie Bars	CW 3230-R4				
	i) 25 M Deformed Tie Bar		each	400		
A.11	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	10		
	b) 5 sq.m. to 20 sq.m.		m ²	125		
	c) Greater than 20 sq.m.		m ²	1500		
A.12	Concrete Curb Removal	CW 3240-R5				
	i) Barrier (Separate)		m	1800		
A.13	Concrete Curb Installation	CW 3240-R5				
	i) Barrier (150 mm ht, Dowelled)	SD-205	m	40		
	ii) Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	50		
A.14	Concrete Curb Renewal	CW 3240-R5				
	i) Barrier (150 mm ht, Dowelled)	SD-205,SD 206A				
	a) Less than 3 m		m	30		
	b) 3 m to 30 m		m	150		
	c) Greater than 30 m		m	70		
	ii) Ramp Curb (15 mm ht)	SD-229 E	m	150		
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	3200		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. <u>Ellice Avenue - Century Street to Ferry Road - Roadworks</u>						
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	100		
	b) Type II		tonne	100		
A.16	Planing of Pavement	CW 3450-R3				
	i) 0 - 50 mm Depth (Asphalt)		m ²	10000		
	ii) 50 - 100 mm Depth (Asphalt)		m ²	4280		
	iii) 0 - 50 mm Depth (Concrete)		m ²	50		
ROADWORKS-NEW CONSTRUCTION						
A.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R9				
	i) Construction of Splash Strip (150 mm ht, Barrier Curb, Integral, 600 mm width)	SD-227B	m	1400		
JOINT AND CRACK SEALING						
A.18	Reflective Crack Maintenance	CW 3250-R6	m	4500		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.19	Catch Basin	CW 2130-R9				
	i) SD-024		each	2		
A.20	Catch Pit	CW 2130-R9				
	i) SD-023		each	10		
A.21	Sewer Service	CW 2130-R9				
	i) 250 mm					
	a) in a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	50		
	b) Trenchless Installation, Class B Type 2 bedding, Class 2 Backfill		m	30		
A.22	Drainage Connection Pipe	CW 2130-R9	m	50		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. <u>Ellice Avenue - Century Street to Ferry Road - Roadworks</u>						
A.23	Replacing Standard Frames & Covers	CW 2130-R9				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	2		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	2		
	iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	10		
	v) AP-009 - Barrier Curb and Gutter Inlet Cover		each	10		
A.25	Connecting to Existing Catch Basin	CW 2130-R9				
	i) 250 mm Catch Pit Lead		each	10		
A.26	Connecting to Existing Sewer	CW 2130-R9				
	i) 250 mm PVC of connecting pipe to 750 mm Conc. Combined Sewer		each	3		
	ii) connecting to 750 mm Combined Sewer		each	3		
A.27	Abandoning Existing Catch Pit	CW 2130-R9	each	10		
A.28	Removal of Existing Catch Pit	CW 2130-R9	each	10		
ADJUSTMENTS						
A.29	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	5		
A.30	Replacing Existing Risers	CW 2130-R9		3		
	i) Pre-cast concrete risers		vert. m			
	ii) Brick Risers		vert. m			
	iii) Cast-in-place concrete		vert. m			
A.31	Lifter Rings	CW 3210-R6				
	i) 38mm		each	2		
	ii) 51mm		each	2		
	iii) 64mm		each	2		
A.32	Adjustment of Valve Boxes	CW 3210-R6	each	10		
A.33	Valve Box Extensions	CW 3210-R6	each	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
A. <u>Ellice Avenue - Century Street to Ferry Road - Roadworks</u>							
A.34	Adjustment of Curb Stop Boxes	CW 3210-R6	each	10			
A.35	Adjustment of Curb Inlet with new Inlet Box	CW 3210-R6	each	10			
A.36	Curb Stop Extensions	CW 3210-R6	each	10			
LANDSCAPING							
A.37	Sodding	CW 3510-R8					
	i) width < 600mm		m ²	100			
	ii) width > or = 600mm		m ²	2000			
A	<u>Ellice Avenue - Roadworks</u>					SUBTOTAL:	
B. <u>Ellice Avenue - Sewer Repairs</u>							
B.1	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R9					
	i) 600mm						
	a) Class 2 Backfill		m	3			
B.2	Video Inspection of Sewer	CW 2145	l.m.	85			
B	<u>Ellice Avenue - Sewer Repairs</u>					SUBTOTAL:	
SUMMARY							
A.	<u>Ellice Avenue - Century Street to Ferry Road - Roadworks</u>					Subtotal:	
B	<u>Ellice Avenue - Sewer Repairs</u>					Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) _____							
(in words) _____							

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the _____ day of _____, 20_____ for

BID OPPORTUNITY NO. 1- 2005

ELLICE AVENUE – FERRY ROAD TO CENTURY STREET, STREET RESURFACING

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney -in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 1- 2005

ELLICE AVENUE – FERRY ROAD TO CENTURY STREET, STREET RESURFACING

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney -in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 1- 2005

ELLICE AVENUE – FERRY ROAD TO CENTURY STREET, STREET RESURFACING

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 21, 2005.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)