#### FORM A: BID (See B7)

1.	Project Title	STREET RENEWAL PR	DBA, CITY OF WINNIPEG, 2 COGRAM: PART 1 – CLIFT AND VARIOUS OTHER LOCANGLEWOOD STREET	ON STREET AND
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	ler the above name.	
3.	Contact Person	The Bidder hereby authorship the Bidder for purposes of	orizes the following contact p of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms us ascribed to them in the C	sed in the Contract shall h General Conditions.	ave the meanings
5.	Offer		rs to perform the Work in add Price, in Canadian funds,	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.

#### 12. Signatures

Signatures	In witness whereof the Bidder officials have signed this	r or the Bidder's authorized official or
	day of _	, 20
(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Officia	al or Officials
(Witness)		
	(Print here name and official capa	acity of individual whose signature appears above)
(Witness)		
	(Print here name and official capa	acity of individual whose signature appears above)

SEAL

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART	1	CITY FUNDED WORK					
		CLIFTON STREET - ELLICE AVENUE TO SA	ARGENT AVEN	UE			
1.		Excavation	CW 3110-R7	m³	2100		
2.		Sub-Grade Compaction	CW 3110-R7	m²	3700		
3.		Crushed Sub-base Material	CW 3110-R7				
	i)	50 mm - Limestone		tonne	2550		
4.		Supplying and Placing Base Course Material	CW 3110-R7	m³	300		
5.		Grading of Boulevards	CW 3110-R7	m²	1850		
6.		High Strength Geotextile Fabric	E12	m²	3700		
7.		Pavement Removal	CW 3110-R7				
	i)	Concrete Pavement		m²	3360		
	ii)	Asphalt Pavement		m²	30		
8.		Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i)	Sidewalk	SD-228A				
		a) Less than 5 sq. m.		m²	20		
		b) 5 sq. m. to 20 sq. m.		m²	100		
		c) Greater than 20 sq. m.		m²	130		
9.		Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R9				
	i)	Construction of Barrier (150 mm ht, Dowelled, Slip Form Paving)	SD-205	m	600		
	ii)	Construction of Modified Barrier (150 mm ht, Integral)	SD-203B	m	150		
	iii)	Construction of Ramp Curb (15 mm ht, Integral)	SD-229E	m	65		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
10.	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
į	Tie-ins and Approaches					
	a) Type IA		tonne	10		
11.	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R9				
i	Construction of 150 mm Concrete Pavement (Reinforced)		m²	3260		
12.	100 mm Concrete Sidewalk	CW 3325-R2	m²	20		
13.	Catch Basin	CW 2130-R9				
j	SD-024		each	4		
14.	Catch Pit	CW 2130-R9				
i	SD-023		each	5		
15.	Sewer Service	CW 2130-R9				
i	250 mm					
	a) in a Trench, Class B Sand Bedding, Class 3 Backfill		m	10		
16.	Drainage Connection Pipe	CW 2130-R9	m	20		
17.	Replacing Standard Frames & Covers	CW 2130-R9				
i	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii	AP-005 - Standard Solid Cover for Standard Frame		each	1		
18.	Connecting to Existing Catch Basin	CW 2130-R9				
i	250 mm Drainage Connection Pipe		each	10		
19.	Connecting new Sewer Service to Existing Sewer Service	CW 2130-R9				
i	250 mm		each	4		
20.	Removal of Existing Catch Basins	CW 2130-R9	each	4		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
21.	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	6		
22.	Installation of Subdrains	CW 3120-R1	m	645		
23.	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	10		
24.	Replacing Existing Risers	CW 2130-R9				
i)	Pre-cast Concrete Risers		vert. m	2		
25.	Lifter Rings	CW 3210-R6				
i)	51 mm		each	4		
26.	Adjustment of Valve Boxes	CW 3210-R6	each	7		
27.	Valve Box Extensions	CW 3210-R6	each	3		
28.	Adjustment of Curb Stop Boxes	CW 3210-R6	each	10		
29.	Curb Stop Extensions	CW 3210-R6	each	1		
30.	Sodding	CW 3510-R8				
i)	width < 600 mm		m²	100		
ii)	width > or = 600 mm		m²	1750		
	CLIFTON STREET - ELLICE AVENUE TO SA	Sub-Total:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
	HARRIS BOULEVARD - PORTAGE AVENUE TO EMO AVENUE								
1.	Excavation	CW 3110-R7	m³	2000					
2.	Sub-Grade Compaction	CW 3110-R7	m²	3900					
3.	Crushed Sub-base Material	CW 3110-R7							
i)	50 mm - Limestone		tonne	2600					
4.	Supplying and Placing Base Course Material	CW 3110-R7	m³	500					
5.	Grading of Boulevards	CW 3110-R7	m²	2150					
6.	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	3900					
7.	Pavement Removal	CW 3110-R7							
i)	Concrete Pavement		m²	3950					
ii)	Asphalt Pavement		m²	65					
8.	Miscellaneous Concrete Slab Renewal	CW 3235-R5							
i)	Sidewalk	SD-228A							
	a) Less than 5 sq. m.		m²	10					
9.	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R9							
i)	Construction of Barrier (150 mm ht, Dowelled, Slip Form Paving)	SD-205	m	630					
ii)	Construction of Modified Barrier (150 mm ht, Integral)	SD-203B	m	50					
iii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202A	m	219					
10.	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	75					
11.	Construction of Asphaltic Concrete Overlay	CW 3410-R6							
i)	Tie-ins and Approaches								
	a) Type IA		tonne	40					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
12.	Planing of Pavement	CW 3450-R3				
i)	50 - 100 mm Depth (Asphalt)		m²	130		
13.	Pavement Repair Fabric	E11	m²	10		
14.	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R9				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	2443		
15.	Concrete Pavements for Early Opening	CW 3310-R9				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 hr. (Reinforced)		m²	1528		
16.	Interlocking Paving Stones	CW 3330-R3	m²	20		
17.	Catch Basin	CW 2130-R9				
i)	SD-024		each	6		
18.	Sewer Service	CW 2130-R9				
i)	250 mm					
	a) in a Trench, Class B Sand Bedding, Class 3 Backfill		m	25		
19.	Replacing Standard Frames & Covers	CW 2130-R9				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
20.	Connecting to Existing Sewer	CW 2130-R9				
i)	250 mm PVC SDR-35 of Connecting Pipe to:					
	a) Connecting to 450 mm Combined Sewer		each	4		
	b) Connecting to 600 mm Combined Sewer		each	2		
21.	Removal of Existing Catchbasins	CW 2130-R9	each	8		
22.	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	7		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT		
00	Diversion Eviation Covers and Covers		2224	QUANTITY				
23.	Plugging Existing Sewers and Sewer Services Smaller Than 300 mm	CW 2130-R9	each	8				
24.	Installation of Subdrains	CW 3120-R1	m	56				
25.	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	4				
26.	Replacing Existing Risers	CW 2130-R9						
i)	Pre-cast Concrete Risers		vert. m	1				
27.	Lifter Rings	CW 3210-R6						
i)	51 mm		each	4				
28.	Adjustment of Valve Boxes	CW 3210-R6	each	5				
29.	Adjustment of Curb Stop Boxes	CW 3210-R6	each	1				
30.	Curb Stop Extensions	CW 3210-R6	each	1				
31.	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks	CW 2130-R9	each	4				
32.	Sodding	CW 3510-R8						
i)	width < 600mm		m²	265				
ii)	width > or = 600mm		m²	1885				
	HARRIS BOULEVARD - PORTAGE AVENUE TO EMO AVENUE Sub-T							

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT					
	CLIFTON STREET BAYS - ELLICE AVENUE TO SARGENT AVENUE										
1.	Grading of Boulevards	CW 3110-R7	m²	950							
2.	Miscellaneous Concrete Slab Renewal	CW 3235-R5									
i)	Sidewalk	SD-228A									
	a) Less than 5 sq. m.		m²	20							
	b) 5 sq. m. to 20 sq. m.		m²	30							
	c) Greater than 20 sq. m.		m²	50							
3.	Concrete Curb Renewal	CW 3240-R5									
i)	Barrier (150 mm ht, Dowelled, Slip Form Paving)	SD-205, SD206A	m								
	a) Greater than 30 m		m	510							
4.	Construction of Asphaltic Concrete Overlay	CW 3410-R6									
i)	Main Line Paving										
	a) Type IA		tonne	410							
5.	Construction of Asphalt Patches	CW 3410-R6	m²	280							
6.	Planing of Pavement	CW 3450-R3									
i)	50 - 100 mm Depth (Asphalt)		m²	1700							
7.	Pavement Repair Fabric	E11	m²	10							
8.	Reflective Crack Maintenance	CW 3250-R6	m	200							
9.	Catch Pit	CW 2130-R9									
i)	SD-023		each	8							
10.	Drainage Connection Pipe	CW 2130-R9	m	30							
11.	Connecting to Existing Catch Basin	CW 2130-R9									
i)	250 mm Drainage Connection Pipe		each	10							
L	1	l	l	l .							

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT		
		REF.		QUANTITY				
12.	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	8				
13.	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	4				
14.	Sodding	CW 3510-R8						
i)	width < 600mm		m²	75				
ii)	width > or = 600mm		m²	875				
	CLIFTON STREET BAYS - ELLICE AVENUE TO SARGENT AVENUE  Sub-Total:							

ITEN	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
PAR	Г 2	PROVINCIALLY FUNDED WC	PRK (See D2	?)						
	AGNES STREET - ELLICE AVENUE TO ST. MATTHEWS AVENUE									
1.		Excavation	CW 3110-R7	m³	80					
2.		Supplying and Placing Base Course Material	CW 3110-R7, E13	m³	80					
3.		Grading of Boulevards	CW 3110-R7	m²	990					
4.		Slab Replacement	CW 3230-R4							
	i)	150 mm Concrete Pavement (Reinforced)		m²	140					
5.		Partial Slab Patches	CW 3230-R4							
	i)	150 mm Concrete Pavement (Type A)		m²	15					
	ii)	150 mm Concrete Pavement (Type B)		m²	70					
	iii)	150 mm Concrete Pavement (Type C)		m²	20					
	iv)	150 mm Concrete Pavement (Type D)		m²	70					
6.		Slab Replacement - Early Opening (72 hour)	CW 3230-R4							
	i)	150 mm Concrete Pavement (Reinforced)		m²	105					
7.		Partial Slab Patches - Early Opening (72 hour)	CW 3230-R4							
	i)	150 mm Concrete Pavement (Type A)		m²	35					
	ii)	150 mm Concrete Pavement (Type B)		m²	65					
	iii)	150 mm Concrete Pavement (Type C)		m²	20					
	iv)	150 mm Concrete Pavement (Type D)		m²	15					
8.		Drilled Dowels	CW 3230-R4							
	i)	19.1 mm Diameter		each	390					
9.		Drilled Tie Bars	CW 3230-R4							
	i)	20 M Deformed Tie Bar		each	560					

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Miscellaneous Concrete Slab Renewal	CW 3235-R5				
Sidewalk	SD-228A				
a) Less than 5 sq. m.		m²	55		
o) 5 sq. m. to 20 sq. m.		m²	150		
c) Greater than 20 sq. m.		m²	120		
Concrete Curb Removal	CW 3240-R5				
Barrier (Integral)		m	25		
Concrete Curb Installation	CW 3240-R5				
Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	25		
Ramp Curb (15 mm ht, Integral)	SD-229A,B,C	m	30		
Concrete Curb Renewal	CW 3240-R5				
Barrier (150 mm ht, Dowelled, Slip Form Paving)	SD-205, SD206A	m			
a) 3 m to 30 m		m	10		
b) Greater than 30 m		m	650		
Construction of Asphaltic Concrete Overlay	CW 3410-R6				
Main Line Paving					
a) Type IA		tonne	530		
Tie-ins and Approaches					
a) Type IA		tonne	30		
Pavement Repair Fabric	E11	m²	10		
Reflective Crack Maintenance	CW 3250-R6	m	400		
Catch Basin	CW 2130-R9				
SD-024		each	2		
	Miscellaneous Concrete Slab Renewal  Sidewalk  a) Less than 5 sq. m.  b) 5 sq. m. to 20 sq. m.  Concrete Curb Removal  Barrier (Integral)  Concrete Curb Installation  Modified Barrier (150 mm ht, Dowelled)  Ramp Curb (15 mm ht, Integral)  Concrete Curb Renewal  Barrier (150 mm ht, Dowelled, Slip Form  Paving)  a) 3 m to 30 m  Construction of Asphaltic Concrete Overlay  Main Line Paving  a) Type IA  Fie-ins and Approaches  a) Type IA  Pavement Repair Fabric  Reflective Crack Maintenance  Catch Basin	Miscellaneous Concrete Slab Renewal  CW 3235-R5 Sidewalk  SD-228A  SD-228A  SD-228A  SD-228A  SD-228A  SD-228A  SD-228A  SD-228A  SD-228A  CW 3240-R5  Sarrier (Integral)  Concrete Curb Removal  Concrete Curb Installation  CW 3240-R5  SD-203B  SD-203B  SD-229A,B,C  Concrete Curb Renewal  CW 3240-R5  SD-203B  SD-229A,B,C  Concrete Curb Renewal  CW 3240-R5  SD-203B  SD-203B  SD-203B  SD-203B  SD-203B  SD-203B  SD-203B  SD-203B  Concrete Curb Renewal  CW 3240-R5  SD-205, SD206A  SD206A  SD206A  SD206A  SD206A  SD206A  SD206A	Adiscellaneous Concrete Slab Renewal  Adiscellaneous Concrete Slab Renewal  CW 3235-R5  Sidewalk  SD-228A  Marier (Integral)  Concrete Curb Removal  Concrete Curb Installation  Concrete Curb Installation  Concrete Curb Renewal  CW 3240-R5  SD-203B  m  CW 3240-R5  CW 3240-R5  To Concrete Curb Renewal  CW 3240-R5  CW 3240-R5  To Concrete Curb Renewal  To Concrete Curb Renewal  To Concrete Curb Renewal  CW 3240-R5  To Concrete Curb Renewal  To	REF.   QUANTITY	REF.   QUANTITY

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
18.	Catch Pit	CW 2130-R9				
i)	SD-023		each	5		
19.	Sewer Service	CW 2130-R9				
i)	250 mm					
	a) in a Trench, Class B Sand Bedding, Class 3 Backfill		m	5		
20.	Drainage Connection Pipe	CW 2130-R9	m	15		
21.	Replacing Standard Frames & Covers	CW 2130-R9				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
22.	Connecting to Existing Catch Basin	CW 2130-R9				
i)	250 mm Drainage Connection Pipe		each	5		
23.	Connecting new Sewer Service to Existing Sewer Service	CW 2130-R9				
i)	250 mm		each	2		
24.	Removal of Existing Catch Basins	CW 2130-R9	each	2		
25.	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	7		
26.	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	13		
27.	Replacing Existing Risers	CW 2130-R9				
i)	Pre-cast Concrete Risers		vert. m	1		
28.	Lifter Rings	CW 3210-R6				
i)	51 mm		each	9		
29.	Adjustment of Valve Boxes	CW 3210-R6	each	8		
30.	Valve Box Extensions	CW 3210-R6	each	3		
31.	Adjustment of Curb Stop Boxes	CW 3210-R6	each	11		
<u> </u>	l .	l				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
32.	Curb Stop Extensions	CW 3210-R6	each	1		
33.	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks	CW 2130-R9	each	1		
34.	Sodding	CW 3510-R8				
i)	width < 600 mm		m²	130		
ii)	width > or = 600 mm		m²	860		
	AGNES STREET - ELLICE AVENUE TO ST.	Sub-Total:				

ITEM		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
			REF.		QUANTITY		
		INGLEWOOD STREET - PORTAGE AVENUE		VENUE			
1.		Excavation	CW 3110-R7	m³	120		
2.		Supplying and Placing Base Course Material	CW 3110-R7, E13	m³	130		
3.		Grading of Boulevards	CW 3110-R7	m²	800		
4.		Slab Replacement	CW 3230-R4				
	i)	150 mm Concrete Pavement (Reinforced)		m²	130		
5.		Partial Slab Patches	CW 3230-R4				
	i)	150 mm Concrete Pavement (Type A)		m²	5		
	ii)	150 mm Concrete Pavement (Type B)		m²	120		
	iii)	150 mm Concrete Pavement (Type C)		m²	10		
6.		Slab Replacement - Early Opening (72 hour)	CW 3230-R4				
	i)	150 mm Concrete Pavement (Reinforced)		m²	70		
7.		Partial Slab Patches - Early Opening (72 hour)	CW 3230-R4				
	i)	150 mm Concrete Pavement (Type A)		m²	5		
	ii)	150 mm Concrete Pavement (Type B)		m²	300		
	iii)	150 mm Concrete Pavement (Type C)		m²	10		
8.		Drilled Dowels	CW 3230-R4				
	i)	19.1 mm Diameter		each	400		
9.		Drilled Tie Bars	CW 3230-R4				
	i)	20 M Deformed Tie Bar		each	1065		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
10.	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
i	Sidewalk	SD-228A				
	a) Less than 5 sq. m.		m²	55		
	b) 5 sq. m. to 20 sq. m.		m²	80		
11.	Concrete Curb Removal	CW 3240-R5				
i	Barrier (Integral)		m	25		
12.	Concrete Curb Installation	CW 3240-R5				
i	Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	25		
ii	Ramp Curb (15 mm ht, Integral)	SD-229A,B,C	m	40		
13.	Concrete Curb Renewal	CW 3240-R5				
i	Barrier (150 mm ht, Dowelled, Slip Form Paving)	SD-205, SD206A	m			
	a) 3 m to 30 m	3320071	m	10		
	b) Greater than 30 m		m	510		
14.	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
i	Main Line Paving					
	a) Type IA		tonne	500		
ii	Tie-ins and Approaches					
	a) Type IA		tonne	20		
15.	Planing of Pavement	CW 3450-R3				
i	50 - 100 mm Depth (Asphalt)		m²	65		
16.	Pavement Repair Fabric	E11	m²	10		
17.	Reflective Crack Maintenance	CW 3250-R6	m	400		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
18.	Catch Basin	CW 2130-R9				
i)	SD-024		each	1		
19.	Catch Pit	CW 2130-R9				
i)	SD-023		each	4		
20.	Drainage Connection Pipe	CW 2130-R9	m	20		
21.	Replacing Standard Frames & Covers	CW 2130-R9				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
22.	Connecting to Existing Catch Basin	CW 2130-R9				
i)	250 mm Drainage Connection Pipe		each	4		
23.	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	4		
24.	Removal of Existing Catch Pit	CW 2130-R9	each	1		
25.	Connecting to Existing Sewer	CW 2130-R9				
i)	250 mm PVC SDR-35 connecting pipe to 300 mm Combined Sewer					
	a) Connecting to 300 mm Combined Sewer		each	1		
26.	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	5		
27.	Replacing Existing Risers	CW 2130-R9				
i)	Pre-cast Concrete Risers		vert. m	1		
28.	Lifter Rings	CW 3210-R6				
i)	51mm		each	7		
29.	Adjustment of Valve Boxes	CW 3210-R6	each	3		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
30.	Valve Box Extensions	CW 3210-R6	each	2		
31.	Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		
32.	Curb Stop Extensions	CW 3210-R6	each	1		
33.	Replacing Existing Catch Basin Hoods, Pins	CW 2130-R9	each	1		
	or Wall Hooks					
34.	Sodding	CW 3510-R8				
i)	width < 600mm		m²	100		
ii)	width > or = 600mm		m²	700		
	INGLEWOOD STREET - PORTAGE AVENUE		Sub-Total:			
		Cab Total.				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 3	RIVER ROAD					
	RIVER ROAD					
1.	Supplying and Placing Base Course Material	CW 3110-R7, E13	m³	50		
2.	Grading of Boulevards	CW 3110-R7	m²	800		
3.	Slab Replacement - Early Opening (72 hour)	CW 3230-R4				
i)	150 mm Concrete Pavement (Reinforced)		m²	20		
4.	Concrete Curb Removal	CW 3240-R5				
i)	Barrier (Separate)		m	10		
5.	Concrete Curb Installation	CW 3240-R5				
i)	Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	10		
6.	Concrete Curb Renewal	CW 3240-R5				
i)	Barrier (150 mm ht, Dowelled)	SD-205, SD206A	m			
	a) Less than 3 m		m	10		
ii)	Ramp Curb (15 mm ht, Integral)	SD-229 E	m	25		
7.	Construction of Asphalt Patches	CW 3410-R6	m²	50		
8.	100 mm Concrete Sidewalk	CW 3325-R2	m²	800		
9.	Adjustment of Valve Boxes	CW 3210-R6	each	6		
10.	Adjustment of Curb Stop Boxes	CW 3210-R6	each	1		
11.	Sodding	CW 3510-R8				
i)	width < 600 mm		m²	170		
ii)	width > or = 600 mm		m²	630		
	RIVER ROAD		l	I	Sub-Total:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ART 4	4 SEWER REPAIRS					
	AGNES STREET					
1.	Sewer Repair – Up to 3.0 Metres Long	CW 2130-R9				
i	) 375 mm					
	a) Class 3 Backfill		each	1		
2.	Removal and Replacement of Existing Manhole	CW 2130-R9	vert. m	3.7		
3.	Re-bench Existing Manhole	E14	each	1		
4.	Sewer Inspection	CW 2145-R2	m	175		
	HARRIS BOULEVARD					
5.	Sewer Repair – Up to 3.0 Metres Long	CW 2130-R9				
į	) 375 mm					
	a) Class 3 Backfill		each	1		
6.	Sewer Inspection	CW 2145-R2	m	95		
	INGLEWOOD STREET		<u> </u>			
7.	Sewer Repair – Up to 3.0 Metres Long	CW 2130-R9				
į	375 mm					
	a) Class 3 Backfill		each	1		
8.	Sewer Repair – In Addition to First 3.0 metres	CW 2130-R9				
i	) 375 mm					
	a) Class 3 Backfill		m	3		
9.	Removal and Replacement of Existing Manhole	CW 2130-R9	vert. m	4.5		
10.	Sewer Inspection	CW 2145-R2	m	230		
	AGNES STREET, HARRIS BOULEVARD,	AND ING! FWOO	D STRFF		Sub-Total:	

UNIT PRICES	
-------------	--

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SI	JMMARY				
PART 1	CITY FUNDED WORK					
	CLIFTON STREET - ELLICE AVENUE TO S.	ARGENT AVEN	JE		Sub-Total:	
	HARRIS BOULEVARD - PORTAGE AVENU	E TO EMO AVE	NUE		Sub-Total:	
	CLIFTON STREET BAYS - ELLICE AVENUE	TO SARGENT	AVENU	<b>=</b>	Sub-Total:	
				(total	price) PART 1	
PART 2	PROVINCIALLY FUNDED WO	ORK (See Da	2)			
	AGNES STREET - ELLICE AVENUE TO ST.	MATTHEWS A	/ENUE		Sub-Total:	
	INGLEWOOD STREET - PORTAGE AVENU	E TO BRUCE A	/ENUE		Sub-Total:	
				(total	price) PART 2	
PART 3	RIVER ROAD					
	RIVER ROAD				Sub-Total:	
				(total	price) PART 3	
PART 4	SEWER REPAIRS					
	AGNES STREET, HARRIS BOULEVARD, A	ND INGLEWOOI	D STREE	ET	Sub-Total:	
				(total	price) PART 4	
TOTAL BI	D PRICE (GST extra)		(	in figures)		
(in words)						

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten pe hereinafter described, for the payment of	d and firmly bound unto <b>THE CITY OF WINNIPE</b> ercent (10%) of the Total Bid Price set out in the Ewhich sum the Principal and Surety bind themselved assigns, jointly and severally, firmly by these preserved.	Bid Submission ves, their heirs,
WHEREAS the Principal has submitted a l	Bid to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 136-2005		
	NNIPEG, 2005 RESIDENTIAL STREET RENEWA IS BOULEVARD AND VARIOUS OTHER LOCATI TREET	
as more fully set out in the Bid Opportunity	/.	
if said Bid is accepted and the Principal, in the said Obligee and furnishes the require	obligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into ed performance security for guaranteeing the faithful d, but otherwise shall remain in full force and effect	a Contract with ul performance
IN WITNESS WHEREOF the Principal and	d Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seel)
(Witness)	Per:	(Seal) 
	(Name of Surety)	
	By:	(Seal)

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 136-2005 PROVINCE OF MANITOBA, CITY OF WINNIPEG, 2005 RESIDENTIAL STREET RENEWAL PROGRAM: PART 1 – CLIFTON STREET AND HARRIS BOULEVARD AND VARIOUS OTHER LOCATIONS, PART 2 - AGNES STREET AND INGLEWOOD STREET in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within thirty (30) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 136-2005
PROVINCE OF MANITOBA, CITY OF WINNIPEG, 2005 RESIDENTIAL STREET RENEWAL PROGRAM: PART 1 – CLIFTON STREET AND HARRIS BOULEVARD AND VARIOUS OTHER LOCATIONS, PART 2 – AGNES STREET AND INGLEWOOD STREET
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standb Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on \_\_\_\_ June 12, 2005 \_\_.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	
1 01.	(Authorized Signing Officer)
	(Mathonized digning ember)
D	
Per:	
	(Authorized Signing Officer)