

FORM A: BID
(See B8)

1. Project Title FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV – 2005 SEWER, WATER, ROAD CONSTRUCTION AND ASSOCIATED WORKS

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C120050301

6. Bid Security

In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
PART A - STAGE II						
1.	150 mm Watermain	CW2110-R7				
	a) Class 4 Backfill		lin.m.	600.00		
	b) Class 2 Backfill		lin.m.	20.00		
	c) Cored		lin.m.	40.00		
2	200 mm Watermain	CW2110-R7				
	a) Class 4 Backfill		lin.m.	175.00		
	b) Class 2 Backfill		lin.m.	20.00		
	c) Cored		lin.m.	10.00		
3	Gate Valves	CW2110-R7				
	a) 150 mm		unit	7.00		
	b) 200 mm		unit	1.00		
4	Fittings	CW2110-R7				
	a) 150x150x150 tee		unit	2.00		
	b) 200X200X200 tee		unit	1.00		
	c) 150-22.5° bends		unit	1.00		
	d) 150-45° bends		unit	2.00		
	e) 150-11.25° bends		unit	1.00		
	f) 200-90° bends		unit	1.00		
	g) 150x200 reducer		unit	1.00		
5	Watermain Insulation	CW2110-R8	m ²	25.00		
6	Hydrant Assembly	CW2110-R7	unit	6.00		
7	Connect to existing Watermain	CW2110-R7				
	a) 150 mm		unit	1.00		
	b) 200 mm		unit	2.00		
8	250 WWS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	500.00		
	b) Class 2 Backfill		lin.m.	25.00		
	c) Cored		lin.m.	30.00		
9	WWS Manholes (1200 mm base)	CW2130-R8	vt.m.	20.00		

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
10	Sewer Inspection - WWS	CW2145-R1	lin.m.	550.00		
11	300 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	45.00		
	b) Class 2 Backfill		lin.m.	10.00		
12	375 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	25.00		
	b) Class 2 Backfill		lin.m.	10.00		
13	450 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	120.00		
	b) Class 2 Backfill		lin.m.	20.00		
14	525 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	120.00		
	b) Class 2 Backfill		lin.m.	10.00		
	c) Cored		lin.m.	20.00		
15	Catchbasin leads					
	a) 250 mm	CW2130-R8				
	i) Class 4 Backfill		lin.m.	120.00		
	ii) Class 2 Backfill		lin.m.	10.00		
	iii) Cored		lin.m.	35.00		
	b) 300 mm	CW2130-R8				
	i) Class 4 Backfill		lin.m.	15.00		
	ii) Class 2 Backfill		lin.m.	5.00		
16	Catchbasins	CW2130-R8	unit	17.00		
17	Connect to Existing 1050 LDS	CW2130-R8	unit	3.00		
18	LDS Manholes (1200 mm base)	CW2130-R8	vt.m.	30.00		
19	Backfill for parallel pipes	CW2030-R6	lin.m.	125.00		
20	Sewer Inspection - LDS	CW2145-R1	lin.m.	370.00		
21	Riser Pipe (Including Bends)	CW2130-R8	vt.m.	15.00		

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
22	150 WWS Service Connection	CW2130-R8				
	a) Class 4 Backfill		lin.m.	750.00		
	b) Class 2 Backfill		lin.m.	50.00		
	c) Cored		lin.m.	200.00		
23	19 mm Water Service	CW2110-R7				
	a) Class 4 Backfill		lin.m.	200.00		
	b) Class 2 Backfill		lin.m.	30.00		
	c) Cored		lin.m.	250.00		
	d) Common trench		lin.m.	520.00		
24	Corporation stop	CW2110-R7	unit	67.00		
25	Curbstop	CW2110-R7	unit	67.00		
26	Curbstop box	CW2110-R7	unit	67.00		
27	Anode at Corp	CW2110-R7	unit	67.00		
28	Anode at Curbstop	CW2110-R7	unit	67.00		
29	Excavation					
	a) On-site Disposal	CW3110-R7	m ³	1300.00		
	b) Off-site Disposal	CW3170-R3	m ³	3000.00		
30	Suitable Site Subbase Material	CW3310-R9	m ³	1000.00		
31	Subgrade Compaction	CW3110-R7	m ²	5600.00		
32	Geotextile	CW3130-R1	m ²	5600.00		
33	100 mm Crushed Limestone Subbase	CW3110-R7	tonne	3500.00		
34	150 mm Crushed Limestone Subbase	CW3110-R7	tonne	1000.00		
35	Base Course	CW3110-R7	m ³	600.00		

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
36	150 mm Reinforced Concrete	CW3310-R9	m ²	5000.00		
37	Curb	CW3110-R7				
	a) Modified barrier curb		lin.m.	250.00		
	b) Lip Curb		lin.m.	1050.00		
	c) Transition curb		lin.m.	25.00		
	d) Ramp curb		lin.m.	5.00		
38	Site grading	CW3110-R7	m ²	8600.00		
39	Utility Conduit	E7	lin.m.	90.00		
40	20 mm Crushed Limestone Base Course for Driveways	CW3110-R7	m ³	15.00		
41	Culvert Removal and Disposal	E7	lin.m.	16.00		
42	Clearing and grubbing	CW3010-R4	m ²	800.00		
43	Sidewalk					
	a) 100 mm Concrete	CW3325-R2	m ²	210.00		
	b) Base course (50 mm)	CW3410-R6	m ³	11.00		
44	Abandon Existing Manhole	CW2130-R8	unit	2.00		
45	Abandon Existing Catchbasin	CW2130-R8	unit	4.00		
46	Remove Asphalt Pavement	CW3170-R3	m ²	75.00		
47	Adjustment of Existing Manhole Frames	CW3210-R6	unit	2.00		
48	Sawcut of existing pavement	E8	lin.m.	7.50		
49	Drilled Dowels	CW3310-R9	unit	25.00		
	TOTAL FOR PART A					

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
PART B - STAGE III						
1	150 mm Watermain	CW2110-R7				
	a) Class 4 Backfill		lin.m.	775.00		
	b) Class 2 Backfill		lin.m.	10.00		
	c) Cored		lin.m.	45.00		
2	Gate Valves	CW2110-R7				
	a) 150 mm		unit	8.00		
3	Fittings	CW2110-R7				
	a) 150x150x150 tee		unit	4.00		
	b) 150-22.5 ⁰ bends		unit	2.00		
	c) 150-45 ⁰ bends		unit	2.00		
	d) 150-11.25 ⁰ bends		unit	1.00		
4	Hydrants	CW2110-R7				
	a) Hydrant Assembly		unit	6.00		
	b) Short Hydrants Assembly		unit	3.00		
5	Connect to Existing 150 mm Watermain	CW2110-R8	unit	1.00		
6	Watermain Insulation	CW2110-R8	m ²	55.00		
7	250 WWS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	750.00		
	b) Class 2 Backfill		lin.m.	15.00		
	c) Cored		lin.m.	60.00		
8	WWS Manholes (1200 mm base)	CW2130-R8	vt.m.	30.00		
9	Connect to Existing Manhole	CW2130-R8	unit	1.00		
10	Sewer Inspection - WWS	CW2145-R1	lin.m.	825.00		
11	300 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	65.00		
	b) Class 2 Backfill		lin.m.	10.00		
	c) Cored		lin.m.	20.00		

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
12	375 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	130.00		
	b) Class 2 Backfill		lin.m.	10.00		
	c) Cored		lin.m.	20.00		
13	450 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	230.00		
	b) Class 2 Backfill		lin.m.	10.00		
	c) Cored		lin.m.	10.00		
14	600 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	210.00		
	b) Class 2 Backfill		lin.m.	20.00		
15	Catchbasin leads	CW2130-R8				
	a) 250 mm					
	i) Class 4 Backfill		lin.m.	130.00		
	ii) Class 2 Backfill		lin.m.	10.00		
	iii) Cored		lin.m.	60.00		
	b) 300 mm	CW2130-R8				
	i) Class 4 Backfill		lin.m.	15.00		
16	Catchbasins	CW2130-R8	unit	15.00		
17	LDS Manholes	CW2130-R8				
	a) Manholes (1200 mm base)		vt.m.	22.00		
	b) Manholes (1500 mm base)		vt.m.	3.00		
	c) Manholes (1800 mm base)		vt.m.	4.00		
18	Backfill for parallel pipes	CW2030-R6	lin.m.	500.00		
19	Sewer Inspection - LDS	CW2145-R1	lin.m.	735.00		
20	Riser Pipe (Including Bends)	CW2130-R8	vt.m.	12.00		
21	150 WWS Service Connection	CW2130-R8				
	a) Class 4 Backfill		lin.m.	950.00		
	b) Class 2 Backfill		lin.m.	40.00		
	c) Cored		lin.m.	460.00		

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
22	19mm Water Service	CW2110-R7				
	a) Class 4 Backfill		lin.m.	160.00		
	b) Class 2 Backfill		lin.m.	100.00		
	c) Cored		lin.m.	260.00		
	d) Common trench		lin.m.	580.00		
23	Corporation stop	CW2110-R7	unit	90.00		
24	Curbstop	CW2110-R7	unit	90.00		
25	Curbstop box	CW2110-R7	unit	90.00		
26	Anode at Corp	CW2110-R7	unit	90.00		
27	Anode at Curbstop	CW2110-R7	unit	90.00		
28	Excavation	CW3110-R7				
	a) On-site Disposal	CW3110-R7	m ³	3000.00		
	b) Off-site Disposal	CW3170-R3	m ³	5550.00		
29	Subgrade Compaction	CW3110-R7	m ²	7000.00		
30	Geotextile	CW3130-R1	m ²	7000.00		
31	100 mm Crushed Limestone Subbase	CW3110-R7	tonne	4500.00		
32	150 mm Crushed Limestone Subbase	CW3110-R7	tonne	1500.00		
33	Base Course	CW3110-R7	m ³	700.00		
34	Reinforced Concrete					
	a) 150 mm Reinforced Concrete	CW3310-R9	m ²	6300.00		
35	Curb	CW3110-R7				
	a) Modified barrier curb		lin.m.	150.00		
	b) Lip Curb		lin.m.	1450.00		
	c) Transition curb		lin.m.	40.00		

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
36	Site grading	CW3110-R7	m ²	10300.00		
37	Utility Conduit	E7	lin.m.	72.00		
38	20mm Crushed Limestone Base Course for Driveways	CW3110-R7	m ³	30.00		
39	Culvert removal and disposal	E7	lin.m.	40.00		
40	Clearing and grubbing	CW3010-R4	m ²	7000.00		
41	Remove Asphalt Pavement	CW3170-R3	m ²	40.00		
42	Sawcut of Existing pavement	E8	lin.m.	7.50		
43	Drilled Dowels	CW3310-R9	unit	50.00		
	TOTAL FOR PART B					
	PART C - STAGE IV					
1	150 mm Watermain	CW2110-R7				
	a) Class 4 Backfill		lin.m.	85.00		
	b) Class 2 Backfill		lin.m.	5.00		
	c) Cored		lin.m.	15.00		
2	Watermain Extraction	CW2110-R7	lin.m.	180.00		
3	300 Watermain Renewal					
	a) Class 4 Backfill		lin.m.	240.00		
	b) Class 2 Backfill		lin.m.	25.00		
	c) Cored		lin.m.	150.00		
4	38 mm Copper	CW2110-R7				
	a) Class 4 Backfill		lin.m.	80.00		
	b) Class 2 Backfill		lin.m.	12.00		

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
5	Gate Valves	CW2110-R7				
	a) 150 mm		unit	1.00		
	b) 300 mm		unit	5.00		
6	Fittings	CW2110-R7				
	a) 300x300x300 tee		unit	1.00		
	b) 300-22.5 ^o bends		unit	1.00		
	c) 150-45 ^o bends		unit	1.00		
	d) 150x300 reducer		unit	2.00		
	e) 150 plug		unit	1.00		
	f) 150x38 mm Saddle		unit	2.00		
	g) 38 mm curbstop		unit	2.00		
7	Hydrants	CW2110-R7				
	a) Hydrant Assembly		unit	8.00		
	b) Short Hydrants Assembly		unit	2.00		
8	Connect to Existing 300 mm Watermain	CW2110-R10	unit	4.00		
9	250 WWS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	110.00		
	b) Class 2 Backfill		lin.m.	10.00		
	c) Cored		lin.m.	15.00		
10	250 WWS Radius Pipe (DR35)	CW2130-R8	lin.m.	65.00		
11	300 WWS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	500.00		
	b) Class 2 Backfill		lin.m.	15.00		
	c) Cored		lin.m.	200.00		
12	WWS Manholes (1200 mm base)	CW2130-R8	vt.m.	32.00		
13	Sewer Inspection - WWS	CW2145-R1	lin.m.	850.00		

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
14	300 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	130.00		
	b) Class 2 Backfill		lin.m.	10.00		
	c) Cored		lin.m.	20.00		
15	375 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	165.00		
	b) Class 2 Backfill		lin.m.	10.00		
	c) Cored		lin.m.	25.00		
16	450 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	70.00		
	b) Class 2 Backfill		lin.m.	5.00		
	c) Cored		lin.m.	15.00		
17	600 LDS	CW2130-R8				
	a) Class 4 Backfill		lin.m.	35.00		
	b) Class 2 Backfill		lin.m.	5.00		
	c) Cored		lin.m.	20.00		
18	Catchbasin leads	CW2130-R8				
	a) 250 mm					
	i) Class 4 Backfill		lin.m.	50.00		
	ii) Class 2 Backfill		lin.m.	10.00		
	iii) Cored		lin.m.	90.00		
	b) 300 mm	CW2130-R8				
	i) Class 4 Backfill		lin.m.	35.00		
	ii) Class 2 Backfill		lin.m.	10.00		
	iii) Cored		lin.m.	10.00		
19	Catchbasins	CW2130-R8				
	a) Grated Cover		unit	16.00		
	b) Ditch Inlet Cover		unit	5.00		
20	Tie into existing	CW2130-R8				
	a) 1200 LDS		unit	1.00		
	b) 1050 LDS		unit	1.00		
	c) 300 LDS		unit	1.00		

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
21	LDS Manholes	CW2130-R8				
	a) Manholes (1200 mm base)		vt.m.	24.00		
	b) SD-011 Manhole		vt.m.	4.00		
22	Backfill for parallel pipes	CW2030-R6	lin.m.	425.00		
23	Sewer Inspection - LDS	CW2145-R1	lin.m.	510.00		
24	Riser pipe (Including Bends)	CW2130-R8	vt.m.	10.00		
25	150 WWS Service	CW2130-R8				
	a) Class 4 Backfill		lin.m.	680.00		
	b) Class 2 Backfill		lin.m.	20.00		
	c) Cored		lin.m.	300.00		
26	Connect to Existing Services	CW2130-R8				
	a) 150 mm Forcemain (at school)		unit	1.00		
	b) Sewer Service		unit	4.00		
	c) Water Service		unit	17.00		
27	19mm Water Service	CW2110-R7				
	a) Class 4 Backfill		lin.m.	110.00		
	b) Class 2 Backfill		lin.m.	20.00		
	c) Cored		lin.m.	200.00		
	d) Common trench		lin.m.	450.00		
28	Corporation stop	CW2110-R7	unit	58.00		
29	Curbstop	CW2110-R7	unit	41.00		
30	Curbstops - Replacing Existing	CW2110-R7	unit	17.00		
31	Curbstop box	CW2110-R7	unit	58.00		
32	Anode at Curbstop	CW2110-R7	unit	58.00		
33	Continuity Bonding	CW2110-R7	unit	58.00		

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
34	Excavation					
	a) On-site Disposal	CW3110-R7	m ³	1200.00		
	b) Off-site Disposal	CW3170-R3	m ³	9300.00		
35	Suitable Site Subbase Material	CW3310-R9	m ³	360.00		
36	Subgrade Compaction	CW3110-R7	m ²	9800.00		
37	Geotextile	CW3130-R1	m ²	9800.00		
38	100mm Crushed Limestone Subbase	CW3110-R7	tonne	6000.00		
39	150 mm Crushed Limestone Subbase	CW3110-R7	tonne	2250.00		
40	Base Course	CW3110-R7	m ³	975.00		
41	Reinforced Concrete Pavement	CW3310-R9				
	a) 150 mm		m ²	2600.00		
	b) 200 mm		m ²	3800.00		
	c) 150 mm Reinforced Concrete Pavement for Early Opening		m ²	1800.00		
42	Curb	CW3110-R7				
	a) Modified barrier curb		lin.m.	450.00		
	b) Lip Curb		lin.m.	1430.00		
	c) Transition curb		lin.m.	50.00		
	d) Ramp curb		lin.m.	10.00		
43	Site grading	CW3110-R7	m ²	13300.00		
44	Ditching	E7	lin.m.	40.00		
45	Utility Conduit	E7	lin.m.	100.00		
46	20 mm Crushed Limestone Base Course for Driveways	CW3110-R7	m ³	75.00		

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
47	Culvert removal and disposal	E7	lin.m.	270.00		
48	Clearing and grubbing	CW3010-R4	m ²	5000.00		
49	Sidewalk	CW3325-R2				
	a) 100mm Concrete		m ²	540.00		
	b) Asphalt Sidewalk	CW3410-R6	m ²	10.00		
	c) Base course (50mm)	CW3410-R6	m ³	30.00		
50	Abandon Existing Manhole	CW2130-R8	unit	1.00		
51	Abandon Existing Catchbasin	CW3210-R5	unit	4.00		
52	Plug 100 Forcemain	CW2130-R8	unit	2.00		
53	Plug 150 Forcemain	CW2130-R8	unit	2.00		
54	Remove Asphalt Pavement	CW3170-R3	m ²	75.00		
55	75 mm Asphalt Concrete Transitions	CW3410-R6	tonne	80.00		
56	Turf Stone	CW3330-R3	m ²	30.00		
57	Rip Rap	CW3615-R2	m ²	20.00		
58	Abandon Existing Hydrant	CW2110-R7	unit	1.00		
59	Adjustments of Pavement and Boulevard Structures	CW3210-R6				
	a) Adjustment of Existing Manhole Frames		unit	3.00		
	b) Valve Box Extensions		unit	2.00		
60	Sawcut of Existing Pavement	E9	lin.m.	15.00		
61	Drilled Dowels	CW3310-R9	unit	50.00		
	TOTAL FOR PART C					

 Name of Bidder

FORM B: PRICES
 (See B9)

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV - 2005 SEWER, WATER, ROAD
 CONSTRUCTION AND ASSOCIATED WORKS

Item No.	Description	Spec. Reference	Unit	Approx. Quantity	Unit Price	Amount
	SUMMARY PART A - STAGE II PART B - STAGE III PART C - STAGE IV					
TOTAL BID PRICE (GST extra) (in figures) \$ _____						
(in words) _____						

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 195-2005

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV – 2005 SEWER, WATER, ROAD CONSTRUCTION AND ASSOCIATED WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 195-2005

FAIRFIELD PARK LOCAL IMPROVEMENT DISTRICT STAGES II, III AND IV – 2005 SEWER, WATER, ROAD CONSTRUCTION AND ASSOCIATED WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 27, 2005.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)