

PART A

BID SUBMISSION

FORM A: BID
(See B7)

1. Project Title Province of Manitoba/City of Winnipeg
2005 Residential Street Renewal
Part 1 – Country Club Blvd. and Various Other Locations
Part 2 – Parkdale Street and Various Other LOCATIONS

2. Bidder _____
Name of Bidder

Street

City Province Postal Code

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D2.5(b)(vii) unless the context otherwise requires.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. _____ Dated _____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 CITY FUNDED WORK						
A	<u>Country Club Boulevard-Park Meadow Drive to Pinehurst Crescent-MAJOR REHABILITATION</u>					
	EARTH AND BASE WORKS					
A.1	Grading of Boulevards	CW 3110-R7	m ²	1000		
	ROADWORKS-RENEWALS					
A.2	Slab Replacement	CW 3230-R4				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	250		
A.3	Partial Slab Patches	CW 3230-R4				
	i) 150 mm Concrete Pavement (Type A)		m ²	15		
	ii) 150 mm Concrete Pavement (Type B)		m ²	200		
	iii) 150 mm Concrete Pavement (Type D)		m ²	100		
A.4	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	150		
A.5	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	150		
A.6	Concrete Curb Removal	CW 3240-R5				
	i) Lip Curb		m	510		
A.7	Concrete Curb Installation	CW 3240-R5				
	i) Barrier (100mm ht, Dowelled)	SD205	m	510		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS-NEW CONSTRUCTION					
A.8	Construction of Asphaltic Concrete Pavements	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	500		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	100		
	JOINT AND CRACK SEALING					
A.9	Reflective Crack Maintenance	CW 3250-R6	m	350		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.10	Catch Pit	CW 2130-R9				
	i) SD-023		each	3		
A.11	Drainage Connection Pipe	CW 2130-R9	m	10		
A.12	Replacing Standard Frames & Covers	CW 2130-R9				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
A.13	Connecting to Existing Catch Basin	CW 2130-R9				
	i) 250 mm Drainage Connection Pipe		each	3		
A.14	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	3		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	5		
A.16	Replacing Existing Risers	CW 2130-R9				
	i) Pre-cast Concrete Risers		vert. m	1		
A.17	Lifter Rings	CW 3210-R6				
	i) 38mm		each	4		
	ii) 51mm		each	4		
A.18	Adjustment of Valve Boxes	CW 3210-R6	each	3		
A.19	Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		
A.20	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	2		
	LANDSCAPING					
A.21	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	350		
	ii) width > or = 600mm		m ²	650		
A	<u>Country Club Boulevard-Park Meadow Drive to Pinehurst Crescent-MAJOR REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Shelley Street-Browning Boulevard to Wordsworth Avenue-MAJOR REHABILITATION</u>					
	EARTH AND BASE WORKS					
B.1	Grading of Boulevards	CW 3110-R7	m ²	750		
	ROADWORKS-RENEWALS					
B.2	Slab Replacement	CW 3230-R4				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	350		
B.3	Partial Slab Patches	CW 3230-R4				
	i) 150 mm Concrete Pavement (Type A)		m ²	10		
	ii) 150 mm Concrete Pavement (Type B)		m ²	100		
	iii) 150 mm Concrete Pavement (Type D)		m ²	100		
B.4	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	150		
B.5	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	150		
B.6	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i) Sidewalk					
	a) Less than 5 sq.m.		m ²	10		
	b) 5 sq.m. to 20 sq.m.		m ²	25		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.7	Concrete Curb Renewal	CW 3240-R5				
	i) Barrier (125 mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m to 30 m		m	300		
	b) Greater than 30 m		m	140		
	ii) Ramp Curb (15 mm)	SD-229E	m	6		
B.8	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	15		
	ROADWORKS-NEW CONSTRUCTION					
B.9	Construction of Asphaltic Concrete Pavements	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	375		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	150		
	JOINT AND CRACK SEALING					
B.10	Reflective Crack Maintenance	CW 3250-R6	m	250		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.11	Catch Basin	CW 2130-R9				
	i) SD-024		each	2		
B.12	Catch Pit	CW 2130-R9				
	i) SD-023		each	2		

FORM B: PRICES

(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.13	Sewer Service	CW 2130-R9				
	i) 250 mm					
	a) In a Trench, Class B Type 2 bedding, Class 2 Backfill		m	30		
B.14	Connecting to Existing Sewer	CW 2130-R9				
	i) 250 mm PVC of connecting pipe to 750 mm Concrete Sewer		each	2		
	ADJUSTMENTS					
B.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	4		
B.16	Lifter Rings	CW 3210-R6				
	i) 38mm		each	4		
	ii) 51mm		each	4		
B.17	Adjustment of Valve Boxes	CW 3210-R6	each	4		
B.18	Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		
B.19	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	8		
	LANDSCAPING					
B.20	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	250		
	ii) width > or = 600mm		m ²	500		
B	<u>Shelley Street-Browning Boulevard to Wordsworth Avenue-MAJOR REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>Leicester Square-East Leg-MAJOR REHABILITATION</u>					
	EARTH AND BASE WORKS					
C.1	Grading of Boulevards	CW 3110-R7	m ²	500		
	ROADWORKS-REMOVALS/RENEWALS					
C.2	Slab Replacement	CW 3230-R4				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	75		
C.3	Partial Slab Patches	CW 3230-R4				
	i) 150 mm Concrete Pavement (Type A)		m ²	5		
	ii) 150 mm Concrete Pavement (Type B)		m ²	50		
	iii) 150 mm Concrete Pavement (Type C)		m ²	25		
	iv) 150 mm Concrete Pavement (Type D)		m ²	75		
C.4	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	100		
C.5	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	100		
C.6	Concrete Curb Removal	CW 3240-R5				
	i) Lip Curb		m	220		
C.7	Concrete Curb Installation	CW 3240-R5				
	i) Barrier (100mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m to 30 m		m	115		
	b) Greater than 30 m		m	105		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.8	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	200		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	50		
	JOINT AND CRACK SEALING					
C.9	Longitudinal Joint & Crack Filling (> 25mm in width)	CW 3250-R6	m	110		
C.10	Reflective Crack Maintenance	CW 3250-R6	m	200		
	ADJUSTMENTS					
C.11	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	1		
C.12	Replacing Existing Risers	CW 2130-R9				
	i) Pre-cast Concrete Risers		vert. m	1		
C.13	Lifter Rings	CW 3210-R6				
	i) 51mm		each	1		
C.14	Adjustment of Valve Boxes	CW 3210-R6	each	1		
C.15	Adjustment of Curb Stop Boxes	CW 3210-R6	each	3		
C.16	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	2		
	LANDSCAPING					
C.17	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	150		
	ii) width > or = 600mm		m ²	350		
C	<u>Leicester Square-East Leg-MAJOR REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 PROVINCIALY FUNDED WORK (See D2)						
D	<i>Stack Street-Barker Boulevard to Barker Boulevard-MAJOR REHABILITATION</i>					
	EARTH AND BASE WORKS					
D.1	Grading of Boulevards	CW 3110-R7	m ²	500		
	ROADWORKS-REMOVALS/RENEWALS					
D.2	Slab Replacement	CW 3230-R4				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	500		
D.3	Partial Slab Patches	CW 3230-R4				
	i) 150 mm Concrete Pavement (Type A)		m ²	10		
	ii) 150 mm Concrete Pavement (Type B)		m ²	300		
	iii) 150 mm Concrete Pavement (Type C)		m ²	150		
	iv) 150 mm Concrete Pavement (Type D)		m ²	100		
D.4	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	300		
D.5	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	300		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.6	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m ²	260		
	b) Greater than 20 sq.m.		m ²	160		
D.7	Concrete Curb Renewal	CW 3240-R5				
	i) Barrier (125 mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m to 30 m		m	125		
	b) Greater than 30 m		m	65		
	ii) Ramp Curb (15 mm ht)	SD 229-E	m	57		
D.8	Construction of Asphaltic Concrete Overlay	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	625		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	200		
D.9	Install 150 mm Sidewalk for Residential Approaches	CW 3235-R5	m ²	50		
	JOINT AND CRACK SEALING					
D.10	Reflective Crack Maintenance	CW 3250-R6	m	300		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.11	Catch Pit	CW 2130-R9				
	i) SD-023		each	2		
D.12	Drainage Connection Pipe	CW 2130-R9	m	6		
D.13	Connecting to Existing Catch Basin	CW 2130-R9				
	i) 250mm Drainage Connection Pipe		each	16		
D.14	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	2		
	ADJUSTMENTS					
D.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	7		
D.16	Replacing Existing Risers	CW 2130-R9		1		
D.17	Lifter Rings	CW 3210-R6				
	i) 38mm		each	2		
	ii) 51mm		each	5		
D.18	Adjustment of Curb Stop Boxes	CW 3210-R6	each	3		
	LANDSCAPING					
D.19	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	250		
	ii) width > or = 600mm		m ²	250		
D	<u>Stack Street-Barker Boulevard to Barker Boulevard-MAJOR REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>Parkdale Street-Ness Avenue to 140 m North of Ness Avenue-MAJOR RECONSTRUCTION</u>					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R7	m ³	500		
E.2	Sub-Grade Compaction	CW 3110-R7	m ²	1050		
E.3	Crushed Sub-base Material	CW 3110-R7				
	i) 50 mm - Limestone		tonne	500		
E.4	Supplying and Placing Base Course Material	CW 3110-R7	m ³	155		
E.5	Grading of Boulevards	CW 3110-R7	m ²	250		
E.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	1200		
	ROADWORKS - RENEWALS					
E.7	Pavement Removal	CW 3110-R7				
E.8	Concrete Pavement		m ²	900		
E.9	Partial Slab Patches	CW 3230-R4				
E.10	150 mm Concrete Pavement (Type A)		m ²	5		
E.11	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	10		
E.12	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	10		
E.13	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m ²	150		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.14	Adjustment of Precast Sidewalk Blocks	CW 3235-R5	m ²	10		
E.15	Supply of Precast Sidewalk Blocks	CW 3235-R5	m ²	10		
E.16	Concrete Curb Renewal	CW 3240-R5				
	i) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	50		
	ii) Ramp Curb (15 mm ht)	SD 229-E	m	24		
E.17	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	10		
	ROADWORKS - NEW CONSTRUCTION					
E.18	Construction of Curb and Gutter(150 mm, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	170		
E.19	Construction of Curb and Gutter(40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD 200 SD-202B	m	105		
E.20	Construction of Asphaltic Concrete Pavements	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	225		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	125		
	JOINT AND CRACK SEALING					
E.21	Reflective Crack Maintenance	CW 3250-R6	m	25		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.22	Catch Basin	CW 2130-R9				
	i) SD-024		each	2		
E.23	Sewer Service	CW 2130-R9				
	i) 250mm		m	12		
	a) in a Trench, Class B Type 2 bedding, Class 2 Backfill					
E.24	Connecting to Existing Manhole	CW 2130-R9				
	i) 250mm Catch basin lead		each	2		
E.25	Abandonment of Existing Drainage Inlets	CW 2130-R9	each	2		
E.26	Installation of Subdrains	CW 3120-R1	m	24		
	ADJUSTMENTS					
E.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	4		
E.28	Replacing Existing Risers	CW 2130-R9				
	i) Pre-cast Concrete Risers		vert. m	1		
E.29	Lifter Rings	CW 3210-R6				
	i) 51mm		each	8		
E.30	Adjustment of Valve Boxes	CW 3210-R6	each	2		
E.31	Adjustment of Curb Stop Boxes	CW 3210-R6	each	3		
E.32	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	2		
	LANDSCAPING					
E.33	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	50		
	ii) width > or = 600mm		m ²	200		
E	<u>Parkdale Street-Ness Avenue to 140 m North of Ness Avenue-MAJOR RECONSTRUCTION</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>Valley View Drive-Harvest Lane to Valley View Place-MAJOR REHABILITATION</u>					
	EARTH AND BASE WORKS					
F.1	Grading of Boulevards	CW 3110-R7	m ²	1000		
	ROADWORKS-REMOVALS/RENEWALS					
F.2	Slab Replacement	CW 3230-R4				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	500		
F.3	Partial Slab Patches	CW 3230-R4				
	i) 150 mm Concrete Pavement (Type A)		m ²	5		
	ii) 150 mm Concrete Pavement (Type B)		m ²	165		
	iii) 150 mm Concrete Pavement (Type D)		m ²	50		
F.4	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	200		
F.5	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	200		
F.6	Miscellaneous Concrete Slab Renewal	CW 3235-R5				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m ²	20		
F.7	Concrete Curb Removal	CW 3240-R5				
	i) Lip Curb		m	370		
F.8	Concrete Curb Installation	CW 3240-R5				
	i) Ramp Curb (15 mm ht)	SD-229A,B,C	m	6		
	ii) Barrier (100mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m to 30 m		m	275		
	b) Greater than 30 m		m	95		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.9	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	15		
	ROADWORKS-NEW CONSTRUCTION					
F.10	Construction of Asphaltic Concrete Pavements	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	350		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	100		
	JOINT AND CRACK SEALING					
F.11	Reflective Crack Maintenance	CW 3250-R6	m	300		
	ADJUSTMENTS					
F.12	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
F.13	Replacing Existing Risers	CW 2130-R9				
	i) Pre-cast Concrete Risers		vert. m	1		
F.14	Lifter Rings	CW 3210-R6				
	i) 51mm		each	1		
	ii) 76mm		each	1		
F.15	Adjustment of Valve Boxes	CW 3210-R6	each	3		
F.16	Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		
F.17	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	7		
	LANDSCAPING					
F.18	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	250		
	ii) width > or = 600mm		m ²	750		
F	<u>Valley View Drive-Harvest Lane to Valley View Place-MAJOR REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	<u>Paisley Place-Leichester Square to Jameswood Drive-MAJOR REHABILITATION</u>					
	EARTH AND BASE WORKS					
G.1	Grading of Boulevards	CW 3110-R7	m ²	300		
	ROADWORKS-REMOVALS/RENEWALS					
G.2	Slab Replacement	CW 3230-R4				
	i) 150 mm Concrete Pavement (Reinforced)		m ²	225		
G.3	Partial Slab Patches	CW 3230-R4				
	i) 150 mm Concrete Pavement (Type A)		m ²	25		
	ii) 150 mm Concrete Pavement (Type B)		m ²	100		
	iii) 150 mm Concrete Pavement (Type D)		m ²	200		
G.4	Drilled Dowels	CW 3230-R4				
	i) 19.1 mm Diameter		each	200		
G.5	Drilled Tie Bars	CW 3230-R4				
	i) 20 M Deformed Tie Bar		each	200		
G.6	Concrete Curb Removal	CW 3240-R5				
	i) Lip Curb		m	350		
G.7	Concrete Curb Installation	CW 3240-R5				
	i) Barrier (100mm ht, Dowelled)	SD-205, SD206A				
	a) 3 m to 30 m		m	260		
	b) Greater than 30 m		m	90		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS-NEW CONSTRUCTION					
G.8	Construction of Asphaltic Concrete Pavements	CW 3410-R6				
	i) Main Line Paving					
	a) Type IA		tonne	400		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	100		
	JOINT AND CRACK SEALING					
G.9	Reflective Crack Maintenance	CW 3250-R6	m	250		
	ADJUSTMENTS					
G.10	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	6		
G.11	Replacing Existing Risers	CW 2130-R9				
	i) Pre-cast Concrete Risers		vert. m	1		
G.12	Lifter Rings	CW 3210-R6				
	i) 38mm		each	3		
	ii) 51mm		each	2		
G.13	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	2		
	LANDSCAPING					
G.14	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	250		
	ii) width > or = 600mm		m ²	200		
G	<u>Paisley Place-Leichester Square to Jameswood Drive-MAJOR REHABILITATION</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
------	-------------	---------------	------	---------------------	------------	--------

PART 1 CITY FUNDED WORK

A	<u>Country Club Boulevard-Park Meadow Drive to Pinehurst Crescent-MAJOR REHABILITATION</u>				Subtotal:	
B	<u>Shelley Street-Browning Boulevard to Wordsworth Avenue-MAJOR REHABILITATION</u>				Subtotal:	
C	<u>Leicester Square-East Leg-MAJOR REHABILITATION</u>				Subtotal:	
(total price) PART 1						

PART 2 PROVINCIAALLY FUNDED WORK (See D2)

D	<u>Stack Street-Barker Boulevard to Barker Boulevard-MAJOR REHABILITATION</u>				Subtotal:	
E	<u>Parkdale Street-Ness Avenue to 140 m North of Ness Avenue-MAJOR RECONSTRUCTION</u>				Subtotal:	
F	<u>Valley View Drive-Harvest Lane to Valley View Place-MAJOR REHABILITATION</u>				Subtotal:	
G	<u>Paisley Place-Leichester Square to Jameswood Drive-MAJOR REHABILITATION</u>				Subtotal:	
(total price) PART 2						

TOTAL BID PRICE (GST extra)				(in figures)		
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the _____ day of _____, 20_____ for

BID OPPORTUNITY NO. 02-2005

PROVINCE OF MANITOBA/CITY OF WINNIPEG
2005 RESIDENTIAL STREET RENEWAL
PART 1 – COUNTRY CLUB BLVD. AND VARIOUS OTHER LOCATIONS
PART 2 – PARKDALE STREET AND VARIOUS OTHER LOCATIONS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the _____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney -in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 02-2005

PROVINCE OF MANITOBA/CITY OF WINNIPEG
2005 RESIDENTIAL STREET RENEWAL
PART 1 – COUNTRY CLUB BLVD. AND VARIOUS OTHER LOCATIONS
PART 2 – PARKDALE STREET AND VARIOUS OTHER LOCATIONS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney -in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. **02-2005**

PROVINCE OF MANITOBA/CITY OF WINNIPEG
2005 RESIDENTIAL STREET RENEWAL
PART 1 – COUNTRY CLUB BLVD. AND VARIOUS OTHER LOCATIONS
PART 2 – PARKDALE STREET AND VARIOUS OTHER LOCATIONS
Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 12, 2005.

If our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)