



ADDENDUM NO. 1 BID OPPORTUNITY NO. 202-2005

CRUSHING OF CONCRETE WASTE (TO BE RECYCLED)

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: June 1, 2005
BY: Jeff Dibley
TELEPHONE NO. (204) 986-2889

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20040901

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid Submission non-responsive.

PART A – BID SUBMISSION

Replace Bid Submission with Addendum 1 Bid Submission.

PART E - SPECIFICATIONS

Revise E2.2, E2.3, E2.4 and E2.5 to read:

- E2.2 Item No. 1 – Crush Trailer Load of waste concrete.** The concrete is to be crushed down to a maximum finished size of 100mm. The waste concrete received, is to be free of reinforcing steel, wire mesh, wood, soil and other deleterious materials.
- E2.3 Item No. 2 - Crush Tandem Load of waste concrete.** The concrete is to be crushed down to a maximum finished size of 100mm. The waste concrete received, is to be free of reinforcing steel, wire mesh, wood, soil and other deleterious materials.
- E2.4 Item No. 3 - Crush Trailer Load of waste concrete containing reinforcing steel and/or wire mesh.** The concrete is to be crushed down to a maximum finished size of 100mm. The waste concrete received, containing reinforcing steel and/or wire mesh is to be free of wood, mud and other deleterious materials.
- E2.5 Item No. 4 - Crush Tandem Load of waste concrete containing reinforcing steel and/or wire mesh.** The concrete is to be crushed down to a maximum finished size of 100mm. The waste concrete received, containing reinforcing steel and/or wire mesh is to be free of wood, mud and other deleterious materials.