



251-2005 ADDENDUM 2

SUPPLY & INSTALLATION OF NEW STAINLESS STEEL LOCKERS AT PAN AM POOL – 25 POSEIDON BAY

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: May 18, 2005
BY: Rachel Busche
TELEPHONE NO. (204) 986-2451

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20050506

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Revise: E2.1 to read:

E2.1 The Contractor shall remove & dispose of old existing lockers & replace with **86** new single tier stainless steel “coin retention” lockers **to match existing in appearance.**

Revise E2.2 to read:

E2.2 The major components of the Work are as follows:

(a) **LOCKS**

- (i) All locks shall be fabricated entirely of type 304 nickel bearing stainless steel, the locks interlock with the frame upright and provide:
 - (i) coin and key operation with quarter fee retention**
 - (ii) concealed coin slot
 - (iii) anti-turn back feature shall be available on applicable locks
 - (iv) safety interlock between door and lock
 - (v) key and cylinder easily removed from lock and is owner replaceable
 - (vi) proprietary keys offering a minimum of 16 million changes and bearing surface reinforcement
 - (vii) locks to be manufactured by locker supplier
- (ii) Coin and key-operated locks shall be convertible to non-coin operation. All keys and cylinders shall be supplied by the Contractor.