



535-2005 ADDENDUM 1

PROVISION OF ELEVATOR, ESCALATOR MAINTENANCE SERVICES

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: October 24, 2005
BY: Coleen Groening, C.P.P., C.P.M.
TELEPHONE NO. (204) 986-2491

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20050506

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Add: E6.1.1 and E6.1.2

- E6.1.1 Where in-ground hydraulic cylinder has been encased in plastic, provide proof of semi-annual inspection. Report immediately to the Contract Administrator if the plastic encapsualization is found to contain any liquid.
- E6.1.2 Buried hydraulic piping (including oil line and hydraulic cylinder) where the piping has not been encased in plastic or provided with cathodic protection.