#### FORM A: BID (See B8)

| 1. | Project Title                  | 2005 COMBINED SEW<br>CONTRACT NO. 18           | ER RENEWALS AND SEWEF  | R REPAIRS –         |
|----|--------------------------------|--|--|---------------------|
| 2. | Bidder                         |  |  |                     |
|    |                                | Name of Bidder                                 |  |                     |
|    |                                | Street   |  |                     |
|    |                                | City   | Province   | Postal Code         |
|    |                                | Facsimile Number                               |  |                     |
|    | (Mailing address if different) | Street or P.O. Box                             |  |                     |
|    |                                | City   | Province   | Postal Code         |
|    |                                | The Bidder is:                                 |  |                     |
|    | (Choose one)                   | a sole proprietor                              |  |                     |
|    |                                | a partnership                                  |  |                     |
|    |                                | a corporation                                  |  |                     |
|    |                                | carrying on business ur                        | der the above name.  |                     |
| 3. | Contact Person                 | The Bidder hereby auth the Bidder for purposes | norizes the following contact p<br>of the Bid.                         | person to represent |
|    |                                | Contact Person                                 | Title  |                     |
|    |                                | Telephone Number                               | Facsimile Number   |                     |
| 4. | Definitions                    | All capitalized terms uascribed to them in the | ised in the Contract shall h<br>General Conditions.                    | ave the meanings    |
| 5. | Offer                          |  | ers to perform the Work in a<br>Bid Price, in Canadian funds, so<br>o. |                     |

| 6.  | Bid Security             | In accordance with B11.1, the Bidder encloses bid security in the form of:   |
|-----|--------------------------|--|
|     | (Choose one)             | a bid bond (Form G1: Bid Bond and Agreement to Bond)   |
|     |                          | an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)  |
|     |                          | a certified cheque or draft  |
|     |                          | and agrees that it shall be held by the City in accordance with the Contract.  |
| 7.  | Execution of Contract    | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.   |
| 8.  | Commencement of the Work | The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.  |
| 9.  | Contract                 | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission. |
| 10. | Addenda                  | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:  |
|     |                          | No Dated   |
|     |                          |  |
|     |                          |  |
| 11. | Time                     | This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.  |

| 12. | Signatures   | n witness whereof the Bidder or the Bidder's authorized official or officials have signed this |  |  |  |  |  |
|-----|--|--|--|--|--|--|--|
|     |  | , day of, 20   |  |  |  |  |  |
|     | (If no corporate seal)<br>Signed and sealed in<br>the presence of: | Signature of Bidder or<br>Bidder's Authorized Official or Officials                            |  |  |  |  |  |
|     | (Witness)  | (Print here name and official capacity of individual whose signature appears above)            |  |  |  |  |  |
|     | (Witness)  | (Print here name and official capacity of individual whose signature appears above)            |  |  |  |  |  |

SEAL

(See B9)

#### 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT 18

| UNIT P   | RICES   | 1             |                |                     |               |        |
|----------|---|---------------|----------------|---------------------|---------------|--------|
| ITEM     | DESCRIPTION   | SPEC.<br>REF. | UNIT           | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
| <u>A</u> | BEAVERBROOK STREET -<br>S-MA60007691, S-MA60007708              |               |                |                     |               |        |
| A. 1     | Sewer Repair - Up to 3.0 metres Long                            | CW 2130       |                |                     |               |        |
| a)       | 450mm   |               |                |                     |               |        |
| i)       | Class 3 backfill  |               | each           | 3                   |               |        |
| A. 2     | Sewer Repair - In Addition to First 3.0 metres                  | CW 2130       |                |                     |               |        |
| a)       | 450mm   |               |                |                     |               |        |
| i)       | Class 3 backfill  |               | m              | 20.0                |               |        |
| A. 3     | Sewer Services  | CW 2130       |                |                     |               |        |
| a)       | 150mm   |               |                |                     |               |        |
| i)       | trenchless installation, Class B sand bedding, Class 3 backfill |               | m              | 10.0                |               |        |
| A. 4     | Sewer Inspection (post repair)                                  | CW 2145       |                |                     |               |        |
| a)       | 450mm   |               | m              | 192.6               |               |        |
| A. 5     | Sewer Service Inspection  | E5            |                | 60.0                |               |        |
| A. 6     | Partial Slab Patches  | E6            |                |                     |               |        |
| a)       | 150mm Concrete Pavement   |               | m²             | 45.0                |               |        |
| A. 7     | Miscellaneous Concrete Slab Renewal                             | CW 3235       |                |                     |               |        |
| a)<br>   | Sidewalk (SD-228A)  |               | 2              |                     |               |        |
| i)       | Less than 5 m <sup>2</sup>                                      |               | m <sup>2</sup> | 5.0                 |               |        |
| A. 8     | Construction of Asphaltic Concrete Overlays Type 1A             | CW 3410       | tonne          | 10.0                |               |        |
|          |   |               |                | <u>l</u><br>Sul     | ototal Part A |        |
| <u>B</u> | CENTENNIAL STREET -<br>S-MA60006705                             |               |                | 34                  |               |        |
| B. 1     | Sewer Repair - Up to 3.0 metres Long                            | CW 2130       |                |                     |               |        |
| a)       | 750mm   |               |                |                     |               |        |
| i)       | Class 3 backfill  |               | each           | 1                   |               |        |
| B. 2     | Sewer Repair - In Addition to First 3.0 metres                  | CW 2130       |                |                     |               |        |
| a)       | 750mm   |               |                |                     |               |        |
| i)       | Class 3 backfill  |               | m              | 1.0                 |               |        |

(See B9)

#### 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT 18

| ITEM       | DESCRIPTION  | SPEC.<br>REF. | UNIT  | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
|------------|--|---------------|-------|---------------------|---------------|--------|
| B. 3       | Sewer Inspection                                       | CW 2145       |       | QOANTITT            | TRIOL         |        |
| a)         | 750mm (post repair)                                    | OW 21 10      | m     | 95.9                |               |        |
| B. 4       | Partial Slab Patches                                   | E6            |       |                     |               |        |
| a)         | 150mm Concrete Pavement                                |               | m²    | 6.0                 |               |        |
| B. 5       | Construction of Asphaltic Concrete<br>Overlays Type 1A | CW 3410       | tonne | 3.0                 |               |        |
|            |  |               |       | Sul                 | ototal Part B |        |
| <u>C</u>   | CENTENNIAL STREET -<br>S-MA 60007855                   |               |       |                     |               |        |
| C. 1       | Sewer Repair - Up to 3.0 metres Long                   | CW 2130       |       |                     |               |        |
| a)<br>i)   |  |               | each  | 1                   |               |        |
| C. 2       | Sewer Repair - In Addition to First 3.0 metres         | CW 2130       |       |                     |               |        |
| a)         | 375mm  |               |       |                     |               |        |
| i)         | Class 3 backfill                                       |               | m     | 3.2                 |               |        |
| C. 3<br>a) | Sewer Inspection (post repair)<br>375mm                | CW 2145       | m     | 93.3                |               |        |
| C. 4       | Sewer Service Inspection                               | E5            |       | 20.0                |               |        |
| C. 5       | Partial Slab Patches                                   | E6            |       |                     |               |        |
| a)         | 150mm Concrete Pavement                                |               | m²    | 10.0                |               |        |
| C. 6       | Construction of Asphaltic Concrete<br>Overlays Type 1A | CW 3410       | tonne | 3.0                 |               |        |
|            | ·  |               |       | Sub                 | ototal Part C |        |
| <u>D</u>   | LANARK STREET - S-MA60006035                           |               |       |                     |               |        |
| D. 1       | Sewer Repair - Up to 3.0 metres Long                   | CW 2130       |       |                     |               |        |
| a)         | 375mm  |               | _     |                     |               |        |
| i)         | Class 3 backfill                                       |               | each  | 1                   |               |        |

(See B9)

#### 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT 18

|            | RICES  |         | ·        |          |               |            |
|------------|--|---------|----------|----------|---------------|------------|
| ITEM       | DESCRIPTION  | SPEC.   | UNIT     | APPROX.  | UNIT          | AMOUNT     |
| 11 = 101   | DECORN FIOR  | REF.    | OIVII    | QUANTITY | PRICE         | 7111100111 |
| D. 2       | Sewer Repair - In Addition to First 3.0 metres   | CW 2130 |          |          |               |            |
| a)<br>i)   | 375mm<br>Class 3 backfill  |         | m        | 0.3      |               |            |
| D. 3<br>a) | Sewer Inspection (post repair)<br>375mm  | CW 2145 | m        | 97.9     |               |            |
| D. 4       | Sewer Service Inspection   | E5      |          | 10.0     |               |            |
| D. 5<br>a) | Partial Slab Patches 150mm Concrete Pavement   | E6      | m²       | 5.0      |               |            |
| D. 6       | Construction of Asphaltic Concrete<br>Overlays Type 1A   | CW 3410 | tonne    | 3.0      |               |            |
|            |  |         | l        | Suk      | total Part D  |            |
| <u>E</u>   | WELLINGTON CRESCENT -<br>S-MA60006800, S-MA60006802  |         |          |          |               |            |
| E. 1<br>a) | Sewer Repair - as per Detail A<br>300mm  | CW 2130 |          |          |               |            |
| i)         | Class 3 backfill   |         | each     | 2        |               |            |
| E. 2<br>a) | Sewer Inspection (post repair)<br>300mm  | CW 2145 | m        | 119.7    |               |            |
| E. 3<br>a) | Partial Slab Patches<br>150mm Concrete Pavement  | E6      | m²       | 10.0     |               |            |
| E. 4       | Construction of Asphaltic Concrete<br>Overlays Type 1A   | CW 3410 | tonne    | 3.0      |               |            |
|            |  |         | <u> </u> | Sul      | ototal Part E |            |
| <u>F</u>   | CENTENNIAL STREET -<br>S-2005C1809, S-2005C1811,<br>S-2005C1812                                    |         |          |          |               |            |
| F. 1       | Combined Sewers 250mm PVC  | CW 2130 |          |          |               |            |
| a)<br>i)   | trenchless installation, Class B Type 2 bedding, Class 3 backfill                                  |         | m        | 50.0     |               |            |
| b)<br>i)   | 375mm PVC or C76-CL2 Conc.<br>trenchless installation, Class B Type 2<br>bedding, Class 3 backfill |         | m        | 6.0      |               |            |

(See B9)

#### 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT 18

| ITEM              | DESCRIPTION   | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
|-------------------|---|---------------|---------|---------------------|---------------|--------|
| F. 2<br>a)<br>i)  | Manhole<br>SD-010<br>1200mm diameter base   | CW 2130       | vert. m | 7.0                 |               |        |
| F. 3<br>a)<br>i)  | New Manhole on Existing Sewer SD-010 1500mm diameter base                                       | CW 2130       | vert. m | 6.0                 |               |        |
| F. 4              | Catch Basin SD-024  | CW 2130       | each    | 2                   |               |        |
| F. 5<br>a)<br>i)  |   | CW 2130       | m       | 60.0                |               |        |
| b)<br>i)          | bedding, Class 3 backfill 250mm trenchless installation, Class B sand bedding, Class 3 backfill |               | m       | 13.0                |               |        |
| F. 6<br>a)        | Connecting to Existing Manhole 250mm  | CW 2130       | each    | 1                   |               |        |
| F. 7<br>a)        | Connecting New Sewer Service to Existing Sewer Service 150mm to 150mm                           | CW 2130       | each    | 6                   |               |        |
| F. 8<br>a)        | Plugging Existing Sewers and Sewer<br>Services Smaller Than 300mm<br>200mm                      | CW 2130       | each    | 1                   |               |        |
| F. 9              | Abandoning Existing Sewers with Cement Stabilized Flowable Fill                                 | CW 2130       | m³      | 15.0                |               |        |
| F. 10             | Abandoning Existing Catch Basins  | CW 2130       | each    | 1                   |               |        |
| F. 11<br>a)<br>b) | Sewer Inspection (post renewal)<br>250mm<br>375mm   | CW 2145       | m<br>m  | 50.0<br>6.0         |               |        |
| F. 12<br>a)       | Partial Slab Patches<br>150mm Concrete Pavement   | E6            | m²      | 15.0                |               |        |

(See B9)

#### 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT 18

| ITEM              | DESCRIPTION  | SPEC.<br>REF. | UNIT         | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
|-------------------|--|---------------|--------------|---------------------|---------------|--------|
| F. 13<br>a)<br>i) | Miscellaneous Concrete Slab Renewal<br>Sidewalk (SD-228A)<br>Less than 5 m <sup>2</sup>                      | CW 3235       | m²           | 40.0                |               |        |
| F. 14<br>a)<br>i) | Concrete Curb Renewal<br>Barrier curb (SD-204)<br>Less than 3 m  | CW 3240       | m            | 10.0                |               |        |
| F. 15             | Construction of Asphaltic Concrete<br>Overlays Type 1A   | CW 3410       | tonne        | 3.0                 |               |        |
|                   |  |               | 1            | Su                  | ototal Part F |        |
| <u>G</u>          | CENTENNIAL STREET -<br>S-MA60007851  |               |              |                     |               |        |
| G. 1<br>a)<br>i)  | Combined Sewers 450mm PVC or C76-CL4 Conc. trenchless installation, Class B Type 2 bedding, Class 3 backfill | CW 2130       | m            | 35.6                |               |        |
| G. 2<br>a)<br>i)  | Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill                         | CW 2130       | m            | 15.0                |               |        |
| G. 3<br>a)        | Connecting to Existing Sewer<br>450mm to exist. 450mm clay   | CW 2130       | each         | 2                   |               |        |
| G. 4<br>a)<br>b)  | Connecting New Sewer Service to Existing Sewer Service 150mm to 150mm 200mm to 200mm                         | CW 2130       | each<br>each | 5<br>2              |               |        |
| G. 5<br>a)        | Sewer Inspection<br>450mm  | CW 2145       | m            | 97.0                |               |        |
| G. 6              | Sewer Service Inspection   | E5            | m            | 55.0                |               |        |
| G. 7<br>a)        | Partial Slab Patches 150mm Concrete Pavement   | E6            | m²           | 50.0                |               |        |
| G. 8<br>a)<br>i)  | Miscellaneous Concrete Slab Renewal<br>Sidewalk (SD-228A)<br>Less than 5 m <sup>2</sup>                      | CW 3235       | m²           | 5.0                 |               |        |

(See B9)

#### 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT 18

| ITEM       | DESCRIPTION  | SPEC.   | UNIT    | APPROX.  | UNIT          | AMOUNT |
|------------|--|---------|---------|----------|---------------|--------|
|            |  | REF.    |         | QUANTITY | PRICE         |        |
| G. 9       | Construction of Asphaltic Concrete<br>Overlays Type 1A               | CW 3410 | tonne   | 7.0      |               |        |
|            |  |         |         | Suk      | ototal Part G |        |
| <u>H</u>   | GRENFELL BOULEVARD -<br>S-2005C1803, S-2005C1802                     |         |         |          |               |        |
| H. 1       | Combined Sewers  | CW 2130 |         |          |               |        |
| a)         | 300mm PVC or C76-CL2 Conc.   |         |         |          |               |        |
| i)         | trenchless installation, Class B Type 2<br>bedding, Class 3 backfill |         | m       | 7.0      |               |        |
| ii)        | trenchless installation, Class B Type 2<br>bedding, Class 5 backfill |         | m       | 120.0    |               |        |
| H. 2       | Manhole  | CW 2130 |         |          |               |        |
| a)         | SD-010   |         |         |          |               |        |
| i)         | 1200mm diameter base   |         | vert. m | 4.2      |               |        |
| H. 3       | Sewer Services   | CW 2130 |         |          |               |        |
| a)         | 150mm  |         |         |          |               |        |
| i)         | trenchless installation, Class B sand<br>bedding, Class 5 backfill   |         | m       | 105.0    |               |        |
| H. 4<br>a) | Connecting to Existing Manhole 300mm                                 | CW 2130 | each    | 2        |               |        |
| H. 5       | Connecting New Sewer Service to Existing Sewer Service               | CW 2130 |         |          |               |        |
| a)         | 150mm to 150mm   |         | each    | 8        |               |        |
| H. 6       | Adjustment of Catch Basins/Manholes Frames                           | CW 3210 | each    | 1        |               |        |
| H. 7       | Abandoning Existing Sewers with Cement Stabilized Flowable Fill      | CW 2130 | m³      | 10.0     |               |        |
| H. 8       | Abandoning Existing Manholes   | CW 2130 | each    | 1        |               |        |
| H. 9<br>a) | Sewer Inspection (post renewal)<br>300mm                             | CW 2145 | m       | 127.1    |               |        |
| H. 10      | Partial Slab Patches   | E6      |         |          |               |        |
| a)         | 150mm Concrete Pavement  |         | m²      | 25.0     |               |        |

(See B9)

#### 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT 18

| ITEM        | DESCRIPTION  | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
|-------------|--|---------------|---------|---------------------|---------------|--------|
| H. 11<br>a) | Concrete Curb Renewal Barrier curb (SD-204)  | CW 3240       |         |                     |               |        |
| i)          | ,  |               | m       | 10.0                |               |        |
| H. 12       | Construction of Asphaltic Concrete<br>Overlays Type 1A   | CW 3410       | tonne   | 7.0                 |               |        |
|             |  |               |         | Sub                 | ototal Part H |        |
| <u>!</u>    | LANARK BAY (1ST BAY NORTH OF<br>KINGSWAY) - S-2005C1805  |               |         |                     |               |        |
| l. 1        | Combined Sewers  | CW 2130       |         |                     |               |        |
| a)<br>i)    | 300mm PVC or C76-CL2 Conc.<br>trenchless installation, Class B Type 2<br>bedding, Class 3 backfill |               | m       | 30.4                |               |        |
| ii)         | trenchless installation, Class B Type 2 bedding, Class 5 backfill                                  |               | m       | 20.0                |               |        |
| I. 2<br>a)  | New Manhole on Existing Sewer SD-010   | CW 2130       |         |                     |               |        |
| i)          | 1200mm diameter base   |               | vert. m | 8.5                 |               |        |
| l. 3        | Sewer Services   | CW 2130       |         |                     |               |        |
| a)<br>i)    | 150mm<br>trenchless installation, Class B sand<br>bedding, Class 3 backfill                        |               | m       | 110.0               |               |        |
| b)<br>i)    | 250mm<br>trenchless installation, Class B sand<br>bedding, Class 3 backfill                        |               | m       | 12.0                |               |        |
| I. 4<br>a)  | Connecting to Existing Manhole 150mm   | CW 2130       | each    | 1                   |               |        |
| l. 5<br>a)  | Connecting to Existing Catch Basin<br>250mm  | CW 2130       | each    | 1                   |               |        |
| I. 6        | Connecting New Sewer Service to Existing Sewer Service   | CW 2130       |         |                     |               |        |
| a)          | 150mm to 150mm   |               | each    | 7                   |               |        |
| I. 7        | Abandoning Existing Sewers with Cement Stabilized Flowable Fill                                    | CW 2130       | m³      | 4.0                 |               |        |

(See B9)

#### 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT 18

| ITEM              | DESCRIPTION   | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT<br>PRICE  | AMOUNT |
|-------------------|---|---------------|---------|---------------------|----------------|--------|
| I. 8              | Abandoning Existing Manholes  | CW 2130       | each    | 1                   |                |        |
| I. 9<br>a)        | Sewer Inspection<br>300mm   | CW 2145       | m       | 60.0                |                |        |
| l. 10<br>a)       | Partial Slab Patches 150mm Concrete Pavement                                      | E6            | m²      | 10.0                |                |        |
| l. 11<br>a)<br>i) | Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m <sup>2</sup> | CW 3235       | m²      | 40.0                |                |        |
| I. 12<br>a)       | Concrete Curb Renewal Barrier curb (SD-204)                                       | CW 3240       |         |                     |                |        |
| i)                | ·   |               | m       | 10.0                |                |        |
| l. 13             | Construction of Asphaltic Concrete<br>Overlays Type 1A                            | CW 3410       | tonne   | 7.0                 |                |        |
|                   |   |               |         | Su                  | ıbtotal Part I |        |
| <u>J</u>          | WELLINGTON CRESCENT S -<br>S-2005C1812, S-2005C1814,<br>S-2005C1816               |               |         |                     |                |        |
| J. 1              | Combined Sewers 300mm PVC or C76-CL2 Conc.  | CW 2130       |         |                     |                |        |
| a)<br>i)          |   |               | m       | 30.0                |                |        |
| ii)               | trenchless installation, Class B Type 2<br>bedding, Class 5 backfill              |               | m       | 75.0                |                |        |
| J. 2<br>a)        | Manhole<br>SD-010   | CW 2130       |         |                     |                |        |
| i)                |   |               | vert. m | 10.0                |                |        |
| J. 3<br>a)        | Sewer Services  | CW 2130       |         |                     |                |        |
| i)                |   |               | m       | 115.0               |                |        |
| b)<br>i)          | 250mm<br>trenchless installation, Class B sand<br>bedding, Class 3 backfill       |               | m       | 12.0                |                |        |

(See B9)

#### 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT 18

| UNIT P   | RICES                                  |           |          |          |               |        |
|----------|--|-----------|----------|----------|---------------|--------|
| ITEM     | DESCRIPTION                            | SPEC.     | UNIT     | APPROX.  | UNIT          | AMOUNT |
|          |  | REF.      |          | QUANTITY | PRICE         |        |
| J. 4     | Sewer Service Risers                   | CW 2130   |          |          |               |        |
| a)       | SD-014                                 |           |          |          |               |        |
| i)       | 150mm                                  |           | vert. m  | 5.0      |               |        |
| ii)      |  |           | vert. m  | 3.0      |               |        |
| ,        |  |           | VOIL III | 0.0      |               |        |
| J. 5     | Connecting to Existing Manhole         | CW 2130   |          |          |               |        |
| a)       | 300mm                                  |           | each     | 2        |               |        |
|          |  |           |          |          |               |        |
| J. 6     | Connecting to Existing Catch Basin     | CW 2130   |          |          |               |        |
| a)       | 250mm                                  |           | each     | 2        |               |        |
| J. 7     | Connecting New Sewer Service to        | CW 2130   |          |          |               |        |
| J. 1     | Existing Sewer Service                 | CW 2130   |          |          |               |        |
| a)       | 150mm to 150mm                         |           | each     | 9        |               |        |
| ω,       | 100111111110                           |           | 04011    | Ü        |               |        |
| J. 8     | Abandoning Existing Sewers with Cement | CW 2130   | $m^3$    | 7.0      |               |        |
|          | Stabilized Flowable Fill               |           |          |          |               |        |
| J. 9     | Sewer Inspection (post renewal)        | CW 2145   |          |          |               |        |
| a)       | 300mm                                  | OW 2140   | m        | 105.0    |               |        |
| α,       | 30011111                               |           | '''      |          |               |        |
| J. 10    | Partial Slab Patches                   | E6        |          |          |               |        |
| a)       | 150mm Concrete Pavement                |           | m²       | 25.0     |               |        |
| ,        |  |           |          |          |               |        |
| J. 11    | Miscellaneous Concrete Slab Renewal    | CW 3235   |          |          |               |        |
| a)       | Sidewalk (SD-228A)                     |           |          |          |               |        |
| i)       | Less than 5 m <sup>2</sup>             |           | m²       | 50.0     |               |        |
| 1 40     |  | 014/00/10 |          |          |               |        |
| J. 12    | Concrete Curb Renewal                  | CW 3240   |          |          |               |        |
| a)       | Barrier curb (SD-204)                  |           |          | 40.0     |               |        |
| i)       | Less than 3 m                          |           | m        | 10.0     |               |        |
| J. 13    | Construction of Asphaltic Concrete     | CW 3410   | tonne    | 5.0      |               |        |
| 55       | Overlays Type 1A                       | 21. 31.0  |          | 0.0      |               |        |
|          |  |           | 1        | Su       | btotal Part J |        |
| ,,,      | DD CAROLONIAL ITTUE                    |           |          |          |               |        |
| <u>K</u> | PROVISIONAL ITEMS                      |           |          |          |               |        |
| K. 1     | Catch Basin                            | CW 2130   |          |          |               |        |
| a)       | SD-025                                 |           | each     | 1        |               |        |
| ω,       |  |           |          | •        |               |        |
| K. 2     | Catch Pit                              | CW 2130   |          |          |               |        |
| a)       | SD-023                                 |           | each     | 1        |               |        |
| aj       | OD 020                                 |           | Gacii    | ı        |               |        |

(See B9)

#### 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT 18

| ITEM            | DESCRIPTION   | SPEC.<br>REF. | UNIT           | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
|-----------------|---|---------------|----------------|---------------------|---------------|--------|
| K. 3<br>a)      | Sewer Services<br>200mm   | CW 2130       |                |                     |               |        |
| i)              | trenchless installation, Class B sand bedding, Class 3 backfill |               | m              | 3.0                 |               |        |
| K. 4<br>a)      | Drainage Connection Pipe<br>250mm                               | CW 2130       | m              | 2.0                 |               |        |
| K. 5<br>a)      | Sewer Service Risers<br>SD-014                                  | CW 2130       |                |                     |               |        |
| i)              | 200mm   |               | vert. m        | 3.0                 |               |        |
| K. 6            | Connecting New Sewer Service to<br>Existing Sewer Service       | CW 2130       |                |                     |               |        |
| a)              | 250mm to 250mm  |               | each           | 2                   |               |        |
| K. 7            | Cement Stabilized Fill  | CW 2030       | m <sup>3</sup> | 10.0                |               |        |
| K. 8            | Sodding   | CW 3510       | m²             | 100.0               |               |        |
| K. 9            | Street Light Cable  | E8            |                |                     |               |        |
| a)              | coring  |               | m              | 50.0                |               |        |
| Subtotal Part K |   |               |                |                     |               |        |

| TOTAL BID PRICE (GST extra) | (in figures)\$ |  |
|-----------------------------|----------------|--|
| (in words)                  |                |  |
|                             |                |  |
|                             |                |  |
|                             |                |  |
|                             | Name of Bidder |  |

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

| KNOW ALL MEN BY THESE PRESENTS   | STHAT  |   |
|--|--|---|
| (hereinafter called the "Principal") and   |  |   |
| (hereinafter called the "Surety"), are held<br>called the "Obligee") in the sum of ten per<br>hereinafter described, for the payment of<br>executors, administrators, successors and | ercent (10%) of the Total Bid Price set of which sum the Principal and Surety bin  | out in the Bid Submission<br>d themselves, their heirs,   |
| WHEREAS the Principal has submitted a  | Bid to the Obligee dated the   |   |
| day of   | , 20 for   |   |
| BID OPPORTUNITY NO. 683-2005   |  |   |
| 2005 COMBINED SEWER RENEWALS A<br>CONTRACT NO. 18  | AND SEWER REPAIRS –  |   |
| as more fully set out in the Bid Opportunit  | y.   |   |
| NOW THEREFORE the condition of this of if said Bid is accepted and the Principal, in the said Obligee and furnishes the require of the Contract, this obligation shall be voi        | n accordance with the terms of the Bid, each performance security for guaranteeing | enters into a Contract with<br>g the faithful performance |
| IN WITNESS WHEREOF the Principal an  | d Surety have signed and sealed this bo  | nd the  |
| day of   | , 20   |   |
| SIGNED AND SEALED in the presence of:  (Witness)   | (Name of Principal)  Per: Per:   | , ,   |
|  | (Name of Surety)  By:  | (Seal)  |

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 683-2005 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS -**CONTRACT NO. 18** in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) (Seal) (Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

| (Date)  |
|---|
| The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1   |
| RE: BID SECURITY - BID OPPORTUNITY NO. 683-2005   |
| 2005 COMBINED SEWER RENEWALS AND SEWER REPAIRS –<br>CONTRACT NO. 18   |
| Pursuant to the request of and for the account of our customer,   |
| (Name of Bidder)  |
| WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate  |
| Canadian dollars.   |
| This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us. |
| The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.  |
| Partial drawings are permitted.   |
| We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:  |
| (Address)   |

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on February 5, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

| (Name | of bank or financial institution) |
|-------|-----------------------------------|
| Per:  |                                   |
|       | (Authorized Signing Officer)      |
| Per:  |                                   |
|       | (Authorized Signing Officer)      |