

Comments	Jumper or Internal Cable	Conductor #	Cable	Cable Information
	PP1			
Plant Control Network Receive	PP1: 13	01	C-LCP-R21A-C01	12-Strand 62.5/125 um Multi-mode TO LCP-F01A
Plant Control Network Transmit	PP1: 14	02		
Remote I/O Network Receive	RIO Repeater: 01-Rx	03		
Remote I/O Network Transmit	RIO Repeater: 01-Tx	04		
Plant Monitoring Network Receive	Switch 1: 07-Rx	05		
Plant Monitoring Network Transmit	Switch 1: 07-Tx	06		
Spare		07		
Spare		08		
Spare		09		
Spare		10		
Spare		11		
Spare		12		
Plant Control Network Transmit	PP1: 01	13	C-CP-O30A-C01	12-Strand 62.5/125 um Multi-mode TO CP-O30A
Plant Control Network Receive	PP1: 02	14		
Remote I/O Network Transmit	RIO Repeater: 02-Tx	15		
Remote I/O Network Receive	RIO Repeater: 02-Rx	16		
Plant Monitoring Network Transmit	Switch 1: 08-Tx	17		
Plant Monitoring Network Receive	Switch 1: 08-Rx	18		
Spare		19		
Spare		20		
Spare		21		
Spare		22		
Spare		23		
Spare		24		

NOTES: <div style="border: 1px solid black; padding: 5px; text-align: center;">  Certificate of Authorization Earth Tech Canada Inc. No. 730 Expiry: April 30, 2006. </div>	B.M. ELEV.			 		ENGINEER'S SEAL		THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT ENGINEERING DIVISION	
				DESIGNED BY	SWT	CHECKED BY	SWT	ORIGINAL SIGNED BY S.W. TORMEY 2006/03/29	
				DRAWN BY	SWT	APPROVED BY	AHL		
				SCALE:	NTS		RELEASED FOR CONSTRUCTION BY:		
		0	ISSUED FOR TENDER	06/03/29	SWT		R. SOROKOWSKI	CONSULTANT DRAWING NO.	
	NO.	REVISIONS	DATE	BY	DATE	2006/03/29	DATE	2006/03/29	WH-A0556
							WATER TREATMENT PLANT PLANT UTILITIES MECHANICAL AND ELECTRICAL		CITY FILE NUMBER SHEET 56 OF 63
							AUTOMATION / I AND C PLANT COMMUNICATION CABLE TERMINATION DIAGRAMS		CITY DRAWING NUMBER 1-0601H-J-A0556-001-00B

Monday, April 03, 2006