



178-2006 ADDENDUM 1

FRONT ENTRANCE & VESTIBULE UPGRADES AT PAN AM POOL

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: April 28, 2006
BY: Colleen Groening
TELEPHONE NO. (204) 986-2491

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20050506

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Revise: E4.1 to read: HW SET:1 Manual Exterior Entry Pair with fixed mullion (Doors No. 1 and 2)

2	EA	Continuous Hinge	FM-300	630	MAR
2	EA	Panic Hardware	35A-EO	626	VON
2	EA	Offset Door Pull	8190-2	630	IVE
2	EA	Surface Closer	4021 & 18	689	LCN
2	EA	Overhead Stop	100S	630	GLY
2	EA	Door Sweep	W-13S	628	KNC
2	EA	Threshold	CT-10	627	KNC
2	EA	Safety Guard	700	Alum.	LCN

HW SET:2 Manual Exterior Entry Single (Door No. 3)

1	EA	Continuous Hinge	FM-300	630	MAR
1	EA	Panic Hardware	35A-NL-OP	626	VON
1	EA	Offset Door Pull	8190-2	630	IVE
1	EA	Surface Closer	4021 & 18	689	LCN
1	EA	Overhead Stop	100S	630	GLY
1	EA	Door Sweep	W-13S	628	KNC
1	EA	Threshold	CT-10	627	KNC
1	EA	Safety Guard	700	Alum.	LCN

HW SET:3 Automatic Exterior Entry Single (Door No. 4)

1	EA	Continuous Hinge	FM-300	630	MAR
1	EA	Panic Hardware	35A-EO	626	VON
1	EA	Electric Strike	6111 FS	630	VON
1	EA	Offset Door Pull	8190-2	630	IVE
1	EA	Auto Operator	MAGIC-FORCE		STANLEY
1	EA	Overhead Stop	100S	630	GLY
1	EA	Door Sweep	W-13S	628	KNC
1	EA	Threshold	CT-10	627	KNC
1	EA	Wall Plate Switch	7910-956	630	LCN
1	EA	Key Switch	7930-219	630	LCN

2	EA	Safety Sensors	7920-912		LCN
1	EA	Remote Control	7920-959		LCN
1	EA	Safety Guard	700	Alum.	LCN

When exit device is dogged down and key switch is "ON", pressing outside or inside auto opener actuator will open door. When key switch is "OFF" outside auto opener actuator will not work. When exit device is not dogged, door cannot be opened from outside. Pressing inside auto opener actuator will momentarily release electric strike and open door. Door relocks upon closing. Fire manual egress at all times.

HW SET:4		Manual Vestibule Entry Pair with fixed mullion (Doors No. 5 and 6)			
2	EA	Continuous Hinge	FM-300	630	MAR
2	EA	Pull/Pushbar	9190-2	630	IVE
2	EA	Surface Closer	4111 EDA & 18 ADAPTER		689 LCN
2	EA	Wall Elect Hold Open	SEM 7830-24V		689 LCN
1	EA	Key Switch	653 - 04	630	LOC
1	EA	Power Supply	510 SERIES	GRY	LOC
2	EA	Safety Guard	700	Alum.	LCN

HW SET:5 Manual Vestibule Entry Pair with fixed mullion (Doors No. 7 and 8)

2	EA	Continuous Hinge	FM-300	630	MAR
2	EA	Pull/Pushbar	9190-2	630	IVE
2	EA	Surface Closer	4111 EDA & 18 ADAPTER		689 LCN
2	EA	Wall Elect Hold Open	SEM 7830 - 24V		689 LCN
2	EA	Safety Guard	700	Alum.	LCN

When key switch is "ON" low voltage electric release hold opens will hold doors when doors are opened to 90 degrees. Doors can be closed manually by pulling doors off hold open or by turning key switch "OFF".

For installation of electric release hold open devices at concrete ceiling, custom galvanized steel brackets must be fabricated to suit.

Key Switch to be situated in new 6" HSS column.

HW SET:6 Automatic Vestibule Single (Door No. 9)

1	EA	Continuous Hinge	FM-300	630	MAR
1	EA	Pull/Pushbar	9190-2	630	IVE
1	EA	Auto Operator	MAGIC-FORCE		STANLEY
1	EA	Overhead Stop	100S	630	GLY
1	EA	Wall Plate Switch	7910-956	630	LCN
1	EA	Key Switch	7930-219	630	LCN
2	EA	Safety Sensors	7920-912		LCN
1	EA	Remote Control	7920-959		LCN
1	EA	Safety Guard	700	Alum.	LCN

Key Switch will permit auto opener to be put into Hold Open.

DRAWINGS

Replace: Drawing 178-2006-A2 with Drawing 178-2006-A2-R1