

**FORM A: BID**  
(See B8)

1. Project Title PROVINCE OF MANITOBA / CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWALS AND WATERMAIN RENEWALS, PART 1 - RUE DE LA MORENIE & LAWNDALE AVENUE, PART 2 - LYNDAL DRIVE & RUE ST. JEAN BAPTISTE, PART 3 - RUE ST. JEAN BAPTISTE WATERMAIN RENEWAL

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Street

\_\_\_\_\_  
City Province Postal Code

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City Province Postal Code

The Bidder is:

(Choose one)  a sole proprietor  
 a partnership  
 a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person Title

\_\_\_\_\_  
Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

Template Version: C420041231

Template Version: C420041231

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

a bid bond (Form G1: Bid Bond and Agreement to Bond)

an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)

a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. \_\_\_\_\_ Dated \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420041231

Template Version: C420041231

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

(If no corporate seal)  
Signed and sealed in  
the presence of:

\_\_\_\_\_  
(Witness)

\_\_\_\_\_  
(Witness)

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

SEAL

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>PART 1 CITY FUNDED WORK</b>						
<b>A</b>	<b><u>DE LA MORENIE</u></b>					
	<b>EARTH AND BASE WORKS</b>					
A.1	Grading of Boulevards	CW 3110-R8	m <sup>2</sup>	900		
	<b>ROADWORKS - RENEWALS</b>					
A.2	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type A)		m <sup>2</sup>	20		
	ii) 150 mm Concrete Pavement (Type B)		m <sup>2</sup>	130		
	iii) 150 mm Concrete Pavement (Type C)		m <sup>2</sup>	100		
	iv) 150 mm Concrete Pavement (Type D)		m <sup>2</sup>	50		
A.3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	250		
A.4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	500		
A.5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m <sup>2</sup>	150		
	b) Greater than 20 sq.m.		m <sup>2</sup>	100		
A.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m <sup>2</sup>	5		
A.7	Supply of Precast Sidewalk Blocks	CW 3235-R6	m <sup>2</sup>	5		
A.8	Removal of Precast Sidewalk Blocks	CW 3235-R6	m <sup>2</sup>	5		
A.9	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled) Slip Form Paving	SD-205, SD206A				
	a) Greater than 30 m		m	390		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	35		
	iii) Curb Ramp (15mm ht, Depressed)	SD-229 E	m	15		
A.10	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m <sup>2</sup>	1		
A.11	Construction of Asphaltic Concrete Overlay	CW 3410-R7				

\_\_\_\_\_  
 Name of Bidder

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i) Main Line Paving					
	a) Type IA		tonne	275		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	30		
A.12	Planing of Pavement	CW 3450-R4				
	i) 0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	100		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
A.13	Interlocking Paving Stones	CW 3330-R3	m <sup>2</sup>	1		
	<b>JOINT AND CRACK SEALING</b>					
A.14	Reflective Crack Maintenance	CW 3250-R6	m	150		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
A.15	Catch Pit	CW 2130-R10				
	i) SD-023		each	2		
A.16	Remove and Replace Existing Catch Basin	CW 2130-R10				
	i) SD-024		each	2		
A.17	Drainage Connection Pipe	CW 2130-R10	m	10		
A.18	Abandonment of Existing Drainage Inlets	CW 2130-R10	each	2		
	<b>ADJUSTMENTS</b>					
A.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	4		
A.20	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	0.5		
A.21	Lifter Rings	CW 3210-R6				
	i) 76mm		each	2		
A.22	Adjustment of Valve Boxes	CW 3210-R6	each	4		
A.23	Valve Box Extensions	CW 3210-R6	each	1		
A.24	Adjustment of Curb Stop Boxes	CW 3210-R6	each	1		
A.25	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	4		

\_\_\_\_\_  
 Name of Bidder

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.26	Curb Stop Extensions	CW 3210-R6	each	1		
<b>LANDSCAPING</b>						
A.27	Sodding	CW 3510-R8				
	i) width < 600mm		m <sup>2</sup>	300		
	ii) width > or = 600mm		m <sup>2</sup>	600		
<b>A</b>	<b><u>DE LA MORENIE</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>B</b>	<b><u>LAWNDALE</u></b>					
	<b>EARTH AND BASE WORKS</b>					
B.1	Grading of Boulevards	CW 3110-R8	m <sup>2</sup>	1100		
	<b>ROADWORKS - RENEWALS</b>					
B.2	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type A)		m <sup>2</sup>	20		
	ii) 150 mm Concrete Pavement (Type B)		m <sup>2</sup>	75		
	iii) 150 mm Concrete Pavement (Type C)		m <sup>2</sup>	20		
	iv) 150 mm Concrete Pavement (Type D)		m <sup>2</sup>	20		
B.3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	125		
B.4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	275		
B.5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m <sup>2</sup>	140		
B.6	Concrete Curb Removal	CW 3240-R6				
	i) Barrier (Separate)		m	20		
	ii) Curb and Gutter		m	320		
	iii) Lip Curb		m	20		
B.7	Concrete Curb Installation	CW 3240-R6				
	i) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	40		
	ii) Curb and Gutter (150mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement) Slip Form Paving	SD-200	m	320		
	iii) Curb and Gutter ( 40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	20		
B.8	Concrete Curb Renewal	CW 3240-R6				
	i) Curb Ramp (15mm ht, Depressed)	SD-229 E	m	40		

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.9	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	220		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	30		
B.10	Planing of Pavement	CW 3450-R4				
	i) 0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	1250		
	<b>JOINT AND CRACK SEALING</b>					
B.11	Reflective Crack Maintenance	CW 3250-R6	m	125		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
B.12	Catch Pit	CW 2130-R10				
	i) SD-023		each	4		
B.13	Drainage Connection Pipe	CW 2130-R10	m	10		
B.14	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	2		
B.15	Connecting to Existing Catch Basin	CW 2130-R10				
	i) 250mm Drainage Connection Pipe		each	2		
B.16	Abandonment of Existing Drainage Inlets	CW 2130-R10	each	4		
	<b>ADJUSTMENTS</b>					
B.17	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	3		
B.18	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	0.5		
B.19	Lifter Rings	CW 3210-R6				
	i) 76mm		each	3		
B.20	Adjustment of Valve Boxes	CW 3210-R6	each	1		
B.21	Valve Box Extensions	CW 3210-R6	each	1		

\_\_\_\_\_  
 Name of Bidder

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.22	Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		
B.23	Curb Stop Extensions	CW 3210-R6	each	2		
	<b>LANDSCAPING</b>					
B.24	Sodding	CW 3510-R8				
	i) width < 600mm		m <sup>2</sup>	400		
	ii) width > or = 600mm		m <sup>2</sup>	700		
<b>B</b>	<b><u>LAWNDALE</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>PART 2 PROVINCIALY FUNDED WORK</b>						
<b>C</b>	<b><u>LYNDALE</u></b>					
	<b>EARTH AND BASE WORKS</b>					
C.1	Grading of Boulevards	CW 3110-R8	m <sup>2</sup>	1800		
	<b>ROADWORKS - RENEWALS</b>					
C.2	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m <sup>2</sup>	100		
	b) Greater than 20 sq.m.		m <sup>2</sup>	95		
C.3	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m <sup>2</sup>	10		
C.4	Supply of Precast Sidewalk Blocks	CW 3235-R6	m <sup>2</sup>	10		
C.5	Removal of Precast Sidewalk Blocks	CW 3235-R6	m <sup>2</sup>	5		
C.6	Concrete Curb Removal	CW 3240-R6				
	i) Monolithic Barrier		m	340		
C.7	Concrete Curb Installation	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled)	SD206A				
	a) Less than 3 m		m	50		
	b) 3 m to 30 m		m	120		
	c) Greater than 30 m		m	170		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	130		
	iii) Curb Ramp (15mm ht, Depressed)	SD-229 E	m	10		
C.8	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m <sup>2</sup>	24		
C.9	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	845		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	100		
C.10	Construction of Asphalt Patches	CW 3410-R7	m <sup>2</sup>	250		

\_\_\_\_\_  
 Name of Bidder

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.11	Planing of Pavement	CW 3450-R4				
	i) 0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	5100		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
C.12	Interlocking Paving Stones	CW 3330-R3	m <sup>2</sup>	5		
	<b>JOINT AND CRACK SEALING</b>					
C.13	Reflective Crack Maintenance	CW 3250-R6	m	510		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
C.14	Remove and Replace Existing Catch Pit	CW 2130-R10				
	i) SD-023		each	9		
C.15	Drainage Connection Pipe	CW 2130-R10	m	25		
C.16	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
C.17	Connecting to Existing Catch Basin	CW 2130-R10				
	i) 250mm Drainage Connection Pipe		each	9		
C.18	Abandonment of Existing Drainage Inlets	CW 2130-R10	each	9		
	<b>ADJUSTMENTS</b>					
C.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	11		
C.20	Lifter Rings	CW 3210-R6				
	i) 51mm		each	2		
	ii) 76mm		each	8		
C.21	Adjustment of Valve Boxes	CW 3210-R6	each	3		
C.22	Valve Box Extensions	CW 3210-R6	each	3		
C.23	Adjustment of Curb Stop Boxes	CW 3210-R6	each	2		
C.24	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R6	each	4		
C.25	Curb Stop Extensions	CW 3210-R6	each	2		

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.26	<b>LANDSCAPING</b>	CW 3510-R8				
	Sodding					
	i) width < 600mm		m <sup>2</sup>	600		
	ii) width > or = 600mm	m <sup>2</sup>	1200			
<b>C</b>	<b><u>LYNDALE</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>D</b>	<b><u>ST. JEAN BAPTISTE</u></b>					
	<b>EARTH AND BASE WORKS</b>					
D.1	Grading of Boulevards	CW 3110-R8	m <sup>2</sup>	1800		
	<b>ROADWORKS - RENEWALS</b>					
D.2	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type A)		m <sup>2</sup>	50		
	ii) 150 mm Concrete Pavement (Type B)		m <sup>2</sup>	375		
	iii) 150 mm Concrete Pavement (Type C)		m <sup>2</sup>	125		
	iv) 150 mm Concrete Pavement (Type D)		m <sup>2</sup>	125		
D.3	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	475		
D.4	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	975		
D.5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m <sup>2</sup>	200		
	b) Greater than 20 sq.m.		m <sup>2</sup>	320		
D.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m <sup>2</sup>	100		
D.7	Supply of Precast Sidewalk Blocks	CW 3235-R6	m <sup>2</sup>	100		
D.8	Removal of Precast Sidewalk Blocks	CW 3235-R6	m <sup>2</sup>	50		
D.9	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled) Slip Form Paving	SD-205, SD206A				
	a) Greater than 30 m		m	755		
	ii) Modified Barrier (150mm ht, Dowelled)	SD-203B	m	75		
	iii) Curb Ramp (15mm ht, Depressed)	SD-229 E	m	34		
D.10	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m <sup>2</sup>	10		

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.11	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	750		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	70		
D.12	Planing of Pavement	CW 3450-R4				
	i) 0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	350		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
D.13	Interlocking Paving Stones	CW 3330-R3	m <sup>2</sup>	5		
	<b>JOINT AND CRACK SEALING</b>					
D.14	Reflective Crack Maintenance	CW 3250-R6	m	430		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
D.15	Remove and Replace Existing Catch Basin	CW 2130-R10				
	i) SD-024		each	5		
D.16	Remove and Replace Existing Catch Pit	CW 2130-R10				
	i) SD-023		each	5		
D.17	Drainage Connection Pipe	CW 2130-R10	m	15		
D.18	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
D.19	Abandonment of Existing Drainage Inlets	CW 2130-R10	each	8		
	<b>ADJUSTMENTS</b>					
D.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	4		
D.21	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	0.5		

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.22	Lifter Rings	CW 3210-R6				
	i) 76mm		each	7		
D.23	Adjustment of Valve Boxes	CW 3210-R6	each	9		
D.24	Valve Box Extensions	CW 3210-R6	each	3		
D.25	Adjustment of Curb Stop Boxes	CW 3210-R6	each	3		
D.26	Curb Stop Extensions	CW 3210-R6	each	3		
	<b>LANDSCAPING</b>					
D.27	Sodding	CW 3510-R8				
	i) width < 600mm		m <sup>2</sup>	600		
	ii) width > or = 600mm		m <sup>2</sup>	1200		
<b>D</b>	<b><u>ST. JEAN BAPTISTE</u></b>				Subtotal:	

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>PART 3 WATERMAIN RENEWALS</b>						
<b>E</b>	<b><u>ST. JEAN BAPTISTE WATERMAIN RENEWAL</u></b>					
	<b>EARTH AND BASE WORKS</b>					
E.1	Grading of Boulevards	CW 3110-R8	m <sup>2</sup>	50		
	<b>ROADWORKS - RENEWALS</b>					
E.2	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m <sup>2</sup>	10		
E.3	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (150mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	30		
	<b>WATERMAIN RENEWAL</b>					
E.4	Watermain Renewal	CW 2110-R9				
	i) 150 mm					
	a) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		lin.m.	10		
	b) Trenchless Installation, Class B Sand Bedding, Class 5 Backfill		lin.m.	420		
E.5	Hydrant Assembly	CW 2110-R9				
	i) SD-007		each	3		
E.6	Watermain Valve	CW 2110-R9				
	i) 150 mm		each	5		
E.7	Fittings	CW 2110-R9				
	i) Bends(SD-004)					
	a) 150mm - 11 1/4° - 45° bend		each	4		
E.8	Connection to Existing Watermain - Inline Connection - No Plug Existing	CW 2110-R9				
	i) 150 mm Watermain		each	3		

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.9	Connection to Existing Copper Water Services to New Watermains	CW 2110-R9				
	i) 19mm		each	57		
	ii) 25mm		each	1		
	iii) 38mm		each	1		
	iv) 50mm		each	2		
E.10	Water Services	CW 2110-R9				
	i) 19mm					
	a) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		lin.m.	40		
E.11	Corporation Stops	CW 2110-R9				
	i) 19mm		each	57		
	ii) 25mm		each	1		
	iii) 38mm		each	1		
	iv) 50mm		each	2		
E.12	Curb Stops	CW 2110-R9				
	i) 19mm		each	2		
E.13	Curb Stop Boxes	CW 2110-R9				
	i) 19mm		each	2		
E.14	Continuity Bonding	CW 2110-R9	each	54		
E.15	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110-R9				
	i) On Water Services		each	10		
	ii) On Metallic Watermains		each	1		
	<b>PROVISIONAL ITEMS</b>					
E.16	Fittings	CW 2110-R9				
	i) Vertical Bends	CW 2110-R9				
	a) 150mm - 11 1/4° - 45° bend		each	1		
E.17	Watermain & Service Insulation	CW 2110-R9				
	i) 75mm Thick		lin.m.	7		
E.18	Regrading Of Existing Sewer Services - Up to 3 Meters Long	CW 2130-R10				

\_\_\_\_\_  
 Name of Bidder

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.19	i) 150mm Class 5 Backfill	E13	each	10		
	ii) 250mm Class 3 Backfill		each	1		
	Street Light Cable Installation					
	i) Trenching		lin.m.	60		
	ii) Coring		lin.m.	20		
E.20	Maintaining Curb Stop Excavations	CW 2110-R9	day	5		
	<b>LANDSCAPING</b>					
E.21	Sodding	CW 3510-R8				
	i) width < 600mm		m <sup>2</sup>	50		
<b>E</b>	<b><u>ST. JEAN BAPTISTE WATERMAIN RENEWAL</u></b>				Subtotal:	

\_\_\_\_\_  
 Name of Bidder

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
<b>PART 1 CITY FUNDED WORK</b>						
A	<u>DE LA MORENIE</u>				Subtotal:	
B	<u>LAWNDALE</u>				Subtotal:	
<b>(total price) PART 1</b>						
<b>PART 2 PROVINCIAALLY FUNDED WORK</b>						
C	<u>LYNDALE</u>				Subtotal:	
D	<u>ST. JEAN BAPTISTE</u>				Subtotal:	
<b>(total price) PART 2</b>						
<b>PART 3 WATERMAIN RENEWALS</b>						
E	<u>ST. JEAN BAPTISTE WATERMAIN RENEWAL</u>				Subtotal:	
<b>(total price) PART 3</b>						
TOTAL BID PRICE (GST extra) (in figures) _____						
(in words) _____						
_____						

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B11)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 265-2006

PROVINCE OF MANITOBA / CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWALS AND WATERMAIN RENEWALS, PART 1 - RUE DE LA MORENIE & LAWNDALE AVENUE, PART 2 - LYNDAL DRIVE & RUE ST. JEAN BAPTISTE, PART 3 - RUE ST. JEAN BAPTISTE WATERMAIN RENEWAL

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B11)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 265-2006

PROVINCE OF MANITOBA / CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWALS AND WATERMAIN RENEWALS, PART 1 - RUE DE LA MORENIE & LAWNDALE AVENUE, PART 2 - LYNDALE DRIVE & RUE ST. JEAN BAPTISTE, PART 3 - RUE ST. JEAN BAPTISTE WATERMAIN RENEWAL

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B11)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Branch  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 265-2006

PROVINCE OF MANITOBA / CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWALS  
AND WATERMAIN RENEWALS, PART 1 - RUE DE LA MORENIE & LAWNDALE AVENUE, PART 2 -  
LYNDALE DRIVE & RUE ST. JEAN BAPTISTE, PART 3 - RUE ST. JEAN BAPTISTE WATERMAIN  
RENEWAL

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding  
in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 30 2006

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)