

**FORM A: BID**  
(See B8)

1. Project Title PROVINCE OF MANITOBA / CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWALS AND WATERMAIN RENEWALS, PART 1 - RUE DE LA MORENIE & LAWNDALE AVENUE, PART 2 - LYNDAL DRIVE & RUE ST. JEAN BAPTISTE, PART 3 - RUE ST. JEAN BAPTISTE WATERMAIN RENEWAL

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Street

\_\_\_\_\_  
City Province Postal Code

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City Province Postal Code

The Bidder is:

(Choose one)  a sole proprietor  
 a partnership  
 a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person Title

\_\_\_\_\_  
Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

Template Version: C420041231

Template Version: C420041231

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

a bid bond (Form G1: Bid Bond and Agreement to Bond)

an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)

a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. \_\_\_\_\_ Dated \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

(If no corporate seal)  
Signed and sealed in  
the presence of:

\_\_\_\_\_  
(Witness)

\_\_\_\_\_  
(Witness)

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

SEAL

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM                           | DESCRIPTION                                      | SPEC. REF.        | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------------------|--|-------------------|----------------|------------------|------------|--------|
| <b>PART 1 CITY FUNDED WORK</b> |  |                   |                |                  |            |        |
| <b>A</b>                       | <b><u>DE LA MORENIE</u></b>                      |                   |                |                  |            |        |
|                                | <b>EARTH AND BASE WORKS</b>                      |                   |                |                  |            |        |
| A.1                            | Grading of Boulevards                            | CW 3110-R8        | m <sup>2</sup> | 900              |            |        |
|                                | <b>ROADWORKS - RENEWALS</b>                      |                   |                |                  |            |        |
| A.2                            | Partial Slab Patches                             | CW 3230-R5        |                |                  |            |        |
|                                | i) 150 mm Concrete Pavement (Type A)             |                   | m <sup>2</sup> | 20               |            |        |
|                                | ii) 150 mm Concrete Pavement (Type B)            |                   | m <sup>2</sup> | 130              |            |        |
|                                | iii) 150 mm Concrete Pavement (Type C)           |                   | m <sup>2</sup> | 100              |            |        |
|                                | iv) 150 mm Concrete Pavement (Type D)            |                   | m <sup>2</sup> | 50               |            |        |
| A.3                            | Drilled Dowels                                   | CW 3230-R5        |                |                  |            |        |
|                                | i) 19.1 mm Diameter                              |                   | each           | 250              |            |        |
| A.4                            | Drilled Tie Bars                                 | CW 3230-R5        |                |                  |            |        |
|                                | i) 20 M Deformed Tie Bar                         |                   | each           | 500              |            |        |
| A.5                            | Miscellaneous Concrete Slab Renewal              | CW 3235-R6        |                |                  |            |        |
|                                | i) Sidewalk                                      | SD-228A           |                |                  |            |        |
|                                | a) 5 sq.m. to 20 sq.m.                           |                   | m <sup>2</sup> | 150              |            |        |
|                                | b) Greater than 20 sq.m.                         |                   | m <sup>2</sup> | 100              |            |        |
| A.6                            | Adjustment of Precast Sidewalk Blocks            | CW 3235-R6        | m <sup>2</sup> | 5                |            |        |
| A.7                            | Supply of Precast Sidewalk Blocks                | CW 3235-R6        | m <sup>2</sup> | 5                |            |        |
| A.8                            | Removal of Precast Sidewalk Blocks               | CW 3235-R6        | m <sup>2</sup> | 5                |            |        |
| A.9                            | Concrete Curb Renewal                            | CW 3240-R6        |                |                  |            |        |
|                                | i) Barrier (150mm ht, Dowelled) Slip Form Paving | SD-205,<br>SD206A |                |                  |            |        |
|                                | a) Greater than 30 m                             |                   | m              | 390              |            |        |
|                                | ii) Modified Barrier (150mm ht, Dowelled)        | SD-203B           | m              | 35               |            |        |
|                                | iii) Curb Ramp (15mm ht, Depressed)              | SD-229 E          | m              | 15               |            |        |
| A.10                           | Regrading Existing Interlocking Paving Stones    | CW 3330-R3        | m <sup>2</sup> | 1                |            |        |
| A.11                           | Construction of Asphaltic Concrete Overlay       | CW 3410-R7        |                |                  |            |        |

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION                                      | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|----------------|------------------|------------|--------|
|      | i) Main Line Paving                              |             |                |                  |            |        |
|      | a) Type IA                                       |             | tonne          | 275              |            |        |
|      | ii) Tie-ins and Approaches                       |             |                |                  |            |        |
|      | a) Type IA                                       |             | tonne          | 30               |            |        |
| A.12 | Planing of Pavement                              | CW 3450-R4  |                |                  |            |        |
|      | i) 0 - 50 mm Depth (Asphalt)                     |             | m <sup>2</sup> | 100              |            |        |
|      | <b>ROADWORKS - NEW CONSTRUCTION</b>              |             |                |                  |            |        |
| A.13 | Interlocking Paving Stones                       | CW 3330-R3  | m <sup>2</sup> | 1                |            |        |
|      | <b>JOINT AND CRACK SEALING</b>                   |             |                |                  |            |        |
| A.14 | Reflective Crack Maintenance                     | CW 3250-R6  | m              | 150              |            |        |
|      | <b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b> |             |                |                  |            |        |
| A.15 | Catch Pit  | CW 2130-R10 |                |                  |            |        |
|      | i) SD-023  |             | each           | 2                |            |        |
| A.16 | Remove and Replace Existing Catch Basin          | CW 2130-R10 |                |                  |            |        |
|      | i) SD-024  |             | each           | 2                |            |        |
| A.17 | Drainage Connection Pipe                         | CW 2130-R10 | m              | 10               |            |        |
| A.18 | Abandonment of Existing Drainage Inlets          | CW 2130-R10 | each           | 2                |            |        |
|      | <b>ADJUSTMENTS</b>                               |             |                |                  |            |        |
| A.19 | Adjustment of Catch Basins / Manholes Frames     | CW 3210-R6  | each           | 4                |            |        |
| A.20 | Replacing Existing Risers                        | CW 2130-R10 |                |                  |            |        |
|      | i) Pre-cast concrete risers                      |             | vert. m        | 0.5              |            |        |
| A.21 | Lifter Rings                                     | CW 3210-R6  |                |                  |            |        |
|      | i) 76mm  |             | each           | 2                |            |        |
| A.22 | Adjustment of Valve Boxes                        | CW 3210-R6  | each           | 4                |            |        |
| A.23 | Valve Box Extensions                             | CW 3210-R6  | each           | 1                |            |        |
| A.24 | Adjustment of Curb Stop Boxes                    | CW 3210-R6  | each           | 1                |            |        |
| A.25 | Adjustment of Curb and Gutter Inlet Frames       | CW 3210-R6  | each           | 4                |            |        |

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION                 | SPEC. REF. | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|-----------------------------|------------|----------------|------------------|------------|--------|
| A.26     | Curb Stop Extensions        | CW 3210-R6 | each           | 1                |            |        |
|          | <b>LANDSCAPING</b>          |            |                |                  |            |        |
| A.27     | Sodding                     | CW 3510-R8 |                |                  |            |        |
|          | i) width < 600mm            |            | m <sup>2</sup> | 300              |            |        |
|          | ii) width > or = 600mm      |            | m <sup>2</sup> | 600              |            |        |
| <b>A</b> | <b><u>DE LA MORENIE</u></b> |            |                |                  | Subtotal:  |        |

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION  | SPEC. REF. | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|----------------|------------------|------------|--------|
| <b>B</b> | <b><u>LAWNDALE</u></b>   |            |                |                  |            |        |
|          | <b>EARTH AND BASE WORKS</b>  |            |                |                  |            |        |
| B.1      | Grading of Boulevards  | CW 3110-R8 | m <sup>2</sup> | 1100             |            |        |
|          | <b>ROADWORKS - RENEWALS</b>  |            |                |                  |            |        |
| B.2      | Partial Slab Patches   | CW 3230-R5 |                |                  |            |        |
|          | i) 150 mm Concrete Pavement (Type A)   |            | m <sup>2</sup> | 20               |            |        |
|          | ii) 150 mm Concrete Pavement (Type B)  |            | m <sup>2</sup> | 75               |            |        |
|          | iii) 150 mm Concrete Pavement (Type C)   |            | m <sup>2</sup> | 20               |            |        |
|          | iv) 150 mm Concrete Pavement (Type D)  |            | m <sup>2</sup> | 20               |            |        |
| B.3      | Drilled Dowels   | CW 3230-R5 |                |                  |            |        |
|          | i) 19.1 mm Diameter  |            | each           | 125              |            |        |
| B.4      | Drilled Tie Bars   | CW 3230-R5 |                |                  |            |        |
|          | i) 20 M Deformed Tie Bar   |            | each           | 275              |            |        |
| B.5      | Miscellaneous Concrete Slab Renewal  | CW 3235-R6 |                |                  |            |        |
|          | i) Sidewalk  | SD-228A    |                |                  |            |        |
|          | a) 5 sq.m. to 20 sq.m.   |            | m <sup>2</sup> | 140              |            |        |
| B.6      | Concrete Curb Removal  | CW 3240-R6 |                |                  |            |        |
|          | i) Barrier (Separate)  |            | m              | 20               |            |        |
|          | ii) Curb and Gutter  |            | m              | 320              |            |        |
|          | iii) Lip Curb  |            | m              | 20               |            |        |
| B.7      | Concrete Curb Installation   | CW 3240-R6 |                |                  |            |        |
|          | i) Modified Barrier (150mm ht, Dowelled)   | SD-203B    | m              | 40               |            |        |
|          | ii) Curb and Gutter (150mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement) Slip Form Paving | SD-200     | m              | 320              |            |        |
|          | iii) Curb and Gutter ( 40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)                | SD-200     | m              | 20               |            |        |
| B.8      | Concrete Curb Renewal  | CW 3240-R6 |                |                  |            |        |
|          | i) Curb Ramp (15mm ht, Depressed)  | SD-229 E   | m              | 40               |            |        |

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION  | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|----------------|------------------|------------|--------|
| B.9  | Construction of Asphaltic Concrete Overlay             | CW 3410-R7  |                |                  |            |        |
|      | i) Main Line Paving                                    |             |                |                  |            |        |
|      | a) Type IA   |             | tonne          | 220              |            |        |
|      | ii) Tie-ins and Approaches                             |             |                |                  |            |        |
|      | a) Type IA   |             | tonne          | 30               |            |        |
| B.10 | Planing of Pavement                                    | CW 3450-R4  |                |                  |            |        |
|      | i) 0 - 50 mm Depth (Asphalt)                           |             | m <sup>2</sup> | 1250             |            |        |
|      | <b>JOINT AND CRACK SEALING</b>                         |             |                |                  |            |        |
| B.11 | Reflective Crack Maintenance                           | CW 3250-R6  | m              | 125              |            |        |
|      | <b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>       |             |                |                  |            |        |
| B.12 | Catch Pit  | CW 2130-R10 |                |                  |            |        |
|      | i) SD-023  |             | each           | 4                |            |        |
| B.13 | Drainage Connection Pipe                               | CW 2130-R10 | m              | 10               |            |        |
| B.14 | Replacing Standard Frames & Covers                     | CW 2130-R10 |                |                  |            |        |
|      | i) AP-004 - Standard Frame for Manhole and Catch Basin |             | each           | 2                |            |        |
|      | ii) AP-005 - Standard Solid Cover for Standard Frame   |             | each           | 2                |            |        |
| B.15 | Connecting to Existing Catch Basin                     | CW 2130-R10 |                |                  |            |        |
|      | i) 250mm Drainage Connection Pipe                      |             | each           | 2                |            |        |
| B.16 | Abandonment of Existing Drainage Inlets                | CW 2130-R10 | each           | 4                |            |        |
|      | <b>ADJUSTMENTS</b>                                     |             |                |                  |            |        |
| B.17 | Adjustment of Catch Basins / Manholes Frames           | CW 3210-R6  | each           | 3                |            |        |
| B.18 | Replacing Existing Risers                              | CW 2130-R10 |                |                  |            |        |
|      | i) Pre-cast concrete risers                            |             | vert. m        | 0.5              |            |        |
| B.19 | Lifter Rings   | CW 3210-R6  |                |                  |            |        |
|      | i) 76mm  |             | each           | 3                |            |        |
| B.20 | Adjustment of Valve Boxes                              | CW 3210-R6  | each           | 1                |            |        |
| B.21 | Valve Box Extensions                                   | CW 3210-R6  | each           | 1                |            |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION                   | SPEC. REF. | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|-------------------------------|------------|----------------|------------------|------------|--------|
| B.22     | Adjustment of Curb Stop Boxes | CW 3210-R6 | each           | 2                |            |        |
| B.23     | Curb Stop Extensions          | CW 3210-R6 | each           | 2                |            |        |
|          | <b>LANDSCAPING</b>            |            |                |                  |            |        |
| B.24     | Sodding                       | CW 3510-R8 |                |                  |            |        |
|          | i) width < 600mm              |            | m <sup>2</sup> | 400              |            |        |
|          | ii) width > or = 600mm        |            | m <sup>2</sup> | 700              |            |        |
| <b>B</b> | <b><u>LAWNDALE</u></b>        |            |                |                  | Subtotal:  |        |

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM                                    | DESCRIPTION                                   | SPEC. REF. | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---|---|------------|----------------|------------------|------------|--------|
| <b>PART 2 PROVINCIAALLY FUNDED WORK</b> |   |            |                |                  |            |        |
| <b>C</b>                                | <b><u>LYNDALE</u></b>                         |            |                |                  |            |        |
|   | <b>EARTH AND BASE WORKS</b>                   |            |                |                  |            |        |
| C.1                                     | Grading of Boulevards                         | CW 3110-R8 | m <sup>2</sup> | 1800             |            |        |
|   | <b>ROADWORKS - RENEWALS</b>                   |            |                |                  |            |        |
| C.2                                     | Miscellaneous Concrete Slab Renewal           | CW 3235-R6 |                |                  |            |        |
|   | i) Sidewalk                                   | SD-228A    |                |                  |            |        |
|   | a) 5 sq.m. to 20 sq.m.                        |            | m <sup>2</sup> | 100              |            |        |
|   | b) Greater than 20 sq.m.                      |            | m <sup>2</sup> | 95               |            |        |
| C.3                                     | Adjustment of Precast Sidewalk Blocks         | CW 3235-R6 | m <sup>2</sup> | 10               |            |        |
| C.4                                     | Supply of Precast Sidewalk Blocks             | CW 3235-R6 | m <sup>2</sup> | 10               |            |        |
| C.5                                     | Removal of Precast Sidewalk Blocks            | CW 3235-R6 | m <sup>2</sup> | 5                |            |        |
| C.6                                     | Concrete Curb Removal                         | CW 3240-R6 |                |                  |            |        |
|   | i) Monolithic Barrier                         |            | m              | 340              |            |        |
| C.7                                     | Concrete Curb Installation                    | CW 3240-R6 |                |                  |            |        |
|   | i) Barrier (150mm ht, Dowelled)               | SD206A     |                |                  |            |        |
|   | a) Less than 3 m                              |            | m              | 50               |            |        |
|   | b) 3 m to 30 m                                |            | m              | 120              |            |        |
|   | c) Greater than 30 m                          |            | m              | 170              |            |        |
|   | ii) Modified Barrier (150mm ht, Dowelled)     | SD-203B    | m              | 130              |            |        |
|   | iii) Curb Ramp (15mm ht, Depressed)           | SD-229 E   | m              | 10               |            |        |
| C.8                                     | Regrading Existing Interlocking Paving Stones | CW 3330-R3 | m <sup>2</sup> | 24               |            |        |
| C.9                                     | Construction of Asphaltic Concrete Overlay    | CW 3410-R7 |                |                  |            |        |
|   | i) Main Line Paving                           |            |                |                  |            |        |
|   | a) Type IA                                    |            | tonne          | 845              |            |        |
|   | ii) Tie-ins and Approaches                    |            |                |                  |            |        |
|   | a) Type IA                                    |            | tonne          | 100              |            |        |
| C.10                                    | Construction of Asphalt Patches               | CW 3410-R7 | m <sup>2</sup> | 250              |            |        |

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION  | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|----------------|------------------|------------|--------|
| C.11 | Planing of Pavement                                    | CW 3450-R4  |                |                  |            |        |
|      | i) 0 - 50 mm Depth (Asphalt)                           |             | m <sup>2</sup> | 5100             |            |        |
|      | <b>ROADWORKS - NEW CONSTRUCTION</b>                    |             |                |                  |            |        |
| C.12 | Interlocking Paving Stones                             | CW 3330-R3  | m <sup>2</sup> | 5                |            |        |
|      | <b>JOINT AND CRACK SEALING</b>                         |             |                |                  |            |        |
| C.13 | Reflective Crack Maintenance                           | CW 3250-R6  | m              | 510              |            |        |
|      | <b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>       |             |                |                  |            |        |
| C.14 | Remove and Replace Existing Catch Pit                  | CW 2130-R10 |                |                  |            |        |
|      | i) SD-023  |             | each           | 9                |            |        |
| C.15 | Drainage Connection Pipe                               | CW 2130-R10 | m              | 25               |            |        |
| C.16 | Replacing Standard Frames & Covers                     | CW 2130-R10 |                |                  |            |        |
|      | i) AP-004 - Standard Frame for Manhole and Catch Basin |             | each           | 1                |            |        |
|      | ii) AP-005 - Standard Solid Cover for Standard Frame   |             | each           | 1                |            |        |
| C.17 | Connecting to Existing Catch Basin                     | CW 2130-R10 |                |                  |            |        |
|      | i) 250mm Drainage Connection Pipe                      |             | each           | 9                |            |        |
| C.18 | Abandonment of Existing Drainage Inlets                | CW 2130-R10 | each           | 9                |            |        |
|      | <b>ADJUSTMENTS</b>                                     |             |                |                  |            |        |
| C.19 | Adjustment of Catch Basins / Manholes Frames           | CW 3210-R6  | each           | 11               |            |        |
| C.20 | Lifter Rings   | CW 3210-R6  |                |                  |            |        |
|      | i) 51mm  |             | each           | 2                |            |        |
|      | ii) 76mm   |             | each           | 8                |            |        |
| C.21 | Adjustment of Valve Boxes                              | CW 3210-R6  | each           | 3                |            |        |
| C.22 | Valve Box Extensions                                   | CW 3210-R6  | each           | 3                |            |        |
| C.23 | Adjustment of Curb Stop Boxes                          | CW 3210-R6  | each           | 2                |            |        |
| C.24 | Adjustment of Curb and Gutter Inlet Frames             | CW 3210-R6  | each           | 4                |            |        |
| C.25 | Curb Stop Extensions                                   | CW 3210-R6  | each           | 2                |            |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION            | SPEC. REF.     | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|------------------------|----------------|----------------|------------------|------------|--------|
| C.26     | <b>LANDSCAPING</b>     | CW 3510-R8     |                |                  |            |        |
|          | Sodding                |                |                |                  |            |        |
|          | i) width < 600mm       |                | m <sup>2</sup> | 600              |            |        |
|          | ii) width > or = 600mm | m <sup>2</sup> | 1200           |                  |            |        |
| <b>C</b> | <b><u>LYNDALE</u></b>  |                |                |                  | Subtotal:  |        |

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION                                      | SPEC. REF.     | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|----------------|----------------|------------------|------------|--------|
| <b>D</b> | <b><u>ST. JEAN BAPTISTE</u></b>                  |                |                |                  |            |        |
|          | <b>EARTH AND BASE WORKS</b>                      |                |                |                  |            |        |
| D.1      | Grading of Boulevards                            | CW 3110-R8     | m <sup>2</sup> | 1800             |            |        |
|          | <b>ROADWORKS - RENEWALS</b>                      |                |                |                  |            |        |
| D.2      | Partial Slab Patches                             | CW 3230-R5     |                |                  |            |        |
|          | i) 150 mm Concrete Pavement (Type A)             |                | m <sup>2</sup> | 50               |            |        |
|          | ii) 150 mm Concrete Pavement (Type B)            |                | m <sup>2</sup> | 375              |            |        |
|          | iii) 150 mm Concrete Pavement (Type C)           |                | m <sup>2</sup> | 125              |            |        |
|          | iv) 150 mm Concrete Pavement (Type D)            |                | m <sup>2</sup> | 125              |            |        |
| D.3      | Drilled Dowels                                   | CW 3230-R5     |                |                  |            |        |
|          | i) 19.1 mm Diameter                              |                | each           | 475              |            |        |
| D.4      | Drilled Tie Bars                                 | CW 3230-R5     |                |                  |            |        |
|          | i) 20 M Deformed Tie Bar                         |                | each           | 975              |            |        |
| D.5      | Miscellaneous Concrete Slab Renewal              | CW 3235-R6     |                |                  |            |        |
|          | i) Sidewalk                                      | SD-228A        |                |                  |            |        |
|          | a) 5 sq.m. to 20 sq.m.                           |                | m <sup>2</sup> | 200              |            |        |
|          | b) Greater than 20 sq.m.                         |                | m <sup>2</sup> | 320              |            |        |
| D.6      | Adjustment of Precast Sidewalk Blocks            | CW 3235-R6     | m <sup>2</sup> | 100              |            |        |
| D.7      | Supply of Precast Sidewalk Blocks                | CW 3235-R6     | m <sup>2</sup> | 100              |            |        |
| D.8      | Removal of Precast Sidewalk Blocks               | CW 3235-R6     | m <sup>2</sup> | 50               |            |        |
| D.9      | Concrete Curb Renewal                            | CW 3240-R6     |                |                  |            |        |
|          | i) Barrier (150mm ht, Dowelled) Slip Form Paving | SD-205, SD206A |                |                  |            |        |
|          | a) Greater than 30 m                             |                | m              | 755              |            |        |
|          | ii) Modified Barrier (150mm ht, Dowelled)        | SD-203B        | m              | 75               |            |        |
|          | iii) Curb Ramp (15mm ht, Depressed)              | SD-229 E       | m              | 34               |            |        |
| D.10     | Regrading Existing Interlocking Paving Stones    | CW 3330-R3     | m <sup>2</sup> | 10               |            |        |

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION  | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|----------------|------------------|------------|--------|
| D.11 | Construction of Asphaltic Concrete Overlay             | CW 3410-R7  |                |                  |            |        |
|      | i) Main Line Paving                                    |             |                |                  |            |        |
|      | a) Type IA   |             | tonne          | 750              |            |        |
|      | ii) Tie-ins and Approaches                             |             |                |                  |            |        |
|      | a) Type IA   |             | tonne          | 70               |            |        |
| D.12 | Planing of Pavement                                    | CW 3450-R4  |                |                  |            |        |
|      | i) 0 - 50 mm Depth (Asphalt)                           |             | m <sup>2</sup> | 350              |            |        |
|      | <b>ROADWORKS - NEW CONSTRUCTION</b>                    |             |                |                  |            |        |
| D.13 | Interlocking Paving Stones                             | CW 3330-R3  | m <sup>2</sup> | 5                |            |        |
|      | <b>JOINT AND CRACK SEALING</b>                         |             |                |                  |            |        |
| D.14 | Reflective Crack Maintenance                           | CW 3250-R6  | m              | 430              |            |        |
|      | <b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>       |             |                |                  |            |        |
| D.15 | Remove and Replace Existing Catch Basin                | CW 2130-R10 |                |                  |            |        |
|      | i) SD-024  |             | each           | 5                |            |        |
| D.16 | Remove and Replace Existing Catch Pit                  | CW 2130-R10 |                |                  |            |        |
|      | i) SD-023  |             | each           | 5                |            |        |
| D.17 | Drainage Connection Pipe                               | CW 2130-R10 | m              | 15               |            |        |
| D.18 | Replacing Standard Frames & Covers                     | CW 2130-R10 |                |                  |            |        |
|      | i) AP-004 - Standard Frame for Manhole and Catch Basin |             | each           | 1                |            |        |
|      | ii) AP-005 - Standard Solid Cover for Standard Frame   |             | each           | 1                |            |        |
|      | iii) AP-006 - Standard Grated Cover for Standard Frame |             | each           | 1                |            |        |
| D.19 | Abandonment of Existing Drainage Inlets                | CW 2130-R10 | each           | 8                |            |        |
|      | <b>ADJUSTMENTS</b>                                     |             |                |                  |            |        |
| D.20 | Adjustment of Catch Basins / Manholes Frames           | CW 3210-R6  | each           | 4                |            |        |
| D.21 | Replacing Existing Risers                              | CW 2130-R10 |                |                  |            |        |
|      | i) Pre-cast concrete risers                            |             | vert. m        | 0.5              |            |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION                     | SPEC. REF. | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---------------------------------|------------|----------------|------------------|------------|--------|
| D.22     | Lifter Rings                    | CW 3210-R6 |                |                  |            |        |
|          | i) 76mm                         |            | each           | 7                |            |        |
| D.23     | Adjustment of Valve Boxes       | CW 3210-R6 | each           | 9                |            |        |
| D.24     | Valve Box Extensions            | CW 3210-R6 | each           | 3                |            |        |
| D.25     | Adjustment of Curb Stop Boxes   | CW 3210-R6 | each           | 3                |            |        |
| D.26     | Curb Stop Extensions            | CW 3210-R6 | each           | 3                |            |        |
|          | <b>LANDSCAPING</b>              |            |                |                  |            |        |
| D.27     | Sodding                         | CW 3510-R8 |                |                  |            |        |
|          | i) width < 600mm                |            | m <sup>2</sup> | 600              |            |        |
|          | ii) width > or = 600mm          |            | m <sup>2</sup> | 1200             |            |        |
| <b>D</b> | <b><u>ST. JEAN BAPTISTE</u></b> |            |                |                  | Subtotal:  |        |

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM                             | DESCRIPTION   | SPEC. REF.        | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------------------------------|---|-------------------|----------------|------------------|------------|--------|
| <b>PART 3 WATERMAIN RENEWALS</b> |   |                   |                |                  |            |        |
| <b>E</b>                         | <b><u>ST. JEAN BAPTISTE WATERMAIN RENEWAL</u></b>                       |                   |                |                  |            |        |
|                                  | <b>EARTH AND BASE WORKS</b>   |                   |                |                  |            |        |
| E.1                              | Grading of Boulevards   | CW 3110-R8        | m <sup>2</sup> | 50               |            |        |
|                                  | <b>ROADWORKS - RENEWALS</b>   |                   |                |                  |            |        |
| E.2                              | Partial Slab Patches  | CW 3230-R5        |                |                  |            |        |
|                                  | i) 150 mm Concrete Pavement (Type B)                                    |                   | m <sup>2</sup> | 10               |            |        |
| E.3                              | Concrete Curb Renewal   | CW 3240-R6        |                |                  |            |        |
|                                  | i) Barrier (150mm ht, Dowelled)   | SD-205,<br>SD206A |                |                  |            |        |
|                                  | a) Less than 3 m  |                   | m              | 30               |            |        |
|                                  | <b>WATERMAIN RENEWAL</b>  |                   |                |                  |            |        |
| E.4                              | Watermain Renewal   | CW 2110-R9        |                |                  |            |        |
|                                  | i) 150 mm   |                   |                |                  |            |        |
|                                  | a) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill      |                   | lin.m.         | 10               |            |        |
|                                  | b) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill      |                   | lin.m.         | 420              |            |        |
| E.5                              | Hydrant Assembly  | CW 2110-R9        |                |                  |            |        |
|                                  | i) SD-007   |                   | each           | 3                |            |        |
| E.6                              | Watermain Valve   | CW 2110-R9        |                |                  |            |        |
|                                  | i) 150 mm   |                   | each           | 5                |            |        |
| E.7                              | Fittings  | CW 2110-R9        |                |                  |            |        |
|                                  | i) Bends(SD-004)  |                   |                |                  |            |        |
|                                  | a) 150mm - 11 1/4° - 45° bend   |                   | each           | 4                |            |        |
| E.8                              | Connection to Existing Watermain - Inline Connection - No Plug Existing | CW 2110-R9        |                |                  |            |        |
|                                  | i) 150 mm Watermain   |                   | each           | 3                |            |        |

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION  | SPEC. REF.  | UNIT   | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|--------|------------------|------------|--------|
| E.9  | Connection to Existing Copper Water Services to New Watermains     | CW 2110-R9  |        |                  |            |        |
|      | i) 19mm  |             | each   | 57               |            |        |
|      | ii) 25mm   |             | each   | 1                |            |        |
|      | iii) 38mm  |             | each   | 1                |            |        |
|      | iv) 50mm   |             | each   | 2                |            |        |
| E.10 | Water Services   | CW 2110-R9  |        |                  |            |        |
|      | i) 19mm  |             |        |                  |            |        |
|      | a) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill |             | lin.m. | 40               |            |        |
| E.11 | Corporation Stops  | CW 2110-R9  |        |                  |            |        |
|      | i) 19mm  |             | each   | 57               |            |        |
|      | ii) 25mm   |             | each   | 1                |            |        |
|      | iii) 38mm  |             | each   | 1                |            |        |
|      | iv) 50mm   |             | each   | 2                |            |        |
| E.12 | Curb Stops   | CW 2110-R9  |        |                  |            |        |
|      | i) 19mm  |             | each   | 2                |            |        |
| E.13 | Curb Stop Boxes  | CW 2110-R9  |        |                  |            |        |
|      | i) 19mm  |             | each   | 2                |            |        |
| E.14 | Continuity Bonding   | CW 2110-R9  | each   | 54               |            |        |
| E.15 | 10.9 Kilogram Sacrificial Zinc Anodes                              | CW 2110-R9  |        |                  |            |        |
|      | i) On Water Services   |             | each   | 10               |            |        |
|      | ii) On Metallic Watermains   |             | each   | 1                |            |        |
|      | <b>PROVISIONAL ITEMS</b>   |             |        |                  |            |        |
| E.16 | Fittings   | CW 2110-R9  |        |                  |            |        |
|      | i) Vertical Bends  | CW 2110-R9  |        |                  |            |        |
|      | a) 150mm - 11 1/4° - 45° bend                                      |             | each   | 1                |            |        |
| E.17 | Watermain & Service Insulation                                     | CW 2110-R9  |        |                  |            |        |
|      | i) 75mm Thick  |             | lin.m. | 7                |            |        |
| E.18 | Regrading Of Existing Sewer Services - Up to 3 Meters Long         | CW 2130-R10 |        |                  |            |        |

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION                                       | SPEC. REF. | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|------------|----------------|------------------|------------|--------|
| E.19     | i) 150mm Class 5 Backfill                         | E13        | each           | 10               |            |        |
|          | ii) 250mm Class 3 Backfill                        |            | each           | 1                |            |        |
|          | Street Light Cable Installation                   |            |                |                  |            |        |
|          | i) Trenching                                      |            | lin.m.         | 60               |            |        |
|          | ii) Coring  |            | lin.m.         | 20               |            |        |
| E.20     | Maintaining Curb Stop Excavations                 | CW 2110-R9 | day            | 5                |            |        |
|          | <b>LANDSCAPING</b>                                |            |                |                  |            |        |
| E.21     | Sodding   | CW 3510-R8 |                |                  |            |        |
|          | i) width < 600mm                                  |            | m <sup>2</sup> | 50               |            |        |
| <b>E</b> | <b><u>ST. JEAN BAPTISTE WATERMAIN RENEWAL</u></b> |            |                |                  | Subtotal:  |        |

\_\_\_\_\_  
 Name of Bidder

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM   | DESCRIPTION                                | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--|--|------------|------|------------------|------------|--------|
| <b>SUMMARY</b>                                 |  |            |      |                  |            |        |
| <b>PART 1 CITY FUNDED WORK</b>                 |  |            |      |                  |            |        |
| A  | <u>DE LA MORENIE</u>                       |            |      |                  | Subtotal:  |        |
| B  | <u>LAWNDALE</u>                            |            |      |                  | Subtotal:  |        |
| <b>(total price) PART 1</b>                    |  |            |      |                  |            |        |
| <b>PART 2 PROVINCIAALLY FUNDED WORK</b>        |  |            |      |                  |            |        |
| C  | <u>LYNDALE</u>                             |            |      |                  | Subtotal:  |        |
| D  | <u>ST. JEAN BAPTISTE</u>                   |            |      |                  | Subtotal:  |        |
| <b>(total price) PART 2</b>                    |  |            |      |                  |            |        |
| <b>PART 3 WATERMAIN RENEWALS</b>               |  |            |      |                  |            |        |
| E  | <u>ST. JEAN BAPTISTE WATERMAIN RENEWAL</u> |            |      |                  | Subtotal:  |        |
| <b>(total price) PART 3</b>                    |  |            |      |                  |            |        |
| TOTAL BID PRICE (GST extra) (in figures) _____ |  |            |      |                  |            |        |
| (in words) _____                               |  |            |      |                  |            |        |
| _____  |  |            |      |                  |            |        |

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B11)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 265-2006

PROVINCE OF MANITOBA / CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWALS AND WATERMAIN RENEWALS, PART 1 - RUE DE LA MORENIE & LAWNDALE AVENUE, PART 2 - LYNDALE DRIVE & RUE ST. JEAN BAPTISTE, PART 3 - RUE ST. JEAN BAPTISTE WATERMAIN RENEWAL

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B11)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 265-2006

PROVINCE OF MANITOBA / CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWALS AND WATERMAIN RENEWALS, PART 1 - RUE DE LA MORENIE & LAWNDALE AVENUE, PART 2 - LYNDALE DRIVE & RUE ST. JEAN BAPTISTE, PART 3 - RUE ST. JEAN BAPTISTE WATERMAIN RENEWAL

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B11)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Branch  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 265-2006

PROVINCE OF MANITOBA / CITY OF WINNIPEG 2006 RESIDENTIAL STREET RENEWALS  
AND WATERMAIN RENEWALS, PART 1 - RUE DE LA MORENIE & LAWNDALE AVENUE, PART 2 -  
LYNDALE DRIVE & RUE ST. JEAN BAPTISTE, PART 3 - RUE ST. JEAN BAPTISTE WATERMAIN  
RENEWAL

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding  
in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 30 2006

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)