

Template Version: C420041231

Template Version: C420041231

FORM A: BID
(See B7)

1. Project Title Corydon Avenue Eastbound – Street Renewal Borebank to Brock – Street Reconstruction Brock to Waterloo

2. Bidder

Name of Bidder

Street

City Province Postal Code

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C420041231

Template Version: C420041231

6. Bid Security

(Choose one)

In accordance with B10.1, the Bidder encloses bid security in the form of:

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420041231

Template Version: C420041231

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>Corydon Avenue Eastbound - Borebank Street to Brock Street</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R9	m ³	550		
A.2	Sub-Grade Compaction	CW 3110-R9	m ²	700		
A.3	Crushed Sub-base Material	CW 3110-R9				
	i) 50 mm - Limestone		tonne	500		
	ii) 150 mm - Limestone		tonne	500		
A.4	Supplying and Placing Base Course Material	CW 3110-R9	m ³	60		
A.5	Grading of Boulevards	CW 3110-R9	m ²	850		
A.6	Boulevard Excavation	CW 3110-R9	m ³	10		
A.7	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	700		
	ROADWORKS - REMOVALS/RENEWALS					
A.8	Slab Replacement	CW 3230-R5				
	i) 200 mm Concrete Pavement (Reinforced)		m ²	600		
A.9	Partial Slab Patches	CW 3230-R5				
	i) 200 mm Concrete Pavement (Type A)		m ²	30		
	ii) 200 mm Concrete Pavement (Type B)		m ²	300		
	iii) 200 mm Concrete Pavement (Type C)		m ²	10		
	iv) 200 mm Concrete Pavement (Type D)		m ²	220		
A.10	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	1000		
A.11	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	1000		
A.12	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m ²	65		
	b) Greater than 20 sq.m.		m ²	260		
A.13	Concrete Curb Removal	CW 3240-R6				

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.14	i) Barrier (Separate)		m	580		
	Concrete Curb Installation	CW 3240-R6				
	i) Curb Ramp (10mm ht, Separate)	SD-229A,B,C	m	50		
	ii) Splash Strip (180mm ht, Barrier Curb, Integral, 600mm width)	SD-227B	m	480		
	iii) Splash Strip (180mm ht, Modified Barrier Curb, Integral, 600mm width)	SD-227B SD-203B	m	50		
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	630		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	20		
A.16	Planing of Pavement	CW 3450-R4				
	i) 50 - 100 mm Depth (Asphalt)		m ²	2600		
A.17	Pavement Repair Fabric	E10	m ²	260		
A.18	Detour Diversion	E6	lump	1		
ROADWORKS - NEW CONSTRUCTION						
A.19	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
	i) Construction of 200 mm Concrete Pavement (Reinforced)		m ²	160		
JOINT AND CRACK SEALING						
A.20	Reflective Crack Maintenance	CW 3250-R6	m	570		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.21	Catch Pit	CW 2130-R10				
	i) SD-023		each	1		
A.22	Drainage Connection Pipe	CW 2130-R10	m	10		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.23	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
A.24	Connecting to Existing Manhole	CW 2130-R10				
	i) 250mm Catch basin lead		each	1		
A.25	Connecting new Sewer Service to Existing Sewer Service	CW 2130-R10				
	i) 250mm		each	1		
A.26	Abandoning Existing Catch Pit	CW 2130-R10	each	1		
	ADJUSTMENTS					
A.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	6		
A.28	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	2		
A.29	Lifter Rings	CW 3210-R6				
	i) 76mm		each	1		
	LANDSCAPING					
A.30	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	80		
	ii) width > or = 600mm		m ²	850		
A	<u>Corydon Avenue Eastbound - Borebank Street to Brock Street</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Corydon Avenue Eastbound - Brock Street to Waterloo Street</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R9	m ³	2150		
B.2	Sub-Grade Compaction	CW 3110-R9	m ²	2900		
B.3	Crushed Sub-base Material	CW 3110-R9				
	i) 50 mm - Limestone		tonne	2000		
	ii) 150 mm - Limestone		tonne	1000		
B.4	Supplying and Placing Base Course Material	CW 3110-R9	m ³	190		
B.5	Grading of Boulevards	CW 3110-R9	m ²	820		
B.6	Boulevard Excavation	CW 3110-R9	m ³	20		
B.7	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	2900		
B.8	Geogrid	E11	m ²	2900		
	ROADWORKS - RENEWALS					
B.9	Pavement Removal	CW 3110-R9				
	i) Concrete Pavement		m ²	2650		
B.10	Partial Slab Patches	CW 3230-R5				
	i) 200 mm Concrete Pavement (Type B)		m ²	20		
B.11	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	20		
B.12	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	180		
B.13	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m ²	100		
	b) Greater than 20 sq.m.		m ²	410		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.14	Concrete Curb Renewal	CW 3240-R6				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	5		
B.15	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m ²	7		
B.16	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	50		
B.17	Planing of Pavement	CW 3450-R4				
	i) 0 - 50 mm Depth (Asphalt)		m ²	240		
B.18	Pavement Patching	E9	m ²	15		
ROADWORKS - NEW CONSTRUCTION						
B.19	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
	i) Construction of 200 mm Concrete Pavement (Reinforced)		m ²	2050		
B.20	Concrete Pavements for Early Opening	CW 3310-R10				
	i) Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m ²	600		
B.21	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
	i) Construction of Curb Ramp (10mm ht, Separate)	SD-229E	m	80		
	ii) Construction of Splash Strip (180mm ht, Barrier Curb, Integral, 600mm width)	SD-227B	m	390		
	iii) Construction of Splash Strip (180mm ht, Modified Barrier Curb, Integral, 600mm width)	SD-227B SD-203B	m	55		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.22	Catch Basin	CW 2130-R10				
	i) SD-024		each	1		
B.23	Catch Pit	CW 2130-R10				
	i) SD-023		each	1		
B.24	Drainage Connection Pipe	CW 2130-R10	m	10		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.25	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
B.26	Connecting to Existing Manhole	CW 2130-R10				
	i) 250mm Catch basin lead		each	1		
B.27	Connecting new Sewer Service to Existing Sewer Service	CW 2130-R10				
	i) 250mm		each	1		
B.28	Abandoning Existing Catchbasins	CW 2130-R10	each	1		
B.29	Installation of Subdrains	CW 3120-R1	m	200		
	ADJUSTMENTS					
B.30	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	14		
B.31	Replacing Existing Risers	CW 2130-R10				
	i) Pre-cast concrete risers		vert. m	2		
B.32	Adjustment of Valve Boxes	CW 3210-R6	each	1		
B.33	Valve Box Extensions	CW 3210-R6	each	1		
B.34	Adjustment of Curb Stop Boxes	CW 3210-R6	each	1		
	LANDSCAPING					
B.35	Sodding	CW 3510-R8				
	i) width < 600mm		m ²	70		
	ii) width > or = 600mm		m ²	840		
B	<u>Corydon Avenue Eastbound - Brock Street to Waterloo Street</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>Corydon Avenue Eastbound - Borebank Street to Brock Street</u>				Subtotal:	
B	<u>Corydon Avenue Eastbound - Brock Street to Waterloo Street</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____
(in words)					_____	

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 408-2006

CORYDON AVENUE EASTBOUND – STREET RENEWAL BOREBANK TO BROCK – STREET RECONSTRUCTION BROCK TO WATERLOO

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)

(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 408-2006

CORYDON AVENUE EASTBOUND – STREET RENEWAL BOREBANK TO BROCK – STREET
RECONSTRUCTION BROCK TO WATERLOO

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Branch
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 408-2006

CORYDON AVENUE EASTBOUND – STREET RENEWAL BOREBANK TO BROCK – STREET
RECONSTRUCTION BROCK TO WATERLOO

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 4, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)