



## 458-2006 ADDENDUM 2

### SUPPLY AND INSTALLATION OF CONSOLE WORKSTATION FURNITURE FOR THE CITY OF WINNIPEG EMERGENCY COMMUNICATIONS CENTRE @ 700 ASSINIBOINE PART DRIVE.

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

ISSUED: October 20, 2006  
BY: Rachel Eccles  
TELEPHONE NO. (204) 986-2451

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20060821

---

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

---

#### **PART D – SUPPLEMENTAL CONDITIONS**

Revise: D12.1 to read: The Contractor shall achieve Total Performance by **February 16, 2007**.

#### **PART E – SPECIFICATIONS**

Revise: E3.3(j) to read: pinch points, in which fingers, arms, and legs can be caught between movable surfaces or parts shall be avoided by means of design or guarding.

Revise: E3.4(c) to read: be minimum height adjustable range **584 mm to 1270 mm, adjustment shall be continuous through the range**. Monitor surface shall be able to maintain –15 to 20 degree viewing angle throughout the adjustment range.

Revise: E3.4(d) to read: be minimum depth of work surfaces is capable of supporting computer monitors at a viewing distance **continuously adjustable through the range of 500mm and 800mm**.

Revise: E3.4(m) to read: pinch points, in which fingers, arms, and legs can be caught between movable surfaces or parts shall be avoided by means of design or guarding.