



	LEGEND © WALL MOUNTED H.I.D. OR INCANDESCENT FIXTURE									
Ō										
\$	SINGLE POLE, SURFACE MTD CLASS I, DIV. 1 SWITCH									
-D	DISCONNECT SWITCH ELECTRICAL PANEL (AS INDICATED) MOTOR AND DISCONNECT									
•										
⊠	MAGNETIC MOTOR STARTER									

GENERAL NOTES

- CONFIRM ALL ELECTRICAL REQUIREMENTS WITH ALL DRAWINGS AND SPECIFICATIONS. PROVIDE ALL ELECTRICAL CONNECTIONS AS OPERITOR TURNS THE PROVIDED THE SPECIFIED THEREIN.
- 2. THE STATION BASEPLAN AND LAYOUT SHOWN IS FOR REFERENCE ONLY. EXACT LOCATION, LAYOUT AND DIMMENSIONS ARE TO BE OBTAINED FROM THE STATION DETAILS AND SITE DRAWING SET.
- 3. WIRING AND INSTALLATION METHODS SHALL COMPLY WITH ALL CODES AND STANDARDS TO SUIT THE AREA CLASSIFICATION INDICATED.
- 4. COORDINATE ELECTRICAL UTILITY SERVICE WORK WITH MANITOBA HYDRO AND MTS. CITY TO PAY FOR SERVICE INSTALLATIONS.
- ALL MATERIALS AND INSTALLATION SHALL CONFORM WITH CEC CSA C22.1-02.
- 6. PAY FOR AND ARRANGE FOR ALL PERMITS AS REQUIRED.

SPECIFIC NOTES

- COMBINATION METERING/SERVICE ENTRANCE RATED WEATHERPROOF PANEL 'MD1'. MOUNT PANEL ON H-CHANNEL SUPPORTS EMBEDED IN CONCRETE.
- THE PUMPING STATION IS CLASSIFIED AS A HAZARDOUS CLASS I DIV. 1 AREA.
- THE PANELS SHALL BE CENTERED ON A 150mm CONCRETE, STEEL RE-ENFORCED CONCRETE HOUSEKEEPING PAD (APPROXIMATELY 3000mm BY 1200mm FIELD CONFIRM TO
- PROVIDE 53mm RIGID PVC CONDUIT FROM MTS TELEPHONE POLE TO THE COMMUNICATIONS CABINET. CONFIRM EXACT LOCATION OF POLE ON SITE. COORDINATE WORK WITH MTS.
- PROVIDE #2/0 BARE COPPER BONDING GROUND CONDUCTOR FROM GROUND TO TO ALL CABINETS / ENCLOSURE CABINETS.

IF POWER EQUIPMENT OR EXPLOSIVES ARE TO BE USED FOR EXCAVEATION ON THIS PROJECT THE CONTRACTOR MUST: MUST:
1) NOTIFY THE GAS COMPANY OF THE PROPOSED LOCATION OF EXCAYEATION.
1) TAKE PRECAUTION TO AVEOID DAMAGE TO GAS COMPANY INSTALLATIONS.

SEE PROVINCIAL REGULATION 210/72 FOR DETAILS

Winnipèg

THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT

I.RYCZKOWSKI 2006 CRESCENT DRIVE WASTEWATER SEWER SHEET 11 OF 15
AND PUMPING STATION INSTALLATION CITY DRAWING NUMBER WASTEWATER PUMPING STATION

05919

ELECTRICAL SITE PLAN

SNC-Lavalin Engineers & Constructors Inc. (MB) No. 2365 Expiry: April 30, 2006

	B.M. FIELD BOOK #:		CITY OF WINNIPEG				ENGINEER'S SEAL		
POSTED TO LBIS					WATTEIR ANID WASTIE ENGINEERING DIVISION				ORIGINAL SIGNED
					DESIGNED BY	DEB	CHECKED BY	EMR	E.M.RYCZKOWSKI 09/22/05
					DRAWN BY	DEB	APPROVED BY	EMR	
2	ISSUED FOR TENDER		((EMR	HOR. SCALE 1:100		RELEASED FOR		
<u> </u>	ISSUED FOR OWNER REV		09/22/05		VERTICAL	1:100	DATE		BID OPPORTUNITY: 509-2006 FILENAME: 05919.dwg
NO.	REVISIONS		DATE	BY	DATE	2006 08 03			PLOT DATE: 2006 08 03