

FORM A: BID
(See B7)

1. Contract Title 2007 CAPITAL PROGRAM – ANNABELLA STREET UNDERPASS –
RETAINING WALL REHABILITATION AND ROADWORKS

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent
the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings
ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the
Contract for the Total Bid Price, in Canadian funds, set out on Form B:
Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
(See B8)

2007 CAPITAL PROGRAM – ANNABELLA STREET UNDERPASS – RETAINING WALL
REHABILITATION AND ROADWORKS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.	Structural/Retaining Wall Concrete Works					
1.	Traffic and Pedestrian Control	E2.	Lump Sum	1		
2.	Structural Concrete and Other Removals	E3.	Lump Sum	1		
3.	Supply and Place Reinforcing Steel	E4.				
	i) Hot-Dip Galvanized		kg	14714		
	ii) Plain		kg	1333		
4.	Supply and Place Structural Concrete	E5.				
	i) Retaining Wall		m ³	89.0		
	ii) Reinforced Sidewalk		m ³	50.0		
	iii) Exposed Aggregate Concrete Slab		m ³	7.0		
5.	Epoxy-Coated Dowels and Galvanized Expansion Sleeves	E5.	each	77		
6.	Backfill	E6.	Lump Sum	1		
7.	Supply Galvanized Pedestrian Handrail Panels	E7.				
	i) Type H1		each	71		
8.	Supply Galvanized Pedestrian Handrail Posts	E7.				
	i) Type P1		each	68		
	ii) Type P2R		each	3		
	iii) Type P2L		each	3		
9.	Installation of Galvanized Pedestrian Handrail	E7.	Linear Metre	170.4		

FORM B: PRICES
(See B8)

2007 CAPITAL PROGRAM – ANNABELLA STREET UNDERPASS – RETAINING WALL
REHABILITATION AND ROADWORKS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.	Surface/Road Works					
10.	Excavation	CW 3110-R8	m ³	58.0		
11.	Sub-Grade Compaction	CW 3110-R8	m ²	110.0		
12.	Crushed Sub-base Material	CW 3110-R8				
	i) 50 mm - 300 thick		tonne	242.0		
13.	Supplying and Placing Base Course Material (20mm at 75 thick)	CW 3110-R8	m ³	9.0		
14.	Grading of Boulevards	CW 3110-R8	m ²	29.0		
15.	Imported Fill Material	CW 3110-R8	m ³	80.0		
16.	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	110.0		
17.	Pavement Removal	CW 3110-R8				
	i) Concrete Pavement		m ²	185.0		
18.	Slab Replacement	CW 3230-R4				
	i) 200 mm Concrete Pavement (Plain-Dowelled)		m ²	60.0		
	ii) 200 mm Concrete Pavement (Type A)		m ²	1.0		
	iii) 200 mm Concrete Pavement (Type B)		m ²	40.0		
	iv) 200 mm Concrete Pavement (Type C)		m ²	7.0		
	v) 200 mm Concrete Pavement (Type D)		m ²	60.0		
19.	Drilled Dowels	CW 3230-R4				

FORM B: PRICES
(See B8)

**2007 CAPITAL PROGRAM – ANNABELLA STREET UNDERPASS – RETAINING WALL
REHABILITATION AND ROADWORKS**

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
20.	i) 19.1 mm Diameter Drilled Tie Bars	CW 3230-R4	each	120		
	i) 25 M Deformed Tie Bar		each	200		
21.	Miscellaneous Concrete Slab Removal	CW 3235-R6				
	i) Monolithic Median Slab		m ²	48.0		
22.	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A	m ²	21.0		
	ii) Monolithic Curb and Sidewalk (2200 mm width)	SD-228B	m ²	230.0		
23.	Concrete Curb Removal	CW 3240-R6				
	i) Barrier 180 mm		m	110.0		
	ii) Curb Ramp		m	10.0		
25.	Concrete Curb Renewal	CW 3240-R6 SD-205, SD206A				
	i) Barrier (180mm ht, Dowelled)					
	a) 3 m to 30 m		m	70.0		
	ii) Modified Barrier (1800mm ht, Dowelled)	SD-203B	m	28.0		
26.	Supply and Installation of Dowel Assemblies	CW 3310-R11	m	18.0		
27.	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	490.0		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	7.0		

FORM B: PRICES
(See B8)

**2007 CAPITAL PROGRAM – ANNABELLA STREET UNDERPASS – RETAINING WALL
REHABILITATION AND ROADWORKS**

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
29.	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	777.0		
	ii) 50-100 mm Depth (Asphalt)		m ²	1305.0		
30.	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R10				
	i) Construction of 200 mm Concrete Pavement (Reinforced)		m ²	82.0		
31.	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
	i) Construction of Barrier (180mm ht, Dowelled)	SD-205	m	125.0		
	i) Construction of Barrier (180mm ht, Separate)	SD-203A	m	60.0		
32.	100 mm Concrete Sidewalk	CW 3325-R2	m ²	170.0		
34.	Reflective Crack Maintenance	CW 3250-R6	m	200.0		
35.	Catch Pit	CW 2130-R10				
	i) SD-023		each	1		
36.	Drainage Connection Pipe	CW 2130-R10	m	2.0		
37.	Replacing Standard Frames & Covers	CW 2130-R10				
	i) AP-006 – Standard Grated Cover for Standard Frame		each	1		
38.	Removal of Existing Catch Pit	CW 2130-R10	each	1		
39.	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		

FORM B: PRICES
(See B8)

2007 CAPITAL PROGRAM – ANNABELLA STREET UNDERPASS – RETAINING WALL
REHABILITATION AND ROADWORKS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
40.	Replacing Existing Risers i) Pre-cast Concrete Risers	CW 2130-R10	vert. m	1.0		
41.	Lifter Rings i) 38mm ii) 51mm iii) 64mm iv) 76mm	CW 3210-R7	each each each each	4 3 1 1		
42.	Adjustment of Valve Boxes	CW 3210-R7	each	2		
43.	Valve Box Extensions	CW 3210-R7	each	2		
44.	Sodding i) width > or = 600mm	CW 3510-R9	m ²	350.0		
45.	Seeding	CW 3520-R7	m ²	50.0		
<p>TOTAL BID PRICE (GST extra) (in figures) \$ _____</p> <p>(in words) _____</p> <p>_____</p>						

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 291-2007

2007 CAPITAL PROGRAM – ANNABELLA STREET UNDERPASS – RETAINING WALL
REHABILITATION AND ROADWORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 291-2007

2007 CAPITAL PROGRAM – ANNABELLA STREET UNDERPASS – RETAINING WALL
REHABILITATION AND ROADWORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within thirty (30) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 7, 2007

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)