



GENERAL NOTES

- 1. MECHANICAL SUBCONTRACTOR SHALL VERIFY EXACT LOCATIONS, SIZES, INVERTS, ETC. PRIOR TO BID OPPORTUNITY CLOSE. VERIFY ALL CONNECTION POINTS ON SITE. MAKE ALL NECESSARY REVISIONS TO ACCOMMODATE INTENT AND INCLUDE IN BID
- 2. MECHANICAL SUBCONTRACTOR SHALL ALLOW IN HIS BID OPPORTUNITY QUOTATION FOR ALL REQUIRED MODIFICATIONS TO EXISTING SYSTEMS (IE. REROUTING OF EXISTING PIPING, DRAIN LINES, VENT PIPING, ETC.) AS DEEMED NECESSARY DUE TO RENOVATION WORK.
- 3. ALL CUTTING & PATCHING OF FLOOR SLABS, WALLS, ROOF, ETC. TO BE PERFORMED BY CONTRACTOR.
- 4. ALL ABANDONED OR NOT REQUIRED SERVICES SHALL BE CAPPED-OFF BACK AT MAINS IN CONCEALED SPACES/BELOW FLOORS/IN CEILINGS, ETC. AND REMOVED.
- 5. ANY ROOF PENETRATIONS NOT REQUIRED (IE. VENTS, DUCTWORK, ETC.) SHALL BE REMOVED AND ROOF TO BE PATCHED AND MADE
- 6. ALL INSTALLATIONS TO BE PERFORMED AS PER ALL CODES, REGULATIONS AND AUTHORITIES HAVING JURISDICTION. THIS SHALL BE INVESTIGATED PRIOR TO BID OPPORTUNITY CLOSE AND SHALL BE INCORPORATED INTO BID OPPORTUNITY QUOTE.
- 7. FIELD MEASURE ALL EXISTING FLOOR REGISTER OPENINGS PRIOR TO ORDERING NEW.

DRAWING NOTES:

- NEW COUNTER TOP SINK. TIE NEW PLUMBING INTO EXISTING SERVICES.
- 2 ARCHITECTURAL BULKHEAD.
- NEW DCW, 1/2" DHW TO SERVE FIXTURES. PIPING TO RUN IN CEILING SPACE. MECHANICAL SUBCONTRACTOR TO MAKE ALL FINAL CONNECTIONS. MECHANICAL SUBCONTRACTOR TO CONNECT NEW PIPING BACK TO HOT WATER TANK SERVING THE OLD WASHROOMS. CONFIRM TANK WILL MEET THE DEMAND. IF DEMAND EXCESSED TANK CAPABILITY, MECHANICAL
- SUBCONTRACTOR TO PROVIDE NEW TANK.

 MECHANICAL SUBCONTRACTOR TO CONNECT NEW DRAIN LINE TO NEAREST SUITABLE EXISTING DRAIN LINE. CONFIRM LOCATION OF EXISTING PIPE PRIOR TO ROUGH-IN. MINIMIZE FLOOR CUTTING AND PATCHING.
- PROVIDE ADDITIONAL PIPE BRACING FOR WATER SUPPLY TO URINAL.



3	RE-ISSUED FOR BID OPPORTUNITY	12/05/07	м.н.
2	ISSUED FOR BID OPPORTUNITY	11/27/07	м.н.
1	ISSUED FOR FINAL REVIEW	10/12/07	м.н.
0	ISSUED FOR REVIEW	04/30/07	м.н.
NO.	REVISION	DATE	BY

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE CONTRACT ADMINISTRATOR AND CAN BE REPRODUCED ONLY WITH THE PERMISSION OF THE CONTRACT ADMINISTRATOR IN WHICH CASE THE REPRODUCTION MUST BEAR THE NAME OF THE CONTRACT ADMINIST ADMINISTRATOR.
THIS DRAWING SHALL NOT BE SCALED. FOLLOW GIVEN DIMENSIONS

THE CONTRACTOR SHALL SATISFY HIMSELF THAT ALL DIMENSIONS AND INFORMATION SHOWN ARE CORRECT. PRIOR TO COMMENCEMENT OF WORK REPORT ANY DISCREPANCIES TO THE CONTRACT ADMINISTRATOR. VARIATIONS AND MODIFICATIONS TO WORK SHOWN WILL NOT BE ALLOWED WITHOUT WRITTEN PERMISSION OF THE CONTRACT ADMINISTRATOR.



TOWER PROJECT NO.: 6184

TOWER ENGINEERING GROUP

208 - 897 CORYDON AVE. WINNIPEG, MB R3M 0W7

TEL: (204) 925-1150 FAX: (204) 925-1155

EMAIL: towereng@towereng.ca WEB: www.towereng.ca

ORIGINAL AS SEALED ON 12/05/07 BY MIKE HOUVARDAS, P. ENG.

APEGN Certificate of Authorization **Tower Engineering Group**

No. 1918 Explry: April 30, 2008

Winnipeg, Manitoba R3L 2H1 Fax: (204) 453-3392

ARCHITECTURE 124 Nassau Street North Tel: (204) 453-6441 E-mail: caa@escape.ca

> NOTRE DAME COMMUNITY CENTRE

271 DE LA CATHEDRALE AVE. WINNIPEG, MANITOBA

NEW MAIN FLOOR PLUMBING PLAN

DRAWN BY	SCALE	SHEET NUMBER
GN	AS NOTED	
CHECKED BY	DATE	
M.H.	10/12/07	IVI ⁻ I. I
PROJECT NUMBER	REVISION	
06-012		