#### FORM A: BID (See B7)

1.	Contract Title	STREET RENEWALS F	DBA/CITY OF WINNIPEG 2008 PART1 – ROUGEAU AVENUE PART 2 – ANTRIM ROAD AND	AND VARIOUS
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact poor the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms uascribed to them in the	sed in the Contract shall ha General Conditions	ave the meanings
5.	Offer		ers to perform the Work in ac	

Prices, appended hereto.

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.

Signatures	In witness whereof the Bidder or the Bidd officials have signed this	der's authorized official or
	day of	, 20
(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials	
(Witness)	(Print here name and official capacity of individual	whose signature appears above)
(Witness)	(Print here name and official capacity of individual	whose signature appears above)

SEAL

# FORM B: PRICES

(SEE B8)

UNIT	<b>PRICES</b>

ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PAR	T 1	CITY FUNDED WORK					
Α		GATEWAY ROAD from Sun Valley Drive to	McIvor Avenue	<u>e</u>			
		EARTH AND BASE WORKS					
٨.1		Excavation	CW 3110-R10	m³	5		
A.2		Supplying and Placing Base Course Material	CW 3110-R10, E10	m³	120		
3		Grading of Boulevards	CW 3110-R10	m²	500		
		ROADWORKS - REMOVAL/RENEWALS					
۸.4		Pavement Removal	CW 3110-R10				
	i)	Concrete Pavement		m²	1600		
٨.5		Partial Slab Patches	CW 3230-R6				
	i)	200 mm Concrete Pavement (Type A)		m²	15		
	ii)	200 mm Concrete Pavement (Type B)		m²	85		
	iii)	200 mm Concrete Pavement (Type C)		m²	10		
	iv)	200 mm Concrete Pavement (Type D)		m²	145		
6		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	370		
7		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	420		
	ii)	25 M Deformed Tie Bar		each	350		
8		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	5		
	b)	5 sq.m. to 20 sq.m.		m²	65		
	c)	Greater than 20 sq.m.		m²	120		
			1	1	1		

ITEM	/l	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
۸.9		Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	15		
A.10		Concrete Curb Removal	CW 3240-R7				
	i)	Barrier (Separate)		m	45		
٩.11		Concrete Curb Installation	CW 3240-R7				
	i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	45		
	ii)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	4		
A.12		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205,				
	a)	Less than 3 m	SD-206A	m	5		
	b)	3 m to 30 m		m	10		
	c)	Greater than 30 m		m	600		
	ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	10		
	iii)	Curb Ramp (10mm ht, Integral)	SD-229C,D	m	13		
A.13		Supply and Installation of Dowel Assemblies	CW 3310-R12	m	310		
A.14		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
	a)	Type IA		tonne	250		
	ii)	Tie-ins and Approaches					
	a)	Type IA		tonne	25		
		ROADWORKS - NEW CONSTRUCTION					
A.15		Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R12				
	i)	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m²	1600		
A.16		100 mm Concrete Sidewalk	CW 3325-R2	m²	15		
		JOINT AND CRACK SEALING					
٩.17		Reflective Crack Maintenance	CW 3250-R6	m	1200		

The City of Winnipeg Bid Opportunity 12-2008

# FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.18	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
A.19	Installation of Subdrains	CW 3120-R2	m	24		
	ADJUSTMENTS					
A.20	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
A.21	Replacing Existing Flat Top Reducer	CW 2130-R11	each	1		
	LANDSCAPING					
A.22	Sodding	CW 3510-R9				
i)	width < 600mm		m²	250		
ii)	width > or = 600mm		m²	250		
Α	GATEWAY ROAD from Sun Valley Drive to	McIvor Avenue	<u> </u>		Subtotal:	

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В		HIGHFIELD STREET from Tache Avenue to	o St. Mary's Roa	ad			
		EARTH AND BASE WORKS					
3.1		Supplying and Placing Base Course Material	CW 3110-R10, E10	m³	20		
3.2		Grading of Boulevards	CW 3110-R10	m²	1340		
		ROADWORKS - REMOVAL/RENEWALS					
3.3		Pavement Removal	CW 3110-R10				
	i)	Concrete Pavement		m²	350		
3.4		Slab Replacement	CW 3230-R6				
	i)	150 mm Concrete Pavement (Reinforced)		m²	170		
3.5		Partial Slab Patches	CW 3230-R6				
	i)	150 mm Concrete Pavement (Type B)		m²	125		
	ii)	150 mm Concrete Pavement (Type C)		m²	10		
	iii)	150 mm Concrete Pavement (Type D)		m²	70		
3.6		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	240		
3.7		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	600		
3.8		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	5		
	b)	5 sq.m. to 20 sq.m.		m²	60		
	c)	Greater than 20 sq.m.		m²	240		
3.9		Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	3		
3.10		Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	3		

## FORM B: PRICES

(SEE B8)

ITE		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.11		Concrete Curb Removal	CW 3240-R7				
	i)	Barrier (Separate)		m	20		
	ii)	Mountable Curb		m	120		
B.12		Concrete Curb Installation	CW 3240-R7				
	i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	140		
B.13		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205,				
	a)	Less than 3 m	SD-206A	m	5		
	b)	3 m to 30 m		m	35		
	c)	Greater than 30 m		m	350		
	ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	15		
	iii)	Curb Ramp (10mm ht, Integral)	SD-229C,D	m	40		
B.14		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	:\	Main Line Reving					
		Main Line Paving			202		
		Type IA		tonne	330		
	ii)	Tie-ins and Approaches					
	a)	Type IA		tonne	60		
B.15		Planing of Pavement	CW 3450-R5				
	i)	0 - 50 mm Depth (Asphalt)		m²	60		
		ROADWORKS - NEW CONSTRUCTION					
B.16		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12				
	i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	350		
		JOINT AND CRACK SEALING					
B.17		Reflective Crack Maintenance	CW 3250-R6	m	630		

ITE		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.18		Catch Pit	CW 2130-R11				
	i)	SD-023(AP-008, AP-009)		each	10		
	ii)	SD-023(AP-004, AP-005)		each	1		
B.19		Remove and Replace Existing Catch Basin	CW 2130-R11				
	i)	SD-025		each	2		
B.20		Sewer Service	CW 2130-R11				
	i)	250mm					
	a)	in a Trench, Class B Bedding with Sand, Class 2 Backfill		m	4		
B.21		Drainage Connection Pipe	CW 2130-R11	m	70		
B.22		Replacing Standard Frames & Covers	CW 2130-R11				
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
	ii)	AP-005 - Standard Solid Cover for Standard Frame		each	5		
B.23		Connecting to Existing Catch Basin	CW 2130-R11				
	i)	250mm Drainage Connection Pipe		each	12		
B.24		Abandoning Existing Drainage Inlets	CW 2130-R11	each	12		
B.25		Installation of Subdrains	CW 3120-R2	m	24		
		ADJUSTMENTS					
B.26		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
B.27		Replacing Existing Risers	CW 2130-R11				
	i)	Pre-cast Concrete Risers		vert. m	1		
B.28		Lifter Rings	CW 3210-R7				
	i)	38mm		each	2		
	ii)	51mm		each	1		
	iii)	64mm		each	1		
	iv)	76mm		each	2		
B.29		Adjustment of Valve Boxes	CW 3210-R7	each	2		

The City of Winnipeg Bid Opportunity 12-2008

### FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
B.30	Sodding	CW 3510-R9				
i)	width < 600mm		m²	140		
ii)	width > or = 600mm		m²	1220		
	MISCELLANEOUS					
B.31	Existing Manhole and Catch Basin Repairs	CW 2130-R11				
i)	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks		each	2		
В	HIGHFIELD STREET from Tache Avenue to	St. Mary's Ro	ad		Subtotal:	

ITEM	l	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С		McLEOD AVENUE from Louelda Street to 3	300 m East				
		EARTH AND BASE WORKS					
C.1		Excavation	CW 3110-R10	m³	5		
C.2		Supplying and Placing Base Course Material	CW 3110-R10, E10	m³	40		
2.3		Grading of Boulevards	CW 3110-R10	m²	1300		
		ROADWORKS - REMOVAL/RENEWALS					
C.4		Pavement Removal	CW 3110-R10				
	i)	Concrete Pavement		m²	700		
C.5		Slab Replacement	CW 3230-R6				
	i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	155		
2.6		Partial Slab Patches	CW 3230-R6				
	i)	200 mm Concrete Pavement (Type B)		m²	85		
	ii)	200 mm Concrete Pavement (Type C)		m²	10		
	iii)	200 mm Concrete Pavement (Type D)		m²	80		
C.7		Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
	i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	410		
C.8		Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
	i)	200 mm Concrete Pavement (Type B)		m²	35		
	ii)	200 mm Concrete Pavement (Type C)		m²	10		
	iii)	200 mm Concrete Pavement (Type D)		m²	30		
C.9		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	430		
C.10		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	335		
	ii)	25 M Deformed Tie Bar		each	235		

UNIT F		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
			REF.	OIVII	QUANTITY	OI III I I II I I	7111100111
C.11		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	15		
	b)	5 sq.m. to 20 sq.m.		m²	210		
	c)	Greater than 20 sq.m.		m²	145		
C.12		Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
C.13		Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
C.14		Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	7		
C.15		Concrete Curb Removal	CW 3240-R7				
	i)	Barrier (Separate)		m	55		
C.16		Concrete Curb Installation	CW 3240-R7				
	i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	55		
	ii)	Lip Curb (75mm ht, Integral)	SD-202A	m	18		
2.17		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m	3D-200A	m	10		
	b)	3 m to 30 m		m	170		
	c)	Greater than 30 m		m	270		
	ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	15		
	iii)	Curb Ramp (10mm ht, Integral)	SD-229C,D	m	38		
C.18		Supply and Installation of Dowel Assemblies	CW 3310-R12	m	150		
C.19		Regrading Existing Interlocking Paving Stones	CW 3330-R4	m²	30		
0.20		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
	a)	Type IA		tonne	475		
	ii)	Tie-ins and Approaches					
	a)	Type IA		tonne	50		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	-	REF.		QUANTITY		
	ROADWORKS - NEW CONSTRUCTION					
C.21	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R12				
i	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m²	500		
0.22	Concrete Pavements for Early Opening	CW 3310-R12				
i	) Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Plain-Dowelled)		m²	200		
C.23	100 mm Concrete Sidewalk	CW 3325-R2	m²	20		
	JOINT AND CRACK SEALING					
C.24	Reflective Crack Maintenance	CW 3250-R6	m	850		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.25	Catch Pit	CW 2130-R11				
i	) SD-023		each	1		
C.26	Remove and Replace Existing Catch Basin	CW 2130-R11				
i	) SD-024		each	1		
2.27	Sewer Service	CW 2130-R11				
i	) 250mm					
а	) in a Trench, Class B Bedding with Sand, Class 2 Backfill		m	2		
C.28	Drainage Connection Pipe	CW 2130-R11	m	10		
C.29	Replacing Standard Frames & Covers	CW 2130-R11				
i	) AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii	AP-005 - Standard Solid Cover for Standard Frame		each	5		
iii	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iv	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.30		Connecting to Existing Manhole	CW 2130-R11				
	i)	250mm Catch Basin Lead		each	1		
C.31		Abandoning Existing Catch Pit	CW 2130-R11	each	1		
C.32		Installation of Subdrains	CW 3120-R2	m	24		
		ADJUSTMENTS					
C.33		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
C.34		Lifter Rings	CW 3210-R7				
	i)	38mm		each	1		
	ii)	51mm		each	2		
	iii)	64mm		each	1		
	iv)	76mm		each	1		
C.35		Adjustment of Valve Boxes	CW 3210-R7	each	4		
C.36		Valve Box Extensions	CW 3210-R7	each	1		
C.37		Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
2.38		Curb Stop Extensions	CW 3210-R7	each	1		
		LANDSCAPING					
C.39		Sodding	CW 3510-R9				
	i)	width < 600mm		m²	300		
	ii)	width > or = 600mm		m²	1000		
		MISCELLANEOUS					
C.40		Existing Manhole and Catch Basin Repairs	CW 2130-R11				
	i)	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks		each	1		
С		McLEOD AVENUE from Louelda Street to	300 m East			Subtotal:	

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D		ROUGEAU AVENUE from Perry Bay West	<u>to Bournais Dri</u>	<u>ve</u>			
		EARTH AND BASE WORKS					
D.1		Excavation	CW 3110-R10	m³	10		
0.2		Supplying and Placing Base Course Material	CW 3110-R10, E10	m³	60		
0.3		Grading of Boulevards	CW 3110-R10	m²	1560		
		ROADWORKS - REMOVAL/RENEWALS					
0.4		Pavement Removal	CW 3110-R10				
	i)	Concrete Pavement		m²	200		
0.5		Slab Replacement	CW 3230-R6				
	i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	125		
0.6		Partial Slab Patches	CW 3230-R6				
	i)	200 mm Concrete Pavement (Type A)		m²	10		
	ii)	200 mm Concrete Pavement (Type B)		m²	250		
	iii)	200 mm Concrete Pavement (Type C)		m²	10		
	iv)	200 mm Concrete Pavement (Type D)		m²	40		
).7		Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
	i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	125		
0.8		Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
	i)	200 mm Concrete Pavement (Type A)		m²	10		
	ii)	200 mm Concrete Pavement (Type B)		m²	250		
	iii)	200 mm Concrete Pavement (Type C)		m²	10		
	iv)	200 mm Concrete Pavement (Type D)		m²	40		
).9		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	1150		

D.10	_		REF.		QUANTITY	UNIT PRICE	AMOUNT
		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	300		
	ii)	25 M Deformed Tie Bar		each	950		
D.11		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	25		
	b)	5 sq.m. to 20 sq.m.		m²	100		
	c)	Greater than 20 sq.m.		m²	690		
D.12		Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	27		
D.13		Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	12		
D.14		Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	20		
D.15		Concrete Curb Removal	CW 3240-R7				
	i)	Barrier (Separate)		m	68		
D.16		Concrete Curb Installation	CW 3240-R7				
	i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	68		
D.17		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205,				
	a)	Less than 3 m	SD-206A	m	5		
	b)	3 m to 30 m		m	85		
	c)	Greater than 30 m		m	665		
	ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	5		
	iii)	Curb Ramp (10mm ht, Integral)	SD-229C,D	m	62		
D.18		Supply and Installation of Dowel Assemblies	CW 3310-R12	m	70		
D.19		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
	a)	Type IA		tonne	630		
	ii)	Tie-ins and Approaches					
	a)	Type IA		tonne	35		
D.20		Planing of Pavement	CW 3450-R5				
	i)	0 - 50 mm Depth (Asphalt)		m²	40		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS	- NEW CONSTRUCTION					
D.21	Concrete Paver	nents, Median Slabs, Bull- ety Medians	CW 3310-R12				
	i) Construction of (Plain-Dowelled	200 mm Concrete Pavement		m²	200		
D.22	100 mm Concre	ete Sidewalk	CW 3325-R2	m²	65		
	JOINT AND CR	ACK SEALING					
D.23	Reflective Crack	« Maintenance	CW 3250-R6	m	1150		
	ASSOCIATED UNDERGROUN	DRAINAGE AND ND WORKS					
D.24	Catch Basin		CW 2130-R11				
	i) SD-024			each	3		
D.25	Catch Pit		CW 2130-R11				
	i) SD-023			each	5		
D.26	Remove and Re	eplace Existing Catch Basin	CW 2130-R11				
	i) SD-024			each	2		
D.27	Sewer Service		CW 2130-R11				
	i) 250mm						
á	in a Trench, Cla Class 2 Backfill	ss B Bedding with Sand,		m	20		
D.28	Drainage Conne	ection Pipe	CW 2130-R11	m	20		
D.29	Replacing Stand	dard Frames & Covers	CW 2130-R11				
	i) AP-004 - Stand	ard Frame for Manhole and		each	1		
i	i) AP-005 - Stand	ard Solid Cover for Standard		each	1		
ii	i) AP-008 - Barrie and Box	r Curb and Gutter Inlet Frame		each	1		
iv	AP-009 - Barrie	r Curb and Gutter Inlet Cover		each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.30	Connecting to Existing Manhole	CW 2130-R11				
i)	250mm Catch Basin Lead		each	5		
D.31	Connecting to Existing Catch Basin	CW 2130-R11				
i)	250mm Drainage Connection Pipe		each	5		
D.32	Abandoning Existing Catch Basins	CW 2130-R11	each	3		
D.33	Abandoning Existing Catch Pit	CW 2130-R11	each	5		
	ADJUSTMENTS					
D.34	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	12		
D.35	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	1		
D.36	Adjustment of Valve Boxes	CW 3210-R7	each	4		
D.37	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
D.38	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
D.39	Curb Stop Extensions	CW 3210-R7	each	2		
	LANDSCAPING					
D.40	Sodding	CW 3510-R9				
i)	width < 600mm		m²	160		
ii)	width > or = 600mm		m²	1400		
	MISCELLANEOUS					
D.41	Existing Manhole and Catch Basin Repairs	CW 2130-R11				
i)	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks		each	3		
D	ROUGEAU AVENUE from Perry Bay West	to Bournais Dr	<u>ive</u>		Subtotal:	

ITEN	M	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PAR	T 2	PROVINCIALLY FUNDED WO	l.	2)			
E		ANTRIM ROAD from Rockspur Street to Lo	ouelda Street				
		EARTH AND BASE WORKS					
≣.1		Excavation	CW 3110-R10	m³	5		
≣.2		Supplying and Placing Base Course Material	CW 3110-R10, E10	m³	25		
.3		Grading of Boulevards	CW 3110-R10	m²	860		
		ROADWORKS - REMOVAL/RENEWALS					
≣.4		Slab Replacement	CW 3230-R6				
	i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	520		
≣.5		Partial Slab Patches	CW 3230-R6				
	i)	200 mm Concrete Pavement (Type A)		m²	5		
	ii)	200 mm Concrete Pavement (Type B)		m²	165		
	iii)	200 mm Concrete Pavement (Type C)		m²	10		
	iv)	200 mm Concrete Pavement (Type D)		m²	15		
≣.6		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	370		
.7		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	200		
	ii)	25 M Deformed Tie Bar		each	260		
E.8		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	50		
	c)	Greater than 20 sq.m.		m²	260		
.9		Concrete Curb Removal	CW 3240-R7				
	i)	Barrier (Separate)		m	30		

## FORM B: PRICES

(SEE B8)

ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.10		Concrete Curb Installation	CW 3240-R7				
	i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	30		
	ii)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	7		
E.11		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205,				
	a)	3 m to 30 m	SD-206A	m	145		
	b)	Greater than 30 m		m	65		
	ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	45		
	iii)	Curb Ramp (10mm ht, Integral)	SD-229C,D	m	45		
E.12		Supply and Installation of Dowel Assemblies	CW 3310-R12	m	65		
E.13		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
	a)	Type IA		tonne	240		
	ii)	Tie-ins and Approaches					
	a)	Type IA		tonne	35		
E.14		Planing of Pavement	CW 3450-R5				
	i)	0 - 50 mm Depth (Asphalt)		m²	60		
		ROADWORKS - NEW CONSTRUCTION					
E.15		100 mm Concrete Sidewalk	CW 3325-R2	m²	15		
		JOINT AND CRACK SEALING					
E.16		Reflective Crack Maintenance	CW 3250-R6	m	430		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.17		Replacing Standard Frames & Covers	CW 2130-R11				
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
	,	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		

The City of Winnipeg Bid Opportunity 12-2008

## FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
E.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
E.19	Lifter Rings	CW 3210-R7				
i)	51mm		each	1		
E.20	Adjustment of Valve Boxes	CW 3210-R7	each	1		
E.21	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
	LANDSCAPING					
E.22	Sodding	CW 3510-R9				
i)	width < 600mm		m²	60		
ii)	width > or = 600mm		m²	800		
Е	ANTRIM ROAD from Rockspur Street to Lo	ouelda Street		I	Subtotal:	

ITEN	M 	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F		ARDEN AVENUE from Triton Bay to Darwi	n Street				
		EARTH AND BASE WORKS					
=.1		Excavation	CW 3110-R10	m³	20		
F.2		Supplying and Placing Base Course Material	CW 3110-R10, E10	m³	40		
3		Grading of Boulevards	CW 3110-R10	m²	1000		
		ROADWORKS - REMOVAL/RENEWALS					
=.4		Pavement Removal	CW 3110-R10				
	i)	Concrete Pavement		m²	140		
F.5		Slab Replacement	CW 3230-R6				
	i)	150 mm Concrete Pavement (Reinforced)		m²	415		
<del>-</del> .6		Partial Slab Patches	CW 3230-R6				
	i)	150 mm Concrete Pavement (Type B)		m²	35		
	ii)	150 mm Concrete Pavement (Type C)		m²	30		
	iii)	150 mm Concrete Pavement (Type D)		m²	300		
=.7		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	215		
F.8		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	340		
F.9		Miscellaneous Concrete Slab Removal	CW 3235-R6				
	i)	Sidewalk		m²	270		
=.10		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
	a)	5 sq.m. to 20 sq.m.		m²	30		
	b)	Greater than 20 sq.m.		m²	50		
₹.11		Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	1		

# FORM B: PRICES

(SEE B8)

ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.12		Concrete Curb Removal	CW 3240-R7				
	i)	Barrier (Separate)		m	25		
	ii)	Curb Ramp		m	7		
F.13		Concrete Curb Installation	CW 3240-R7				
	i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	25		
	ii)	Lip Curb (75mm ht, Integral)	SD-202A	m	5		
F.14		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205,				
	a)	Less than 3 m	SD-206A	m	5		
	b)	3 m to 30 m		m	345		
	c)	Greater than 30 m		m	135		
	ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	3		
	iii)	Curb Ramp (10mm ht, Integral)	SD-229C,D	m	4		
F.15		Regrading Existing Interlocking Paving Stones	CW 3330-R4	m²	8		
F.16		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
	a)	Type IA		tonne	360		
	ii)	Tie-ins and Approaches					
	a)	Type IA		tonne	35		
		ROADWORKS - NEW CONSTRUCTION					
F.17		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12				
	i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	140		
F.18		100 mm Concrete Sidewalk	CW 3325-R2	m²	360		
		JOINT AND CRACK SEALING					
F.19		Reflective Crack Maintenance	CW 3250-R6	m	640		

UNIT P			CDEC	LINUT	ADDDOV	LINIT DDICE	AMOUNT
ITEN	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
.20		Catch Pit	CW 2130-R11				
	i)	SD-023		each	1		
.21		Remove and Replace Existing Catch Basin	CW 2130-R11				
	i)	SD-024		each	1		
.22		Sewer Service	CW 2130-R11				
	i)	250mm					
	a)	in a Trench, Class B Bedding with Sand, Class 2 Backfill		m	2		
.23		Drainage Connection Pipe	CW 2130-R11	m	6		
F.24		Replacing Standard Frames & Covers	CW 2130-R11				
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	10		
	ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
	iii)	AP-006 - Standard Grated Cover for Standard Frame		each	8		
.25		Connecting to Existing Catch Basin	CW 2130-R11				
	i)	250mm Drainage Connection Pipe		each	1		
.26		Installation of Subdrains	CW 3120-R2	m	72		
		ADJUSTMENTS					
27		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
.28		Replacing Existing Risers	CW 2130-R11				
	i)	Pre-cast Concrete Risers		vert. m	1		
.29		Lifter Rings	CW 3210-R7				
	i)	38mm		each	4		
	ii)	51mm		each	6		
	iii)	64mm		each	1		
		76mm		each	1		
	,				·		

The City of Winnipeg Bid Opportunity 12-2008

### FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
F.30	Adjustment of Valve Boxes	CW 3210-R7	each	2		
F.31	Adjustment of Curb Stop Boxes	CW 3210-R7	each	13		
F.32	Curb Stop Extensions	CW 3210-R7	each	7		
	LANDSCAPING					
F.33	Sodding	CW 3510-R9				
i)	width < 600mm		m²	100		
ii)	width > or = 600mm		m²	900		
	MISCELLANEOUS					
F.34	Existing Manhole and Catch Basin Repairs	CW 2130-R11				
i)	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks		each	1		
F	ARDEN AVENUE from Triton Bay to Darwin Street				Subtotal:	

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G		KINGSWOOD AVENUE from St. Mary's Roa	ad to St. Thoma	s Road			
		EARTH AND BASE WORKS					
<b>3.1</b>		Excavation	CW 3110-R10	m³	30		
G.2		Supplying and Placing Base Course Material	CW 3110-R10, E10	m³	40		
<b>3</b> .3		Grading of Boulevards	CW 3110-R10	m²	1300		
		ROADWORKS - REMOVAL/RENEWALS					
G.4		Pavement Removal	CW 3110-R10				
	i)	Concrete Pavement		m²	120		
G.5		Slab Replacement	CW 3230-R6				
	i)	150 mm Concrete Pavement (Reinforced)		m²	175		
3.6		Partial Slab Patches	CW 3230-R6				
	i)	150 mm Concrete Pavement (Type B)		m²	35		
	ii)	150 mm Concrete Pavement (Type C)		m²	10		
	iii)	150 mm Concrete Pavement (Type D)		m²	55		
3.7		Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
	i)	150 mm Concrete Pavement (Reinforced)		m²	300		
3.8		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	150		
<b>3</b> .9		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	250		
G.10		Miscellaneous Concrete Slab Removal	CW 3235-R6				
	i)	Sidewalk		m²	416		
G.11		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
	a)	5 sq.m. to 20 sq.m.		m²	25		
	b)	Greater than 20 sq.m.		m²	165		

# FORM B: PRICES

(SEE B8)

ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.12		Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	13		
G.13		Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	3		
G.14		Concrete Curb Removal	CW 3240-R7				
	i)	Barrier (Separate)		m	21		
6.15		Concrete Curb Installation	CW 3240-R7				
	i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	21		
6.16		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m	SD-200A	m	5		
	b)	3 m to 30 m		m	100		
	c)	Greater than 30 m		m	210		
	ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	21		
	iii)	Curb Ramp (10mm ht, Integral)	SD-229C,D	m	18		
.17		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
	a)	Type IA		tonne	275		
	ii)	Tie-ins and Approaches					
	a)	Type IA		tonne	30		
		ROADWORKS - NEW CONSTRUCTION					
5.18		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12				
	i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	120		
5.19		100 mm Concrete Sidewalk	CW 3325-R2	m²	525		
		JOINT AND CRACK SEALING					
.20		Reflective Crack Maintenance	CW 3250-R6	m	450		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
G.21	Replacing Standard Frames & Covers	CW 2130-R11				
i	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii	AP-005 - Standard Solid Cover for Standard Frame		each	4		
iii	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	4		
v	AP-009 - Barrier Curb and Gutter Inlet Cover		each	4		
	ADJUSTMENTS					
G.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
G.23	Replacing Existing Risers	CW 2130-R11				
i	Pre-cast Concrete Risers		vert. m	1		
G.24	Lifter Rings	CW 3210-R7				
i	38mm		each	1		
ii	51mm		each	2		
iii	64mm		each	1		
iv	76mm		each	1		
G.25	Adjustment of Valve Boxes	CW 3210-R7	each	3		
G.26	Valve Box Extensions	CW 3210-R7	each	1		
G.27	Adjustment of Curb Stop Boxes	CW 3210-R7	each	22		
G.28	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
G.29	Curb Stop Extensions	CW 3210-R7	each	10		
	LANDSCAPING					
G.30	Sodding	CW 3510-R9				
i	width < 600mm		m²	200		
ii	width > or = 600mm		m²	1100		
G	KINGSWOOD AVENUE from St. Mary's Ro	ad to St. Thoma	as Road	<u> </u>	Subtotal:	

# FORM B: PRICES

(SEE B8)

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Н		WEATHERSTONE PLACE SOUTH LEG from Weatherstone Place West Leg		oulevard			
		EARTH AND BASE WORKS					
H.1		Excavation	CW 3110-R10	m³	45		
H.2		Sub-Grade Compaction	CW 3110-R10	m²	200		
H.3		Crushed Sub-base Material	CW 3110-R10				
	i)	50 mm - Limestone		tonne	65		
H.4		Supplying and Placing Base Course Material	CW 3110-R10, E10	m³	15		
H.5		Grading of Boulevards	CW 3110-R10	m²	850		
H.6		Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	200		
		ROADWORKS - REMOVAL/RENEWALS					
H.7		Pavement Removal	CW 3110-R10				
	i)	Concrete Pavement		m²	155		
H.8		Slab Replacement	CW 3230-R6				
	i)	150 mm Concrete Pavement (Reinforced)		m²	380		
H.9		Partial Slab Patches	CW 3230-R6				
	i)	150 mm Concrete Pavement (Type A)		m²	5		
	ii)	150 mm Concrete Pavement (Type B)		m²	45		
	iii)	150 mm Concrete Pavement (Type C)		m²	10		
	iv)	150 mm Concrete Pavement (Type D)		m²	20		
H.10		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	300		
H.11		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	230		

ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H.12		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	3		
	b)	5 sq.m. to 20 sq.m.		m²	8		
l.13		Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	50		
.14		Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	10		
.15		Concrete Curb Removal	CW 3240-R7				
	i)	Mountable Curb (Integral)		m	480		
l.16		Concrete Curb Installation	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205	m	465		
	ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	15		
l.17		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205,				
	a)	Less than 3 m	SD-206A	m	5		
	ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	10		
	iii)	Curb Ramp (10mm ht, Integral)	SD-229C,D	m	7		
l.18		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
	a)	Type IA		tonne	325		
	ii)	Tie-ins and Approaches					
	a)	Type IA		tonne	35		
l.19		Planing of Pavement	CW 3450-R5				
	i)	0 - 50 mm Depth (Asphalt)		m²	60		
		ROADWORKS - NEW CONSTRUCTION					
1.20		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12				
	i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	155		

UNIT PRI				T	T	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
H.21	Reflective Crack Maintenance	CW 3250-R6	m	650		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
H.22	Remove and Replace Existing Catch Basin	CW 2130-R11				
i	SD-024		each	3		
H.23	Remove and Replace Existing Catch Pit	CW 2130-R11				
i	SD-023		each	1		
H.24	Sewer Service	CW 2130-R11				
i	250mm					
а	in a Trench, Class B Bedding with Sand, Class 2 Backfill		m	20		
H.25	Drainage Connection Pipe	CW 2130-R11	m	8		
H.26	Replacing Standard Frames & Covers	CW 2130-R11				
i	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii	AP-005 - Standard Solid Cover for Standard Frame		each	2		
H.27	Connecting to Existing Manhole	CW 2130-R11				
i	250mm Catch Basin Lead		each	2		
H.28	Installation of Subdrains	CW 3120-R2	m	48		
	ADJUSTMENTS					
H.29	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
H.30	Lifter Rings	CW 3210-R7				
i	51mm		each	1		
ii	64mm		each	1		
H.31	Adjustment of Valve Boxes	CW 3210-R7	each	2		
ł		l	l			

The City of Winnipeg Bid Opportunity 12-2008

#### FORM B: PRICES

(SEE B8)

	INI	-	PR	-	-c
ı	11/1		PK	11.1	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
	LANDSCAPING								
H.32	Sodding	CW 3510-R9							
i)	width < 600mm		m²	50					
ii)	width > or = 600mm		m²	800					
	WEATHERSTONE PLACE SOUTH LEG from	l to							
Н	Weatherstone Place West Leg		Subtotal:						
	SUMMARY								
PART 1	CITY FUNDED WORK								
Α	GATEWAY ROAD from Sun Valley Drive to		Subtotal:						
В	HIGHFIELD STREET from Tache Avenue to		Subtotal:						
С	McLEOD AVENUE from Louelda Street to 3	Subtotal:							
D	ROUGEAU AVENUE from Perry Bay West t		Subtotal:						
				(total p	orice) PART 1				
PART 2	PROVINCIALLY FUNDED WO	ORK (See D	2)						
E	ANTRIM ROAD from Rockspur Street to Lo	uelda Street			Subtotal:				
F	ARDEN AVENUE from Triton Bay to Darwin	n Street			Subtotal:				
G	KINGSWOOD AVENUE from St. Mary's Roa				Subtotal:				
Н	WEATHERSTONE PLACE SOUTH LEG from Weatherstone Place West Leg	n Lakewood Bo	oulevard	l to	Subtotal:				
				(total p	orice) PART 2				
TOTAL BII	O PRICE (GST extra)			(in figures)					
TOTAL BID PRICE (GST extra) (in figures)									
(in words)									

(Seal)

Template Version: C420071218

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS T	HAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten perc	and firmly bound unto <b>THE CITY OF WINNIPEG</b> (cent (10%) of the Total Bid Price set out in the Bid he Principal and Surety bind themselves, their heirs, ntly and severally, firmly by these presents.	hereinafter
WHEREAS the Principal has submitted a Bi	d to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 12-2008		
	IIPEG 2008 RESIDENTIAL STREET RENEWALS PA ER LOCATIONS, PART 2 – ANTRIM ROAD AND VA	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a Coperformance security for guaranteeing the faithful pebut otherwise shall remain in full force and effect.	ntract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:  (Witness)	(Name of Principal) Per:	(Seal)
(vviii1655)	(Name of Surety)	

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for **BID OPPORTUNITY NO. 12-2008** PROVINCE OF MANITOBA/CITY OF WINNIPEG 2008 RESIDENTIAL STREET RENEWALS PART1 -ROUGEAU AVENUE AND VARIOUS OTHER LOCATIONS, PART 2 - ANTRIM ROAD AND VARIOUS OTHER LOCATIONS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1	
RE: BID SECURITY – BID OPPORTUNITY NO. 12-2008	
PROVINCE OF MANITOBA/CITY OF WINNIPEG 2008 RESIDENTIAL STREET RENEWALS PART1 – ROUGEAU AVENUE AND VARIOUS OTHER LOCATIONS, PART 2 – ANTRIM ROAD AND VARIOUS OTHER LOCATIONS	
Pursuant to the request of and for the account of our customer,	
(Name of Bidder)	,
(Address of Bidder)  WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceed in the aggregate	gnik
Canadian dolla	ırs.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon wridemand for payment made upon us by you. It is understood that we are obligated under this Stan Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand payment without inquiring whether you have a right as between yourself and our customer to make seemand and without recognizing any claim of our customer or objection by the customer to payment by	dby for uch
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn us to by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it made.	
Partial drawings are permitted.	
We engage with you that all demands for payment made within the terms and currency of this Stan Letter of Credit will be duly honoured if presented to us at:	dby
(Address)	
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by	us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 7<sup>th</sup> 2008.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)