



BOOK OF MEMORIES FOUNDATION (QTY.1)


NOTES:

- 1. ALL REINFORCING TO BE EPOXY COATED
- 2. CONCRETE TO BE 30MPa 28DAYS, TYPE 50, SULFATE RESISTANT, MAX 20mm AGG., MIN. 40mm COVER UNLESS NOTED OTHERWISE
- 3. AIR ENTRAINMENT 4 TO 7 % AS PER CSA A23-1
- 4. PROVIDE LIGHT BROOM FINISH OF PATTERNED AND COLOURED FINISH TO CONCRETE SLABS/FOUNDATION TOPS AS SPECIFIED IN DETAILS
- 5. VOID FORMS, IF SPECIFIED UNDER SLAB, TO BE WAXMAT CARDBOARD OR EQUAL
- 6. ALL CONCRETE WORK TO BE DONE IN ACCORDANCE WITH CSA A23-1
- 7. SPLICES IN REINFORCING SHALL OVERLAP BY 300mm MIN.
- 8. BACKFILL IN LAYERS PLACED SIMULTANEOUSLY TO BALANCE LOADING. COMPACT TO 98% SPD





ESTATE COLUMBARIUM FOUNDATION (QTY.8)



OG
O5
O4
O3
O2 O3/31/O8 REVISED FOR TENDER
O1 O9/20/OG REVISED FOR CLIENT REVIEW
No. DATE
DESCRIPTION
BY API

REVISIONS

All drawings, specifications and related documents are the copyright property of the Consultant and must be returned upon request. Reproduction of same in part or in whole is forbidden without the Consultant's written permission.
Only those drawings signed under original signature by an authorized representative of Hilton Landmarks Inc. are considered true copies.

NOTES + LEGEND



Contractor must check and verify all dimensions and elevations on the job. Report any discrepancies to the Consultant. Do not scale drawing.




Project

ST. VITAL
CREMATION GARDEN
SITE WORKS CONTRACT

WINNIPEG, MANITOBA

Drawing

PHASE TWO FOUNDATION DETAILS



Design By: A.H./R.H. Project No. 99048-05

Drawn By: A.H. Date: November. 2006

Checked By: CAD File: 98048DD L-1

Drawing No. Sheet No. D-1 D-1