



238-2008 ADDENDUM 1

ROOF REPLACEMENT AT PARK CITY WEST COMMUNITY CENTRE 115 SANFORD FLEMING ROAD

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: March 20, 2008
BY: Coleen Groening
TELEPHONE NO. (204) 986-2491

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Revise: E4.18 to read:

Fascia shall be cladded with 26ga. steel; color to be selected by Contract Administrator. Install new continuous 26 ga. steel prefinished 5" eave trough and down pipes. The down pipes are to be tucked up tight to the underside of the roof overhand with only minimal slope provided for drainage. Structural steel bottom sections are to be installed on all new down pipes. Structural steel sections are to be fabricated as detailed. A sample section of trough is to be submitted for approval before being installed. Down pipe locations are to be installed in the approximate locations indicated on the roof plan. The exact locations are to be determined on site by the Contract Administrator.