



## 327-2008 ADDENDUM 2

### CONSTRUCTION OF A NEW FUELING FACILITY DISTRICT 6 PUBLIC WORKS YARD, 1539 Waverley St.

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

ISSUED: May 22, 2008  
BY: Ajaleigh Williams  
TELEPHONE NO. (204) 986-7879

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20070419

---

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

---

#### **PART E – SPECIFICATIONS**

Delete: E2.1(e)

Delete: E2.1(f)

Revise: E2.3 (a) to read

(a) Sub-Grade, Sub-Base and Base Course Construction

Supply materials and carryout work as specified in CW3110-R10 as modified below and in accordance with the drawings.

- (1) Excavate to a minimum of 300 mm below bottom of concrete or asphalt to be provided.
- (2) Compact subgrade.
- (3) Provide minimum 150 mm compacted sub-base material and sub-base material shall be crushed sub-base material 50 mm MAX.AGG. per TABLE CW3110.1
- (4) Provide minimum 150 mm compacted base course material and base course material shall be material per TABLE CW3110.2

Delete: E2.3(d)