5.

Offer

FORM A: BID (See B8)

		(000 00)		
1.	Contract Title	2008 WATERMAIN RENEW EXTERNAL POINT REPAIR CONTRACT NO. 7	AL, COMBINED SEWER RENEW S	/ALS AND
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		•
		carrying on business under	the above name.	4
3.	Contact Person	The Bidder hereby authoriz the Bidder for purposes of the	es the following contact person to ee Bid.	represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used ascribed to them in the Gen	in the Contract shall have the eral Conditions.	meanings

Prices, appended hereto.

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B:

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		· · · · · · · · · · · · · · · · · · ·
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official of officials have signed this
		day of , 20 ,
·	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
				100/11/11/1	THOL	
A. Nes A. 1	s Avenue - Moorgate St to Belvidere St Watermain Renewal	CW 2110		I I		Control of the State of the Sta
л. · a)	300mm	CVV 2110				
	trenchless installation, Class B sand		m	6.0		
L١	bedding, Class 3 backfill					
	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	400.0		
	trenchless installation, Class B sand bedding, Class 5 backfill		m	5.0		
	200mm trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	5.0		
d) i)	150mm trenchless installation, Class B sand		m	60.0		
A. 2	bedding, Class 3 backfill Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
A. 3	Watermain Valve	CW 2110				
a)	300mm		each	1		
b)	250mm		each ⁻	4		
c)	200mm		each	1		
d)	150mm		each .	3		
A. 4	Fittings	CW 2110				
a)	Tees					
i)	300mm X 300mm X 250mm		each	2	I	
ii)	250mm X 250mm X 200mm	·	each	2		
iii)	250mm X 250mm X 150mm		each	3		
iv)	250mm X 250mm X 250mm		each	3		
b)	Bends (SD-004)					
i)	150mm - 45° bend		each	4		
ii)	250mm - 90° bend		each	3		
iii)	200mm - 45° bend		each	2		

(See B9)

2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

UNIT PRICES

Common		L		(Ness Avenu	e - Subtotal	
i) 150mm - 45° bend d) Reducers i) 250mm-150mm each 3 each 1 250mm-200mm A. 5 Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing i) 150mm each 6 each 3 each 6 each 3 iii) 250mm each 3 each 2 A. 6 10.9 Kilogram Sacrificial Zinc Anodes CW 2110 On Metallic Watermains A. 7 Partial Slab Patches a) 150mm reinforced concrete pavement b) 200mm reinforced concrete pavement b) 200mm reinforced concrete pavement CW 2110 E4 Sidewalk (SD-228A) A. 9 Concrete Curb Renewal a) Barrier Curb (SD-204) m 10.0	c)	Curb Ramp		m	5.0		
i) 150mm - 45° bend d) Reducers i) 250mm-150mm each 3 each 1 A. 5 Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing i) 150mm each 6 each 3 iii) 250mm iii) 250mm each 3 iiii) 250mm each 3 iii) 250mm each 3 each 4 A. 6 10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains A. 7 Partial Slab Patches a) 150mm reinforced concrete pavement b) 200mm reinforced concrete pavement A. 8 Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) A. 9 Concrete Curb Renewal CW 2110 E4	b)	Modified Barrier Curb		m	5.0		
150mm - 45° bend each 2	a)	Barrier Curb (SD-204)		m	10.0		
i) 150mm - 45° bend d) Reducers i) 250mm-150mm each 3 each 1 A. 5 Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing i) 150mm each 6 ii) 200mm each 3 each 3 each 3 each 3 each 4 A. 6 10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains A. 7 Partial Slab Patches a) 150mm reinforced concrete pavement b) 200mm reinforced concrete pavement A. 8 Miscellaneous Concrete Slab Renewal CW 2110 E4 each 2 CW 2110 each 4 Each 3 each 2 CW 2110 each 2 CW 2110 E4 m² 20.0 m² 25.0	A. 9	Concrete Curb Renewal	CW 2110 E4				
i) 150mm - 45° bend d) Reducers i) 250mm-150mm each 3 each 1 A. 5 Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing i) 150mm each 6 each 3 each 6 each 3 each 6 each 3 each 4 A. 6 10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains A. 7 Partial Slab Patches a) 150mm reinforced concrete pavement b) 200mm reinforced concrete pavement b) 250mm each 2 CW 2110 E4 m² 20.0 m² 25.0		Sidewalk (SD-228A)		m^2	30.0		
i) 150mm - 45° bend each 2 Reducers i) 250mm-150mm each 3 ii) 250mm-200mm A. 5 Connecting to Existing Watermains and Large Diameter Water Services Inlline Connection - No Plug Existing i) 150mm each 6 ii) 200mm each 3 iii) 250mm each 3 iii) 250mm each 3 iii) 250mm each 2 A. 6 10.9 Kilogram Sacrificial Zinc Anodes CW 2110 On Metallic Watermains A. 7 Partial Slab Patches a) 150mm reinforced concrete pavement m² 20.0	A. 8	Miscellaneous Concrete Slab Renewal	CW 2110 E4				
i) 150mm - 45° bend d) Reducers each 2 250mm-150mm each 3 each 1 A. 5 Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing i) 150mm each 6 each 3 each 6 each 3 iii) 250mm each 3 each 4 A. 6 10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains A. 7 Partial Slab Patches CW 2110 E4	b)	200mm reinforced concrete pavement		m^2	25.0	•	
i) 150mm - 45° bend each 2 d) Reducers i) 250mm-150mm each 3 ii) 250mm-200mm each 1 A. 5 Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing i) 150mm each 6 ii) 200mm each 3 iii) 250mm iii) 250mm each 3 iv) 300mm A. 6 10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains CW 2110 each 4	a)	150mm reinforced concrete pavement	And the second of the second o	m ²	20.0		
i) 150mm - 45° bend each 2 d) Reducers i) 250mm-150mm each 3 ii) 250mm-200mm each 1 A. 5 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm each 6 ii) 200mm each 3 iii) 250mm iii) 250mm each 3 iv) 300mm A. 6 10.9 Kilogram Sacrificial Zinc Anodes CW 2110	A. 7	Partial Slab Patches	CW 2110 E4				
i) 150mm - 45° bend each 2 d) Reducers i) 250mm-150mm each 3 ii) 250mm-200mm each 1 A. 5 Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing i) 150mm each 6 ii) 200mm each 3 iii) 250mm each 3 iv) 300mm each 2		On Metallic Watermains		each	. 4		
i) 150mm - 45° bend each 2 d) Reducers i) 250mm-150mm each 3 ii) 250mm-200mm A. 5 Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing i) 150mm each 6 ii) 200mm each 3 iii) 250mm	A. 6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
i) 150mm - 45° bend d) Reducers each 2 l) 250mm-150mm each 3 each 1 each 1 Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing i) 150mm each 6 each 3	iv)	300mm	***************************************	each	2		
i) 150mm - 45° bend each 2 d) Reducers i) 250mm-150mm each 3 ii) 250mm-200mm each 1 A. 5 Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing i) 150mm each 6	iii)	250mm		each	3		
i) 150mm - 45° bend each 2 d) Reducers i) 250mm-150mm each 3 ii) 250mm-200mm each 1 A. 5 Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing	ii)	200mm	, et al. 1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (each	3		
i) 150mm - 45° bend each 2 d) Reducers i) 250mm-150mm each 3 ii) 250mm-200mm each 1 A. 5 Connecting to Existing Watermains and Large Diameter Water Services	i)	150mm		each	6		
i) 150mm - 45° bend each 2 d) Reducers i) 250mm-150mm each 3		Large Diameter Water Services	CW 2110				
i) 150mm - 45° bend each 2 d) Reducers	ii)	250mm-200mm		each	1		
i) 150mm - 45° bend each 2	i)	250mm-150mm		each	3		
	d)	Reducers					
c) Bends (SD-005)	i)	150mm - 45° bend		each	2		
REF. QUANTITY PRICE	c)	Bends (SD-005)	174.3 3		QUARTITI	PRICE	

Name of Bidder

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
3. Kno	ox Street - 1st MH N of Portage Ave to				1700	
	a Avenue			·	······································	
3. 1	Combined Sewer Renewal	CW 2130				
a)	250mm C76-V or SDR 35 PVC	X				
i)	trenchless installation, Class B sand		m	235.0		
3. 2	bedding, Class 3 backfill Manholes	CW 2130				
a)	SD-010					
i)	1200mm Base		v.m.	11.0		
3. 3	Sewer Services	CW 2130		Barrer Control		,
a)	150mm			175.0		
1)	trenchless installation, Class B bedding, Class 3 backfill	:	m	175.0		
3. 4	Connecting New Sewer Services to	CW 2130				
a)	Existing Sewer Services 150 mm		each	13		
3. 5	Connecting to Existing Manhole	CW 2130	Cucii	10		
	250 mm	CW 2130	each	1		
3. 6	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimeters	CW 2130				
a)	250mm		each	2		
3. 7	Abandoning Existing Manholes	CW 2130	each	2		
3. 8	Sewer Cleaning	CW 2140				
a)	Combined Sewers					
i)	250mm (Warranty)		m	235.0		
3. 9	Sewer Inspection	CW 2145				
a)	Combined Sewers					
i)	250mm (New Sewer)	MANAGE	m	235.0		
ii)	250mm (Warranty)		m	235.0		
	Manhole Inspection	CW 2145				
,	New Manholes Replacing Standard Frames and Covers	CW 2130	each	3		
a)	Standard Frame (AP-004)	CVV 2130	each	1		
b)	Standard Solid Cover (AP-005)	01/4/04/02	each	2		
3. 12 3. 13	Patching Existing Manholes Grout Manhole Benching	CW 2130 CW 2130	v.m. each	0.5		
3. 14	Partial Slab Patches	CW 2130				
a)	150mm reinforced concrete pavement		m ²	95.0		
3. 15 a)	Concrete Curb Renewal Barrier Curb (SD-204)	CW 2130	m	40.0		
a)	Dainer Odib (OD-204)		m	40.0		

The City of Winnipeg Bid Opportunity No. 391-2008 Addendum 3 Template Version: C120070404

Bid Submission Page 7 of 28

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

В. 16	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 2130	m ²	95.0	711102	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

[PRICES	SPEC.		TARREAVI	LIKUT	<u> </u>	
ITEM	DESCRIPTION	REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT	
	odlands Cresent (East Leg) - 4th MH S of						
Portag	ge Ave to 2nd MH S of Portage Ave Combined Sewer Renewal (On-line)	CW 2130		1	·		
ļ	, , ,	CVV 2 130					
ĺ	250mm C76-V or SDR 35 PVC in a trench, Class B sand bedding, Class 3 backfill		m	50.0			
C. 2 a)	Manholes SD-010	CW 2130					
i)	1200mm Base		v.m.	3.5			
C. 3	Connecting Existing Sewer Service to New Sewer	CW 2130					
(C. 4	150 mm Remove Existing Manhole	CW 2130	each each	5			
C. 5	Connecting to Existing Sewer New 250mm C76-V or SDR 35 PVC	CW 2130		1000000			
i)	To Existing 250mm Concrete	:	each	2	:		
C. 6 a)	Sewer Cleaning Combined Sewers	CW 2140					
i)	250mm (Warranty)		m	190.0			
C. 7	Sewer Inspection	CW 2145					
a)	Combined Sewers	!					
i)	250mm (New Sewer)		m	190.0			
ii)	250mm (Warranty)		m	190.0			
C. 8 C. 9 C. 10	Patching Existing Manholes Replacing Existing Manhole Rungs Water Services	CW 2130 CW 2130 CW 2110	v.m. each	0.5			
a)	19mm						
i) C. 11	trenchless installation, Class B sand bedding, Class 3 backfill Corporation Stops	CW 2110	m	30.0			
a)	19mm		each	2			
C. 12	Curb Stops	CW 2110	Cacii			1	
a)	19mm	000 2110	each	2		1	
•	Curb Stop Boxes	CW 2110	Gacii	2			
a)	19mm	OVV ZIIU					
,		0)4/ 0400	each	2			
	Partial Slab Patches	CW 2130	_				
a)	150mm reinforced concrete pavement		m ²	80.0			
W			Wood	lands Cres S	t Sub-total		
	vvoodiairus cies st sup-total						

(See B9)

2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
D. Ban	croft By (W Leg) (Sewer ID MA20000622)			100/4(1//1)	TRIOL	
MH200	00547 to MH20000549					
	Sewer Cleaning	CW 2140				
,	Wastewater Sewers					
·	250mm (Post Repair)		m	54.0		
	250mm (Warranty)		m	54.0		
D. 2	Sewer Inspection	CW 2145				
a)	Wastewater Sewers					
i)	250mm (Post Repair)		m	54.0		
ii)	250mm (Warranty)		m	54.0		
D. 3	Sewer Repair - Up to 3 Meters Long	CW 2130				
a)	250mm SDR 35 PVC or C76-V					
i)	Class 3 backfill		each	1.0		
D. 4	Watermain Renewal	CW 2110				
a)	150mm					
	trenchless installation, Class B sand bedding, Class 3 backfill Fittings	CW 2110	m	3.0		
	Bends (SD-005)					
	150mm - 45° bend		each	4		
	Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing	CW 2110		,		
i)	150mm		each	2.		
0.7	Watermain Insulation	CW 2110				
a)	Under Roadway Excavation (SD-018)					
i)	75mm thick x 1200mm wide		m	6		
- 1	Partial Slab Patches	CW 2110				
a)	150mm reinforced concrete pavement		m ²	25.0		
0. 9	Concrete Curb Renewal	CW 2110		- The state of the	***	
a)	Modified Barrier Curb		m	5.0		
	Bancroft	t By (W Leg) (Sewer ID	MA20000622)	- Subtotal	

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

oft By (N Leg) (Sewer ID MA20000626) 646 to MH20000551 ewer Cleaning astewater Sewers fomm (Post Repair) fomm (Warranty) ewer Inspection	REF. CW 2140	m	QUANTITY	PRICE	
ewer Cleaning astewater Sewers 0mm (Post Repair) 0mm (Warranty)	CW 2140	m			
astewater Sewers 0mm (Post Repair) 0mm (Warranty)	CVV 2140	m			
0mm (Post Repair) 0mm (Warranty)	The state of the s	m			
0mm (Warranty)		m	l		
			85.0		
ewer Inspection		m	85.0		
	CW 2145				
astewater Sewers					
0mm (Post Repair)		m	85.0		
0mm (Warranty)		m	85.0		
ewer Repair - Up to 3 Meters Long	CW 2130				
0mm SDR 35 PVC or C76-V					
ass 3 backfill		each	1.0		
atermain Renewal	CW 2110				
0mm					
enchless installation, Class B sand adding, Class 3 backfill tings	CW 2110	m	3.0		
ends (SD-005)				***	
0mm - 45° bend		each	4		
onnecting to Existing Watermains and rge Diameter Water Services ine Connection - No Plug Existing	CW 2110				
0mm .		each	2		ı
atermain Insulation	CW 2110				
Under Roadway Excavation (SD-018)					
75mm thick x 1200mm wide		m	6		
nrtial Slab Patches	CW 2110			.	l
0mm reinforced concrete pavement		m ²	25.0		l
oncrete Curb Renewal	CW 2110				
odified Barrier Curb	-	m	5.0		
a U	termain Insulation nder Roadway Excavation (SD-018) 75mm thick x 1200mm wide tial Slab Patches mm reinforced concrete pavement	termain Insulation CW 2110 nder Roadway Excavation (SD-018) 75mm thick x 1200mm wide tial Slab Patches CW 2110 mm reinforced concrete pavement ncrete Curb Renewal CW 2110	termain Insulation nder Roadway Excavation (SD-018) 75mm thick x 1200mm wide tial Slab Patches mm reinforced concrete pavement ncrete Curb Renewal CW 2110 m CW 2110	termain Insulation nder Roadway Excavation (SD-018) 75mm thick x 1200mm wide tial Slab Patches mm reinforced concrete pavement ncrete Curb Renewal CW 2110 m 6 CW 2110 m² 25.0	termain Insulation nder Roadway Excavation (SD-018) 75mm thick x 1200mm wide tial Slab Patches mmm reinforced concrete pavement ncrete Curb Renewal CW 2110 mm 6 CW 2110 mm² 25.0

(See B9)

2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT	
F. Buf	fie By (N Leg) (Sewer ID MA20001216)	REF.		QUANTITY	PRICE	eta da en 1888 kasterad en 11. groppeson	
MH200	001071 to MH20001075						
F. 1	Sewer Cleaning	CW 2140					
a)	Wastewater Sewers						
i)	200mm (Post Repair)		m	113.0			
ii)	200mm (Warranty)		m	113.0			
F. 2	Sewer Inspection	CW 2145			į		
a)	Wastewater Sewers						
i)	200mm (Post Repair)		m	113.0			
ii)	200mm (Warranty)		m	113.0			
F. 3	Sewer Repair - Up to 3 Meters Long	CW 2130			ļ		
a)	200mm SDR 35 PVC or C76-V						
i)	Class 3 backfill		each	1.0			
F. 5	Miscellaneous Concrete Slab Renewal	CW 2130					
	Sidewalk (SD-228A)		m ²	5.0			
	d	Buffie By (Sewer ID	MA20001216)	- Subtotal		
	stello Drive (Sewer ID MA20001241) MH200		20001101				
G. 1 a)	Sewer Cleaning Wastewater Sewers	CW 2140					
i)	250mm (Post Repair)		m	82.0			
ii) G. 2	250mm (Warranty) Sewer Inspection	CW 2145	m	82.0			
	· ·	CVV 2140					
	250mm (Post Repair)		m	82.0			
II) G. 3	250mm (Warranty) Sewer Repair - Up to 3 Meters Long	CW 2130	l m	82.0	1		
a)	250mm SDR 35 PVC or C76-V						
,	Class 3 backfill		each	1.0	111111111111111111111111111111111111111		
G. 4	Sewer Repair - In Addition to First 3.0 Meters Long	CW 2130			- Annual Control of the Control of t		
a)	250mm SDR 35 PVC or C76-V					:	
i)	Class 3 backfill		m	2.7			
G. 5	Connecting to Existing Manhole						
a)	250mm		each	1.0	red diversity.		
G. 6	Connecting Existing Sewer Service to New Sewer	CW 2130			a company		
a)	150mm		each	1.0			
		Costello Dr /	Sewer ID	MΔ20001241\	- Subtotal		
	Costello Dr (Sewer ID MA20001241) - Subtotal						

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	rgan Crescent (W Leg) (Sewer ID MA2000)1216 to N	1H20001193		
H. 1	Sewer Cleaning	CW 2140				
a)	Wastewater Sewers					
i)	200mm (Post Repair)		m	55.0		
ii)	200mm (Warranty)	Add washington and a second and	m	55.0		
H. 2	Sewer Inspection	CW 2145				
a)	Wastewater Sewers					
i)	200mm (Post Repair)		m	55.0		
ii)	200mm (Warranty)		m	55.0		
Н. 3	Sewer Repair - Up to 3 Meters Long	CW 2130				
a)	200mm SDR 35 PVC or C76-V					
i)	Class 3 backfill		each	1.0		
,	Sewer Repair - In Addition to First 3.0 Meters Long	CW 2130				
a)	200mm SDR 35 PVC or C76-V					
i)	Class 3 backfill		m	0.3		
H. 5	Connecting to Existing Manhole					
a)	200mm		each	1.0		·
		Morgan Cr (S	Sewer ID I	MA20001335)	- Subtotal	i

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

Street (Sewer ID MA20001531) 77 to MH20001378 ver Cleaning stewater Sewers umm (Post Repair) umm (Warranty) ver Inspection stewater Sewers umm (Post Repair)	CW 2140 CW 2145	m m	90.0		
ver Cleaning stewater Sewers umm (Post Repair) umm (Warranty) ver Inspection stewater Sewers umm (Post Repair)					
omm (Post Repair) omm (Warranty) over Inspection stewater Sewers omm (Post Repair)	CW 2145				
omm (Warranty) ver Inspection stewater Sewers omm (Post Repair)	CW 2145				
ver Inspection stewater Sewers mm (Post Repair)	CW 2145	m	90.0		
stewater Sewers mm (Post Repair)	CW 2145				í
mm (Post Repair)					
mm (Warranty)	1	m	90.0		
•		m	90.0	6	
ver Repair - Up to 3 Meters Long	CW 2130				
mm SDR 35 PVC or C76-V					
ss 3 backfill		each	1		
termain Renewal	CW 2110				
mm					
nchless installation, Class B sand iding, Class 3 backfill ngs	CW 2110	m	4.5		
nds (SD-005)			1		
mm - 45° bend		each	4		
nnecting to Existing Watermains and ge Diameter Water Services ne Connection - No Plug Existing	CW 2110				
mm		each	2		
termain Insulation	CW 2110				
nder Roadway Excavation (SD-018)					
75mm thick x 1200mm wide		m	6.0		
	CW 2110				
tial Slab Patches		m²	20.0		
t	mm ermain Insulation nder Roadway Excavation (SD-018)	ermain Insulation CW 2110 Inder Roadway Excavation (SD-018) 75mm thick x 1200mm wide Ial Slab Patches CW 2110	each ermain Insulation nder Roadway Excavation (SD-018) 75mm thick x 1200mm wide ial Slab Patches cw 2110 m	each 2 ermain Insulation CW 2110 nder Roadway Excavation (SD-018) 75mm thick x 1200mm wide ial Slab Patches CW 2110	ermain Insulation CW 2110 CW 2110 CW 2110 CW 2110 m 6.0 ial Slab Patches CW 2110

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT		
J. Stewart Street (Sewer ID MA20001558) MH20001400 to MH20001401								
J. 1	Sewer Cleaning	CW 2140						
a)	Wastewater Sewers							
i)	250mm (Post Repair)		m	90.0				
ii)	250mm (Warranty)		m	90.0				
i. 2	Sewer Inspection	CW 2145						
a)	Wastewater Sewers							
i)	250mm (Post Repair)		m	90.0				
ii)	250mm (Warranty)	<u>'</u>	m	90.0				
l. 3	Sewer Repair - Up to 3 Meters Long	CW 2130						
a)	250mm SDR 35 PVC or C76-V							
i)	Class 3 backfill		each	1				
1. 4	Connecting Existing Sewer Service to New Sewer	CW 2130						
a) 	150mm		each	3				
l. 5 `	Water Services	CW 2110						
a) 	19mm							
l) l. 6	trenchless installation, Class B sand bedding, Class 3 backfill Corporation Stops	CW 2110	m	20.0				
a)	19mm		each	1	. !			
	Curb Stops 19mm	CW 2110	each	1				
. 8	Curb Stop Boxes	CW 2110		The state of the s				
a)	19mm		each	1				
. 9	Partial Slab Patches	CW 2110				1		
a)	150mm reinforced concrete pavement		m^2	5.0				
. 10	Miscellaneous Concrete Slab Renewal	CW 2130						
a)	Sidewalk (SD-228A)		m ²	5.0				

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT				
	K. Lumsden Avenue (Sewer ID MA20001759) MH20001595 to MH20001613									
K. 1	Sewer Cleaning	CW 2140								
a)	Wastewater Sewers									
i)	300mm (Post Repair)		m	65.0						
ii)	300mm (Warranty)		m	65.0						
K. 2	Sewer Inspection	CW 2145								
a)	Wastewater Sewers									
i)	300mm (Post Repair)		m	65.0						
ii)	300mm (Warranty)		m	65.0						
K. 3	Sewer Repair - Up to 3 Meters Long	CW 2130								
a)	300mm SDR 35 PVC or C76-V									
i)	Class 3 backfill		each	1						
	Sewer Repair - In Addition to First 3.0	CW 2130								
	Meters Long 300mm SDR 35 PVC or C76-V									
i)	Class 3 backfill		m	4.5						
K. 5	Partial Slab Patches	CW 2130								
a)	150mm reinforced concrete pavement		m^2	15.0						
	Lu	msden Ave (S	Sewer ID I	// VIA20001759)	- Subtotal					

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT	
		REF.	UNIT	QUANTITY	PRICE	AMOUNT	
	iges Bay (Sewer ID MA20001839) 001716 to MH20001667						
L. 1	Sewer Cleaning	CW 2140					
a)	Wastewater Sewers						
i)	200mm (Post Repair)		m	50.0			
ii)	200mm (Warranty)		m	50.0			
L. 2	Sewer Inspection	CW 2145					
a)	Wastewater Sewers				•		
i)	200mm (Post Repair)		m	50.0			
ŧi)	200mm (Warranty)	***	m	50.0			
L. 3	Sewer Repair - Up to 3 Meters Long	CW 2130					
a)	200mm SDR 35 PVC or C76-V		1				
i)	Class 3 backfill		each	1			
L. 4	Partial Slab Patches	CW 2110					
a)	150mm reinforced concrete pavement		m ²	5.0	1		
Hedges Bay (Sewer ID MA20001839) - Subtotal							
M. Gib	eraltar By (W Leg) (Sewer ID						
MA200	001925) MH20001740 to MH20001764						
M. 1	Sewer Cleaning	CW 2140					
•	Wastewater Sewers						
	200mm (Post Repair)	1	m	50.0			
,	200mm (Warranty)		m	50.0			
M. 2	Sewer Inspection	CW 2145					
a)	Wastewater Sewers						
·	200mm (Post Repair)		m	50.0			
	200mm (Warranty)		m	50.0			
M. 3	Sewer Repair - Up to 3 Meters Long	CW 2130		***************************************			
-	200mm SDR 35 PVC or C76-V						
i)	Class 5 backfill		each	1	wer for the second		
M. 4	Connecting to Existing Manhole						
a)	200mm		each	1	ļ		
M. 5 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 2130	m²	5.0			
Gibraltar By (W Leg) (Sewer ID MA20001925) - Subtotal							

The City of Winnipeg Bid Opportunity No. 391-2008 Addendum 3

Template Version: C120070404

FORM B(R2): PRICES

(See B9)

2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
1	raltar By (N Leg) (Sewer ID MA20001948) 001762 to MH20001764							
N. 1	Sewer Cleaning	CW 2140						
a)	Wastewater Sewers							
j)	250mm (Post Repair)		m	55.0				
ii)	250mm (Warranty)		m	55.0				
N. 2	Sewer Inspection	CW 2145		*				
a)	Wastewater Sewers							
l i)	250mm (Post Repair)		m	55.0				
ii)	250mm (Warranty)		m	55.0				
N. 3	Sewer Repair - Up to 3 Meters Long	CW 2130						
a)	250mm SDR 35 PVC or C76-V							
i)	Class 5 backfill		each	2				
N. 4	Miscellaneous Concrete Slab Renewal	CW 2130						
a)	Sidewalk (SD-228A)		m ²	5.0				
	Gibraltar By (N Leg) (Sewer ID MA20001948) - Subtotal							

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT				
	O. Cavalier Drive (Sewer ID MA20002003) MH20001863 to MH20001810									
0.1	Sewer Cleaning	CW 2140								
a)	Wastewater Sewers									
i)	250mm (Post Repair)		m	85.0						
ii)	250mm (Warranty)		m	85.0						
0. 2	Sewer Inspection	CW 2145								
a)	Wastewater Sewers									
i)	250mm (Post Repair)		m	85.0						
ii)	250mm (Warranty)		m	85.0						
O. 3	Sewer Repair - Up to 3 Meters Long	CW 2130								
a)	250mm SDR 35 PVC or C76-V									
i)	Class 3 backfill		each	1.0		111111111111111111111111111111111111111				
	Cavalier Dr (Sewer ID MA20002003) - Subtotal									

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

	PRICES	SPEC.		APPROX.	UNIT	· · · · · ·
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	inak By (Sewer ID MA20002197)				3. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
	01896 to MH20002006 Sewer Cleaning	CW 2140	<u>,, , , , , , , , , , , , , , , , , , ,</u>			
a)	Wastewater Sewers			- Approximately		
i)	200mm (Post Repair)		m	80.08	- Italian in the state of the s	
ii)	200mm (Warranty)		m	80.0		
P. 2	Sewer Inspection	CW 2145				
a)	Wastewater Sewers					
i)	200mm (Post Repair)		m	80.0	direction	
ii)	200mm (Warranty)		m	80.0		
P. 3	Sewer Repair - Up to 3 Meters Long	CW 2130				
a)	200mm SDR 35 PVC or C76-V					
i)	Class 3 backfill		each	1.0		
- 1	Connecting Existing Sewer Service to New	CW 2130				
	Sewer 150mm		each	1		
P. 5	Watermain Renewal	CW 2110	,		-	
a)	150mm					
	trenchless installation, Class B sand		m	3.0	mart 6 de de la company de la	
	bedding, Class 3 backfill Fittings	CW 2110		and the same of th		
İ	Bends (SD-005)					
	150mm - 45° bend		each	4		
2. 7	Connecting to Existing Watermains and	CW 2110			desirable of the second	
	Large Diameter Water Services Inline Connection - No Plug Existing					
	150mm		each	2		
<u> </u>	Watermain Insulation	CW 2110	000			
a)	Under Roadway Excavation (SD-018)				- International Control of the Contr	
a) i)	75mm thick x 1200mm wide		m	6		
,	Partial Slab Patches	CW 2110				
	150mm reinforced concrete pavement		m²	10.0		
<i>'</i>	Concrete Curb Renewal	CW 2110				
a)	Modified Barrier Curb		m	5.0	***************************************	
Makinak By (Sewer ID MA20002197) - Subtotal						

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
Drive (W Leg) (Sewer ID MA20002230)		red was supposed to a surple as to see apply,		
039 to MH20002039 ewer Cleaning	CW 2140				
astewater Sewers					
0mm (Post Repair)		m	85.0		
0mm (Warranty)	:	m	85.0		
wer Inspection	CW 2145		00.0		
astewater Sewers					
0mm (Post Repair)		m	85.0		
0mm (Warranty)	· ·	m	85.0		
wer Repair - Up to 3 Meters Long	CW 2130	111			
0mm SDR 35 PVC or C76-V	01, 2,00				
ass 3 backfill		each	2		
atermain Renewal	CW 2110	00011		·	
0mm	0., 2, 10				
nchless installation, Class B sand dding, Class 3 backfill tings	CW 2110	m	3.0		
ends (SD-005)					
0mm - 45° bend		each	4		
onnecting to Existing Watermains and rge Diameter Water Services ine Connection - No Plug Existing	CW 2110				
0mm		each	2		
atermain Insulation	CW 2110				
Under Roadway Excavation (SD-018)					
75mm thick x 1200mm wide		m	6.0		
rtial Slab Patches	CW 2110				
0mm reinforced concrete pavement		m ²	5.0		
ncrete Curb Renewal	CW 2110				
odified Barrier Curb		m	5.0		
ncrete (Curb Renewal Barrier Curb	Curb Renewal CW 2110 Barrier Curb	Curb Renewal CW 2110 m	Curb Renewal CW 2110 m 5.0	Curb Renewal CW 2110

FORM B(R2): PRICES

(See B9)

2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
	nitou By (S Leg) (Sewer ID MA20003920) 003668 to MH20003595	**************************************						
R. 1	Sewer Cleaning	CW 2140						
a)	Wastewater Sewers		1					
i)	200mm (Post Repair)		m	70.0				
ii)	200mm (Warranty)		m	70.0				
R. 2	Sewer Inspection	CW 2145						
a)	Wastewater Sewers							
i)	200mm (Post Repair)		m	70.0				
ii)	200mm (Warranty)		m	70.0				
R. 3	Sewer Repair - Up to 3 Meters Long	CW 2130						
a)	200mm SDR 35 PVC or C76-V							
i)	Class 3 backfill		each	1.0				
R. 4 a)	Sewer Repair - In Addition to First 3.0 Meters Long 200mm SDR 35 PVC or C76-V	CW 2130		30 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5				
i)	Class 3 backfill		m	17.0				
R. 5	Connecting to Existing Manhole	CW 2130			!			
a)	200mm		each	1.0				
R. 6 a)	Connecting Existing Sewer Service to New Sewer 150mm	CW 2130	each	3				
	Manitou By (S Leg) (Sewer ID MA20003920) - Subtotal							

FORM B(R2): PRICES

(See B9)

2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
S. Kirk	field Street (Sewer ID MA20004340)	I IXLI.		IQUANTITI	PRICE	
MH200	03986 to MH20003967					
S. 1	Sewer Cleaning	CW 2140				
a)	Wastewater Sewers					
i)	200mm (Post Repair)		m	75.0		
ii)	200mm (Warranty)		m	75.0		
S. 2	Sewer Inspection	CW 2145				
a)	Wastewater Sewers					
i)	200mm (Post Repair)		m	75.0		
ii)	200mm (Warranty)		m	75.0		
3. 3	Sewer Repair - Up to 3 Meters Long	CW 2130				
a)	200mm SDR 35 PVC or C76-V	-				
i)	Class 3 backfill		each	1		
	Sewer Repair - In Addition to First 3.0 Meters Long 200mm SDR 35 PVC or C76-V	CW 2130				
i)	Class 3 backfill		m	3.5		
3. 5	Connecting to Existing Manhole					
a)	200mm		each	1.0		
3. 6	Watermain Renewal	CW 2110				
a)	150mm					
	trenchless installation, Class B sand bedding, Class 3 backfill Fittings	CW 2110	m	3.0		
a)	Bends (SD-005)					
i)	150mm - 45° bend		each	4		
	Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing	CW 2110			:	
i)	150mm		each	2		
. 9	Watermain Insulation	CW 2110				
a)	Under Roadway Excavation (SD-018)					
i)	75mm thick x 1200mm wide		m	6.0		
1	Partial Slab Patches	CW 2110				
a)	150mm reinforced concrete pavement		m²	10.0		
Kirkfield St (Sewer ID MA20004340) - Subtotal						

FORM B(R2): PRICES

(See B9)
2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	uette Street (Sewer ID MA20004732) 04353 to MH20004723		60 a 100 f 100 f			
T. 1	Sewer Cleaning	CW 2140				
a)	Wastewater Sewers					
j)	250mm (Post Repair)		m	105.0	!	
ii)	250mm (Warranty)		m	105.0		
T. 2	Sewer Inspection	CW 2145				
a)	Wastewater Sewers					
j)	250mm (Post Repair)		m	105.0		
ii)	250mm (Warranty)		m	105.0		
T. 3	Sewer Repair - Up to 3 Meters Long	CW 2130				
a)	250mm SDR 35 PVC or C76-V					
i)	Class 3 backfill		each	1		
T. 4 a)	Sewer Repair - In Addition to First 3.0 Meters Long 250mm SDR 35 PVC or C76-V	CW 2130				
	Class 3 backfill Connecting Existing Sewer Service to New Sewer	CW 2130	m	1.0		
a)	150mm		each	1		
T. 6	Connecting to Existing Manhole					
,	250mm Partial Slab Patches	CW 2130	each	1		
a)	150mm reinforced concrete pavement		m ²	10.0		
		Raquette St (Sewer ID I	VIA20004732)	- Subtotal	

FORM B(R2): PRICES

(See B9)

2008 WATERMAIN RENEWAL, SEWER RENEWALS AND EXTERNAL POINT REPAIRS - CONTRACT NO. 7

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
U. Pro	visional Items					
U. 1	Cement Stabilized Fill	CW 2030	m^3	10.0		
U. 2 a)	Regrading Existing Sewer Service – Up to 1.5 Metres Long 100mm - Class 3 Backfill	CW 2130	each	1.0		
'	150mm - Class 3 Backfill		each	1.0		
c)	250mm - Class 3 Backfill		each	1.0		
U. 3	Drainage Connection Pipe					
a)	250mm	CW 2130	m	3.0		
U. 4	Remove and Replace Exisiting Catch Basin (SD-024)	CW 2130	each	1.0		
U. 5	Remove and Replace Exisiting Catch Pit (SD-023)	CW 2130	each	1.0		
U. 6	Sodding	CW 3510	m^2	50.0		
			Prov	visional Items	- Subtotal	
TOTAL	BID PRICE (GST extra)	(in figures)\$	····			
(in word	ds)				-0.10.00	
:						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENT	S THAT	
(hereinafter called the "Principal") and		
(hereinafter called the "Surety"), are he called the "Obligee") in the sum of ten places described, for the payment of which sur administrators, successors and assigns,	percent (10%) of the Total Bid Pr n the Principal and Surety bind th	ice set out in the Bid hereinafter emselves, their heirs, executors,
WHEREAS the Principal has submitted a	a Bid to the Obligee dated the	
day of	, 20 fc	r
BID OPPORTUNITY NO. 391-2008		
2008 WATERMAIN RENEWAL,	COMBINED SEWER RENE POINT REPAIRS CONTRACT NO. 7	EWALS AND EXTERNAL
as more fully set out in the Bid Opportun	ity.	
NOW THEREFORE the condition of this if said Bid is accepted and the Principal, the said Obligee and furnishes the requi of the Contract, this obligation shall be very	in accordance with the terms of th red performance security for guara	e Bid, enters into a Contract with anteeing the faithful performance
IN WITNESS WHEREOF the Principal a	nd Surety have signed and sealed	this bond the
day of	, 20	
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per: Per:	(Seal)
	(Name of Surety) By: (Attorney-in-Fact)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,
(Name of Bidder)
(Place)
the Bidder to you on, 20 for
BID OPPORTUNITY NO. 391-2008
2008 WATERMAIN RENEWAL, COMBINED SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTRACT NO. 7
in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.
It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.
AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.
SIGNED AND SEALED this day of , 20
(Name of Surety)
By: (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 391-2008

2008 WATERMAIN RENEWAL, COMBINED SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTRACT NO. 7

Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 13, 2008.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	e of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)