



575 - 2008 ADDENDUM No.1

HARTE TRAIL EXTENSION

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: July 28, 2008
BY: Bob St. Goddard
TELEPHONE NO. (204) 927-3444

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph No. 10 of Form A: Bid may render your Bid non-responsive.

- Add: E2.1.1 Site access points at Shaftesbury Boulevard, Elmhurst Road and Cathcart Street, if used, shall be barricaded to prevent access by unauthorized vehicles, during non-working hours, by the use of pre-cast concrete "Jersey" barriers or similar barriers acceptable to the Contract Administrator.
- Revise: E6.4.1 to read: The supplying and placing of Granular Surface Pathway shall be measured at finished grade on an area basis. No additional measurement shall be made with respect to varying widths of pathway sub-base material, per sections 4/L1, 5/L1, 6/L1, 5/L2 and 6/L2. The total area of Granular Surface Pathway to be paid for shall be the total number of square meters of pathway acceptably constructed in accordance with this Specification and accepted by the Contract Administrator as computed from measurements made by the Contract Administrator.