

FORM A: BID
(See B7)

1. Contract Title

**PROVINCE OF MANITOBA/CITY OF WINNIPEG
NOTRE DAME AVENUE – PRINCESS STREET TO
ISABEL STREET
CONCRETE PAVEMENT REPAIRS AND ASPHALT RESURFACING**

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<i>NOTRE DAME AVENUE - PRINCESS STREET TO ISABEL STREET</i>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R11	m ³	100		
A.2	Supplying and Placing Base Course Material	CW 3110-R11, E16	m ³	150		
A.3	Grading of Boulevards	CW 3110-R11	m ²	300		
	ROADWORKS - RENEWALS					
A.4	Pavement Removal	CW 3110-R11				
i)	Asphalt Pavement		m ²	80		
A.5	Slab Replacement	CW 3230-R6				
i)	200 mm Concrete Pavement (Plain-Dowelled)		m ²	400		
A.6	Partial Slab Patches	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m ²	40		
ii)	200 mm Concrete Pavement (Type B)		m ²	1000		
iii)	200 mm Concrete Pavement (Type C)		m ²	50		
iv)	200 mm Concrete Pavement (Type D)		m ²	150		
A.7	Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Reinforced)		m ²	220		
A.8	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m ²	30		
ii)	200 mm Concrete Pavement (Type B)		m ²	200		
iii)	200 mm Concrete Pavement (Type C)		m ²	40		
iv)	200 mm Concrete Pavement (Type D)		m ²	80		
A.9	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type B)		m ²	100		
ii)	200 mm Concrete Pavement (Type D)		m ²	50		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	1700		
A.11	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	2600		
A.12	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m ²	3400		
A.13	Concrete Curb Renewal	CW 3240-R7				
i)	Barrier (150mm ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	60		
b)	Greater than 30 m		m	730		
ii)	Barrier (150mm ht, Separate)	SD-203A				
a)	3 m to 30 m		m	60		
b)	Greater than 30 m		m	200		
iii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	120		
iv)	Curb Ramp (10mm ht, Integral)	SD-229C,D	m	160		
A.14	Supply and Installation of Dowel Assemblies	CW 3310-R13	m	80		
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	1700		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	400		
A.16	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	1800		
A.17	Hand Placed Asphalt		tonne	150		
ROADWORK - NEW CONSTRUCTION						

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R13				
i)	Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	12		
A.19	Interlocking Paving Stones	CW 3335-R1	m ²	220		
A.20	Lean Concrete Base	CW 3335-R1	m ²	220		
A.21	Detectable Warning Surface	E10				
i)	2'x4' Cast in Place Armor-Tile (Yellow)		ea.	12		
ii)	2'X4' AlertCast Cast-in-Place (Yellow)		ea.	16		
iii)	2'x2' Santoprene (Yellow)		ea.	22		
JOINT AND CRACK SEALING						
A.22	Reflective Crack Maintenance	CW 3250-R7	m	3100		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.23	Catch Basin	CW 2130-R11				
i)	SD-024		each	19		
A.24	Remove and Replace Existing Catch Basin	CW 2130-R11				
i)	SD-024		each	2		
A.25	Sewer Service	CW 2130-R11				
i)	250mm Catch Basin Lead					
a)	Trenchless Installation, Class B Type 2 Bedding, Class 3 Backfill		m	200		
A.26	Sewer Service Risers	CW 2130-R11				
i)	250mm Catch Basin Lead					
a)	SD-015		vert m	80		
A.27	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R11				
i)	300mm					
a)	Class 3 Backfill		each	4		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.28	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R11				
	i) 300mm					
	a) Class 3 Backfill		m	2		
A.29	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	5		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	5		
	iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
A.30	Connecting to Existing Catch Basin	CW 2130-R11				
	i) 250mm Drainage Connection Pipe		each	2		
A.31	Connecting to Existing Sewer	CW 2130-R11				
	i) 250mm (PVC) of connecting pipe					
	a) Connecting to 2050mm SRS Sewer (7.4-8.0m depth to Invert)		each	21		
A.32	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R11				
	i) 150mm		each	4		
	ii) 200mm		each	3		
	iii) 250mm		each	1		
A.33	Abandoning Existing Catch Basins	CW 2130-R11	each	20		
	ADJUSTMENTS					
A.34	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	25		
A.35	Replacing Existing Risers	CW 2130-R11				
	i) Pre-cast Concrete Risers		vert. m	5		
A.36	Lifter Rings	CW 3210-R7				
	i) 38mm		each	5		
	ii) 51mm		each	15		
	iii) 64mm		each	5		
A.37	Adjustment of Valve Boxes	CW 3210-R7	each	35		
A.38	Valve Box Extensions	CW 3210-R7	each	24		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.39	Adjustment of Curb Stop Boxes	CW 3210-R7	each	28		
A.40	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	5		
A.41	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	2		
LANDSCAPING						
A.42	Seeding	CW 3520-R7	m ²	300		
SUMMARY						
A	NOTRE DAME AVENUE - PRINCESS STREET TO ISABEL STREET				Subtotal:	
TOTAL BID PRICE (GST extra)				(in figures)		
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 191-2009

**PROVINCE OF MANITOBA/CITY OF WINNIPEG
NOTRE DAME AVENUE – PRINCESS STREET TO ISABEL STREET
CONCRETE PAVEMENT REPAIRS AND ASPHALT RESURFACING**

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 191-2009

**PROVINCE OF MANITOBA/CITY OF WINNIPEG
NOTRE DAME AVENUE – PRINCESS STREET TO ISABEL STREET
CONCRETE PAVEMENT REPAIRS AND ASPHALT RESURFACING**

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 27, 2009.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)