



475-2009 ADDENDUM 1

DESIGN, SUPPLY AND CONSTRUCTION OF A FABRIC COVERED STORAGE BUILDING AT 1220 PACIFIC AVENUE

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: July 9, 2009
BY: Ken Boyd
TELEPHONE NO. (204) 986-5076

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

- Revise: E14.1 to read: The floor of the interior of the building will be paved with asphalt either prior to building construction or before the fabric cover is installed on the building to alleviate any fume problems associated with the asphalt paving operation. This work will be done by others and will take one (1) day or less.
- Add: E13.1.5 The Contractor shall be responsible for the provision of an underground connection to a electrical supply to tie into the closest and most appropriate power service (refer to Drawing 01-R0.pdf).
- (a) Contractor to provide all wiring, conduit and connections for the underground work.
 - (b) Contractor to provide trenching or directional boring necessary for the underground electrical service.