

FORM A: BID
(See B7)

1. Contract Title 2009 Intersection Improvements, New Sidewalks and Associated Works

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Forty Five (45) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>PEMBINA HIGHWAY SOUTH BOUND FROM CORYDON AVENUE TO McMILLAN AVENUE</u>					
	EARTH AND BASE WORKS					
A.1	Grading of Boulevards	CW 3110-R11	m ²	50		
	ROADWORKS - RENEWALS					
A.2	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m ²	5		
A.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m ²	5		
A.4	Miscellaneous Concrete Slab Installation	CW 3235-R7				
i)	Median Slab	SD-227A	m ²	10		
ii)	Sidewalk	SD-228A	m ²	145		
A.5	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Median Slab	SD-227A	m ²	12		
ii)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	5		
b)	5 sq.m. to 20 sq.m.		m ²	10		
c)	Greater than 20 sq.m.		m ²	150		
A.6	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	80		
ii)	Curb Ramp		m	7		
A.7	Concrete Curb Installation	CW 3240-R7				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	110		
ii)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	3		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.8	Concrete Curb Renewal	CW 3240-R7				
i)	Barrier (150mm ht, Dowelled)	SD-205, SD206A				
a)	Less than 3 m		m	5		
b)	3 m to 30 m		m	16		
A.9	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	120		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
A.10	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m ²	815		
ROADWORKS - NEW CONSTRUCTION						
A.11	Interlocking Paving Stones	CW 3335-R1	m ²	5		
JOINT AND CRACK SEALING						
A.12	Reflective Crack Maintenance	CW 3250-R7	m	30		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.13	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
ADJUSTMENTS						
A.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
LANDSCAPING						
A.15	Sodding	CW 3510-R9				
i)	width > or = 600mm		m ²	50		
A	<u>PEMBINA HIGHWAY SOUTH BOUND FROM CORYDON AVENUE TO McMILLAN AVENUE</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>KING EDWARD STREET AT DUBLIN AVENUE</u>					
	ROADWORKS - RENEWALS					
B.1	Miscellaneous Concrete Slab Removal	CW 3235-R7				
i)	Monolithic Median Slab		m ²	12		
B.2	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Monolithic Median Slab	SD-226A	m ²	15		
	MISCELLANEOUS					
B.3	Concrete Deck Surface Repairs	E10	m ²	10		
B	<u>KING EDWARD STREET AT DUBLIN AVENUE</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>McLEOD AVENUE EAST BOUND FROM HENDERSON HIGHWAY TO APPROXIMATELY 85 METRES EAST</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R11	m ³	155		
C.2	Sub-Grade Compaction	CW 3110-R11	m ²	205		
C.3	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - limestone		tonne	135		
C.4	Supplying and Placing Base Course Material	CW 3110-R11, E8	m ³	15		
C.5	Grading of Boulevards	CW 3110-R11	m ²	40		
C.6	Separation Geotextile/Reinforcement Fabric	CW 3130-R2	m ²	250		
C.7	Supply and Install Geogrid	CW 3135	m ²	250		
	ROADWORKS - RENEWALS					
C.8	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m ²	100		
C.9	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	35		
C.10	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	90		
C.11	Miscellaneous Concrete Slab Removal	CW 3235-R7				
i)	Sidewalk		m ²	40		
C.12	Miscellaneous Concrete Slab Installation	CW 3235-R7				
i)	Sidewalk	SD-228A	m ²	76		
C.13	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	6		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.14	Concrete Curb Installation	CW 3240-R7				
i)	Barrier (150mm ht, Separate)	SD-203A	m	55		
ii)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	20		
C.15	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	120		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
C.16	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m ²	500		
ROADWORKS - NEW CONSTRUCTION						
C.17	Concrete Pavements for Early Opening	CW 3310-R13				
i)	Construction of 200 mm Concrete Pavement for Early Opening (24 hour) (Plain-Dowelled)		m ²	205		
C.18	Supply and Installation of Dowel Assemblies	CW 3310-R13	m	40		
JOINT AND CRACK SEALING						
C.19	Reflective Crack Maintenance	CW 3250-R7	m	30		
ADJUSTMENTS						
C.20	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
LANDSCAPING						
C.21	Sodding	CW 3510-R9				
i)	width < 600mm		m ²	10		
ii)	width > or = 600mm		m ²	30		
C	<u>McLEOD AVENUE EAST BOUND FROM HENDERSON HIGHWAY TO APPROXIMATELY 85 METRES EAST</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>McDERMOT AVENUE FROM MAIN STREET TO RORIE STREET</u>					
	ROADWORKS - RENEWALS					
D.1	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m ²	35		
D.2	Slab Replacement	CW 3230-R6				
i)	200 mm Concrete Pavement (Plain-Dowelled)		m ²	40		
D.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m ²	5		
D.4	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	20		
D.5	Miscellaneous Concrete Slab Removal	CW 3235-R7				
i)	Sidewalk		m ²	490		
D.6	Miscellaneous Concrete Slab Installation	CW 3235-R7				
i)	100mm Concrete Sidewalk with block-outs for Interlocking Paving Stones		m ²	670		
D.7	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	120		
D.8	Concrete Curb Installation	CW 3240-R7				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	140		
ii)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	17		
D.9	Supply and Installation of Unit Pavers	CW 3330-R5, E11				
i)	Endicott Brick - Dark Ironspot		m ²	90		
ii)	Holland Stone - Natural		m ²	30		
iii)	Munic II (Tri-Hex) - Tan		m ²	30		
D.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5				
			m ²	20		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.11	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	180		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
D.12	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m ²	940		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
D.13	Catch Basin	CW 2130-R11				
i)	SD-024		each	1		
D.14	Catch Pit	CW 2130-R11				
i)	SD-023		each	2		
D.15	Drainage Connection Pipe	CW 2130-R11	m	10		
D.16	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
D.17	Connecting to Existing Catch Basin	CW 2130-R11				
i)	250mm PVC Drainage Connection Pipe		each	2		
D.18	Abandoning Existing Drainage Inlets	CW 2130-R11	each	3		
ADJUSTMENTS						
D.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
D.20	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	0.3		
D.21	Lifter Rings	CW 3210-R7				
i)	38mm		each	1		
ii)	51mm		each	2		
iii)	64mm		each	2		
iv)	76mm		each	2		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.22	Adjustment of Valve Boxes	CW 3210-R7	each	4		
D.23	Valve Box Extensions	CW 3210-R7	each	2		
D.24	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
D.25	Curb Stop Extensions	CW 3210-R7	each	1		
MISCELLANEOUS						
D.26	Tree Well Concrete Curb		m	20		
D.27	Supply and Install Cast Iron Tree Grate - ADA Compliant	E12	each	2		
D.28	Supply and Install Detectable Warning Surface	E13				
i)	2'x4' Cast in Place Armor-Tile (Yellow)		each	12		
D	<u>McDERMOT AVENUE FROM MAIN STREET TO RORIE STREET</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>JUBILEE AVENUE AT RIVERDALE STREET</u>					
	EARTH AND BASE WORKS					
E.1	Grading of Boulevards	CW 3110-R11	m ²	20		
	ROADWORKS - RENEWALS					
E.2	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m ²	5		
E.3	Partial Slab Patches	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m ²	5		
E.4	Miscellaneous Concrete Slab Removal	CW 3235-R7				
i)	Sidewalk		m ²	15		
E.5	Miscellaneous Concrete Slab Installation	CW 3235-R7				
i)	Sidewalk	SD-228A	m ²	20		
E.6	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	4		
b)	5 sq.m. to 20 sq.m.		m ²	7		
E.7	Concrete Curb Installation	CW 3240-R7				
i)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	7		
E.8	Construction of Asphalt Patches	CW 3410-R8	m ²	2		
	ADJUSTMENTS					
E.9	Adjustment of Valve Boxes	CW 3210-R7	each	1		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
E.10	Sodding	CW 3510-R9				
i)	width < 600mm		m ²	10		
ii)	width > or = 600mm		m ²	25		
E	<u>JUBILEE AVENUE AT RIVERDALE STREET</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>MOUNTAIN AVENUE AT ROBERTSON STREET</u>					
	EARTH AND BASE WORKS					
F.1	Grading of Boulevards	CW 3110-R11	m ²	15		
	ROADWORKS - RENEWALS					
F.2	Pavement Removal	CW 3110-R11				
i)	Concrete Pavement		m ²	6		
F.3	Partial Slab Patches	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m ²	6		
F.4	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	20		
F.5	Miscellaneous Concrete Slab Removal	CW 3235-R7				
i)	Sidewalk		m ²	20		
F.6	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	40		
F.7	Concrete Curb Installation	CW 3240-R7				
i)	Barrier (150mm ht, Separate)	SD-203A	m	7		
ii)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	13		
F.8	Construction of Asphalt Patches	CW 3410-R8	m ²	3		
	LANDSCAPING					
F.9	Sodding	CW 3510-R9				
i)	width < 600mm		m ²	15		
F	<u>MOUNTAIN AVENUE AT ROBERTSON STREET</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
G	<i>DUNKIRK DRIVE SOUTH BOUND EXIT OF ST. VITAL BRIDGE TO KINGSTON ROW</i>						
	EARTH AND BASE WORKS						
G.1	Sub-Grade Compaction	CW 3110-R11	m ²	300			
G.2	Crushed Sub-base Material	CW 3110-R11					
i)	50 mm - Limestone		tonne	40			
G.3	Supplying and Placing Base Course Material	CW 3110-R11, E8	m ³	40			
G.4	Grading of Boulevards	CW 3110-R11	m ²	600			
G.5	Boulevard Excavation	CW 3110-R11	m ³	50			
G.6	Imported Fill Material	CW 3110-R11	m ³	40			
	ROADWORKS - RENEWALS						
G.7	Miscellaneous Concrete Slab Renewal	CW 3235-R7					
i)	Sidewalk	SD-228A					
a)	Less than 5 sq.m.		m ²	10			
b)	5 sq.m. to 20 sq.m.		m ²	20			
G.8	Concrete Curb Removal	CW 3240-R7					
i)	Barrier (150mm ht, Dowelled)		m	15			
G.9	Concrete Curb Installation	CW 3240-R7					
i)	Curb Ramp (10mm ht, Monolithic)	SD-229A,B,C	m	15			

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORKS - NEW CONSTRUCTION						
G.10	100mm Concrete Sidewalk	CW 3325-R3	m ²	300		
ADJUSTMENTS						
G.11	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
G.12	Adjustment of Valve Boxes	CW 3210-R7	each	1		
G.13	Valve Box Extensions	CW 3210-R7	each	1		
LANDSCAPING						
G.14	Sodding	CW 3510-R9				
i)	width < 600mm		m ²	100		
ii)	width > or = 600mm		m ²	500		
G.15	Seeding	CW 3520-R7	m ²	300		
G	<u>DUNKIRK DRIVE SOUTH BOUND EXIT OF ST. VITAL BRIDGE TO KINGSTON ROW</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H	<u>LEVIS STREET EAST BOUND FROM POPLAR AVENUE TO WATT STREET</u>					
	EARTH AND BASE WORKS					
H.1	Sub-Grade Compaction	CW 3110-R11	m ²	270		
H.2	Supplying and Placing Base Course Material	CW 3110-R11, E8	m ³	30		
H.3	Grading of Boulevards	CW 3110-R11	m ²	500		
	ROADWORKS - RENEWALS					
H.4	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	20		
H.5	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	10		
	b) 5 sq.m. to 20 sq.m.		m ²	15		
H.6	Concrete Curb Removal	CW 3240-R7				
	i) Barrier (Separate)		m	12		
H.7	Concrete Curb Installation	CW 3240-R7				
	i) Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	12		
H.8	Concrete Curb Renewal	CW 3240-R7				
	i) Barrier (150mm ht, Dowelled)	SD-205, SD-206A				
	a) Less than 3 m		m	10		
	b) 3 m to 30 m		m	20		
	ii) Curb Ramp (10mm ht, Integral)	SD-229C,D	m	10		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
H.9	100mm Concrete Sidewalk	CW 3325-R3	m ²	300		
	ADJUSTMENTS					
H.10	Adjustment of Valve Boxes	CW 3210-R7	each	1		
H.11	Valve Box Extensions	CW 3210-R7	each	1		
H.12	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
H.13	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
H.14	Sodding	CW 3510-R9				
	i) width < 600mm		m ²	50		
	ii) width > or = 600mm		m ²	250		
H.15	Seeding	CW 3520-R7	m ²	50		
H	<u>LEVIS STREET EAST BOUND FROM POPLAR AVENUE TO WATT STREET</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	<u>CARLTON STREET WEST SIDE FROM ST. MARY AVENUE TO YORK AVENUE</u>					
	ROADWORKS - RENEWALS					
I.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type B)		m ²	15		
I.2	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	35		
I.3	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	35		
I.4	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	55		
I.5	Concrete Curb Installation	CW 3240-R7				
i)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	7		
I.6	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	45		
I.7	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m ²	80		
	ROADWORKS - NEW CONSTRUCTION					
I.8	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R13				
i)	Construction of Barrier (150mm ht, Dowelled)	SD-205	m	75		
ii)	Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	7		
I.9	100mm Concrete Sidewalk	CW 3325-R3	m ²	155		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
I.10	Connecting to Existing Catch Basin	CW 2130-R11				
	i) 250mm PVC Drainage Connection Pipe		each	1		
I.11	Abandoning Existing Drainage Inlets	CW 2130-R11	each	1		
	ADJUSTMENTS					
I.12	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
I.13	Supply of Curb Inlet Box Covers	CW 3210-R7	each	1		
I.14	Supply of Curb Inlet Frames	CW 3210-R7	each	1		
I.15	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	1		
I	<u>CARLTON STREET WEST SIDE FROM ST. MARY AVENUE TO YORK AVENUE</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>PEMBINA HIGHWAY SOUTH BOUND FROM CORYDON AVENUE TO McMILLAN AVENUE</u>				Subtotal:	
B	<u>KING EDWARD STREET AT DUBLIN AVENUE</u>				Subtotal:	
C	<u>McLEOD AVENUE EAST BOUND FROM HENDERSON HIGHWAY TO APPROXIMATELY 85 METRES EAST</u>				Subtotal:	
D	<u>McDERMOT AVENUE FROM MAIN STREET TO RORIE STREET</u>				Subtotal:	
E	<u>JUBILEE AVENUE AT RIVERDALE STREET</u>				Subtotal:	
F	<u>MOUNTAIN AVENUE AT ROBERTSON STREET</u>				Subtotal:	
G	<u>DUNKIRK DRIVE SOUTH BOUND EXIT OF ST. VITAL BRIDGE TO KINGSTON ROW</u>				Subtotal:	
H	<u>LEVIS STREET EAST BOUND FROM POPLAR AVENUE TO WATT STREET</u>				Subtotal:	
I	<u>CARLTON STREET WEST SIDE FROM ST. MARY AVENUE TO YORK AVENUE</u>				Subtotal:	

TOTAL BID PRICE (GST extra)

(in figures)

(in words)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 593-2009

2009 Intersection Improvements, New Sidewalks and Associated Works

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

_____ of
(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 593-2009

2009 Intersection Improvements, New Sidewalks and Associated Works

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Forty Five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 593-2009

2009 Intersection Improvements, New Sidewalks and Associated Works

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 3, 2009

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)