
NOTES:

- 1. BACKFILL UNDER PAVEMENT, IN SIDEWALKS, & WITHIN 1.0 m OF PAVEMENT TO BE CLASS 3.
- 2. CONFIRM LIMITS OF REPAIR IN PRESENCE OF THE CONTRACT ADMINISTRATOR BY CCTV.



DELLWOOD CRESCENT (E LEG)



ENGINEER'S SEAL

ORIGINAL SIGNED BY S.R.J. COURNOYER 09/09/16

BID OPPORTUNITY: 669-2009

FILENAME: 9003.dwg PLOT DATE: 2009 09 17

SEWER JUNCTION INFORMATION FROM SEWER VIDEO INSPECTION SEWER ID S-MA60001478 DISTANCE FROM MH ID S-MH60001100 35.3 N 150ø WEST

METRIC

WHOLE NUMBERS INDICATE MILLIMETRES DECIMALIZED NUMBERS INDICATE METRES

	B.M. ELE\	B.M. FIELD BOOK #				CITY OF WINNIPEG WATER AND WASTE ENGINEERING DIVISION		
	POSTED TO LBIS							
							CHECKED SC	
							APPROVED KZ BY],
5							RELEASED FOR CONSTRUCTION	וו
S						VERTICAL		Ι'
	NO.	REVISIONS		DATE	BY	DATE 2009 09 17 I	DATE	

Winnipeg

THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT

2009 SEWER REPAIRS CONTRACT 45

DELLWOOD CRESCENT (E LEG)

SHEET 6 OF 23 CITY DRAWING NUMBER 9003

LEGEND:

MEASUREMENT TO REPAIR FROM REFERENCE MH SHOWN THUS...

MH AT DELLWOOD CRESCENT (S LEG) TO 1ST MH S OF DALE BOULEVARD