

FORM A: BID
(See B7)

1. Contract Title SUPPLY AND DELIVERY OF LIGHT VEHICLES

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

E-mail address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this _____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF LIGHT VEHICLES

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE
SECTION A					
1.	4-Door Compact Sedan	A10	Each	4	
2.	4-Door Mid-Size Sedan	A20	Each	1	
3.	6000 lbs. GVWR Regular Cab Pick-up Truck	PR20	Each	9	
3a.	6000 lbs. GVWR, 4WD Regular Cab Pick-up Truck	PR21	Each	1	
4.	5000 lbs. GVWR Extended Cab Pick-up Truck	PE10	Each	3	
4a.	5000 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE11	Each	5	
5.	6200 lbs. GVWR Extended Cab Pick-up Truck	PE20	Each	34	
5a.	6200 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE21	Each	39	
6.	6500 lbs. GVWR Crew Cab Pick-up Truck	PC20	Each	1	
6a.	6500 lbs. GVWR, 4WD, Crew Cab Pick-up Truck	PC21	Each	2	
SECTION B					
7.	8500 lbs. GVWR Regular Cab Pick-up Truck	PR30	Each	1	
7a.	8500 lbs. GVWR Regular Cab Pick-up Truck w/Option 1: Diesel Engine	PR30	Each	1	
7b.	8500 lbs. GVWR, 4WD, Regular Cab Pick-up Truck	PR31	Each	1	
7c.	8500 lbs. GVWR, 4WD, Regular Cab Pick-up Truck w/ Option 1: Diesel Engine & Option 2: Snow Plow Prep Package	PR31	Each	1	
8.	8500 lbs. GVWR Extended Cab Pick-up Truck	PE30	Each	2	
8a.	8500 lbs. GVWR Extended Cab Pick-up Truck w/ Option 1: Diesel Engine	PE30	Each	1	
8b.	8500 lbs. GVWR, 4WD, Extended Cab Pick-up Truck	PE31	Each	2	
8c.	8500 lbs. GVWR, 4WD, Extended Cab Pick-up Truck w/ Option 2: 8 ft. Cargo Box	PE31	Each	3	
8d.	8500 lbs. GVWR, 4WD, Extended Cab Pick-up Truck w/ Option 1: Diesel Engine	PE31	Each	4	
9.	9200 lbs. GVWR Crew Cab Pick-up Truck	PC30	Each	8	
9a.	9200 lbs. GVWR Crew Cab Pick-up Truck w/Option 1: Diesel Engine	PC30	Each	1	

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF LIGHT VEHICLES

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE
9b.	9200 lbs. GVWR, 4WD, Crew Cab Pick-up Truck	PC31	Each	8	
9c.	9200 lbs. GVWR, 4WD, Crew Cab Pick-up Truck w/ Option 1: Diesel Engine	PC31	Each	3	
SECTION C					
10.	Supply & Installation of Warning Lights and Equipment	09088	Each	106	

 Name of Bidder

FORM N: DETAILED SPECIFICATIONS

A10 – Section A, Item 1



4-DOOR COMPACT SEDAN

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. Wheelbase	102 – 106 in., state	_____
4. Engine	4-cylinder, fuel injection, gasoline, state displacement	_____
5. Fuel consumption	State city rating, L/100km	_____
6. Block heater	Required with cord through grille	_____
7. Coolant	Extended Life Coolant, -35°C	_____
8. Battery	500 CCA minimum	_____
9. Transmission	Automatic	_____
10. Steering	Power	_____
11. Brakes	Power with ABS	_____
12. Wheels	Standard manufacturer’s wheels, without locking nuts	_____
13. Tires - front & rear	BSW all season radials, Tier 1 or 2, state size	_____
14. Spare wheel & tire	Required with carrier	_____
15. Floor covering	Carpeting with throw-in rubber floor mats, front and rear	_____
16. Mirrors	Interior rearview & dual exterior	_____
17. Windshield	Tinted	_____
18. Windshield wipers	Intermittent	_____
18.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
19. Ignition keys	Three (3) sets required	_____
20. Air conditioning	Required	_____

DETAILED SPECIFICATIONS A10 (continued)

21. Tilt steering	Required	_____
22. Cruise control	Required	_____
23. Door locks	Power	_____
24. Remote keyless entry	Two (2) required	_____
25. Windows	Power	_____
26. Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	_____
- Rear	Standard seat, cloth or cloth with vinyl trim	_____
27. Rear window defroster	Electric	_____
28. Radio	AM-FM with CD player	_____
29. Air bags	Required, front driver's and passenger	_____
30. 12-Volt power point	Required	_____
31. Bluetooth® technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
32. Fuel tank	Fully fuelled upon delivery	_____
33. Colour - Interior	To match exterior	_____
- Exterior	Manufacturer's standard, colour to be determined at time of order	_____
34. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
35. Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	_____
36. Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
37. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

A20 – Section A, Item 2



4-DOOR MID-SIZE SEDAN

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. Wheelbase	108 in. minimum, state	_____
4. Engine	6-cylinder, EFI, gasoline, state displacement	_____
5. Fuel consumption	State city rating, L/100km	_____
6. Block heater	Required with cord through grille	_____
7. Coolant	Extended Life Coolant, -35°C	_____
8. Battery	500 CCA minimum	_____
9. Transmission	Automatic	_____
10. Steering	Power	_____
11. Brakes	Power with ABS	_____
12. Wheels	Standard manufacturer’s wheels, without locking nuts	_____
13. Tires - front & rear	BSW all season radials, Tier 1 or 2, state size	_____
14. Spare wheel & tire	Required with carrier	_____
15. Floor covering	Carpeting with throw-in rubber floor mats, front and rear	_____
16. Mirrors	Interior rearview & dual exterior	_____
17. Windshield	Tinted	_____
18. Windshield wipers	Intermittent	_____
18.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
19. Ignition keys	Three (3) sets required	_____
20. Air conditioning	Required	_____
21. Tilt steering	Required	_____

DETAILED SPECIFICATIONS A20 (continued)

22. Cruise control	Required	_____
23. Door locks	Power	_____
24. Remote keyless entry	Two (2) required	_____
25. Windows	Power	_____
26. Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	_____
- Rear	Standard seat, cloth or cloth with vinyl trim	_____
27. Rear window defroster	Electric	_____
28. Radio	AM-FM with CD player	_____
29. Air bags	Required, front driver's and passenger	_____
30. 12-Volt power point	Required	_____
31. Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
32. Fuel tank	Fully fuelled upon delivery	_____
33. Colour - Interior	To match exterior	_____
- Exterior	Manufacturer's standard, colour to be determined at time of order	_____
34. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
35. Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	_____
36. Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
37. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____



PR20 (4x2) – Section A, Item 3
PR21 (4x4) – Section A, Item 3a

6,000 LBS. GVWR PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	6,000 min., state	_____
4. Wheelbase	133 – 145 in.	_____
5. Cargo length	8 ft. nominal	_____
6. Overall length	State OAL	_____
7. Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
8. Cab configuration	Regular cab	_____
9. Engine	V8, EFI, gasoline, state displacement	_____
10. Fuel consumption <i>PR20</i>	State city rating, L/100km	_____
10.1 Fuel consumption <i>PR21</i>	State city rating, L/100km	_____
11. Block heater	Required with cord through grille	_____
12. Coolant	Extended Life Coolant, -35°C	_____
13. Battery	600 CCA minimum	_____
14. Transmission	Automatic	_____
15. Transmission cooling	As required for trailer towing	_____
16. Steering	Power	_____
17. Brakes	Power with ABS	_____
18. Wheels	Standard manufacturer’s wheels, without locking nuts	_____
19. Tires – front & rear	BSW Tier 1 or 2 all terrain mud and snow, state size	_____
20. Spare wheel & tire	Required with underbody carrier	_____

DETAILED SPECIFICATIONS PR20/21 (continued)

21. Mudflaps	Required front and rear, OEM, moulded	_____
22. Rear axle	Limited slip or posi-traction	_____
22.1 Front axle – PR21	4WD with dash mounted electronic shift	_____
23. Floor covering	Carpeting throughout with throw-in rubber floor mats	_____
24. Windshield	Tinted	_____
25. Windshield wipers	Intermittent	_____
25.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
26. Mirrors	Interior rearview & heated dual exterior	_____
27. Ignition keys	Three (3) sets required	_____
28. Air conditioning	Required	_____
29. Tilt steering	Required	_____
30. Cruise control	Required	_____
31. Door locks	Power	_____
32. Remote keyless entry	Two (2) required	_____
33. Windows	Power	_____
34. Seats, front	Cloth-faced, split bench	_____
35. Radio	AM-FM with CD player	_____
36. 12-Volt power point	Required	_____
37. Bluetooth® technology	Required for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit	_____
38. Air bags	Required, front driver’s and passenger	_____
39. Fuel tank	90 litre minimum, fully fuelled upon delivery	_____
40. Tubular side steps	Dual, chrome finish, OEM	_____
41. Bumper	Rear step bumper	_____
42. Towing prep package	Class III (5,000 lbs.) capacity min. c/w trailer plug wiring and receiver hitch	_____
43. Colour - Interior	Blue or grey	_____
- Exterior	White	_____
44. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
45. Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	_____

DETAILED SPECIFICATIONS PR20/21 (continued)

46. Delivery contact

The Contractor shall contact the Contract Administrator prior to delivery of the equipment

47. PDI

A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list



PE10 (4x2) – Section A, Item 4
PE11 (4x4) – Section A, Item 4a

5,000 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	5,000 min., state	_____
4. Wheelbase	123 – 132 in.	_____
5. Cargo length	5 ft. minimum	_____
6. Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
7. Cab configuration	Extended cab	_____
8. Door configuration	Four (4) doors	_____
9. Engine	5 or 6 cyl., EFI, gasoline, state displacement	_____
10. Fuel consumption <i>PE10</i>	State city rating, L/100km	_____
10.1 Fuel consumption <i>PE11</i>	State city rating, L/100km	_____
11. Block heater	Required with cord through grille	_____
12. Coolant	Extended Life Coolant, -35°C	_____
13. Battery	500 CCA minimum	_____
14. Transmission	Automatic	_____
15. Transmission cooling	As required for trailer towing	_____
16. Steering	Power	_____
17. Brakes	Power with ABS	_____
18. Wheels	Standard manufacturer’s wheels, without locking nuts	_____
19. Tires – front & rear	BSW Tier 1 or 2, all terrain mud and snow, state size	_____

DETAILED SPECIFICATIONS PE10/11 (continued)

20. Spare wheel & tire	Required with underbody carrier	_____
21. Mudflaps	Required, front and rear, OEM, moulded	_____
22. Rear axle	Limited slip or posi-traction	_____
22.1 Front axle – PE11	4WD with dash mounted electronic shift	_____
23. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
24. Windshield	Tinted	_____
25. Windshield wipers	Intermittent	_____
25.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
26. Mirrors	Interior rearview & dual exterior	_____
27. Ignition keys	Three (3) sets required	_____
28. Air conditioning	Required	_____
29. Tilt steering	Required	_____
30. Cruise control	Required	_____
31. Door locks	Power	_____
32. Remote keyless entry	Two (2) required	_____
33. Windows	Power	_____
34. Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
35. Seat, rear	Cloth-faced, bench or jumpseat	_____
36. Radio	AM-FM with CD player	_____
37. Air bags	Required, front driver's and passenger	_____
38. 12-Volt power point	Required	_____
39. Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
40. Fuel tank	70 litre minimum, fully fuelled upon delivery	_____
41. Tubular side steps	Dual, chrome finish, OEM	_____
42. Bumper	Rear step bumper	_____
43. Towing prep package	Class II (3,500 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	_____
44. Colour - Interior	Blue or grey	_____
- Exterior	White	_____
45. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
46. Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	_____

DETAILED SPECIFICATIONS PE10/11 (continued)

47. Delivery contact

The Contractor shall contact the Contract Administrator prior to delivery of the equipment

48. PDI

A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list



PE20 (4x2) – Section A, Item 5
PE21 (4x4) – Section A, Item 5a

6,200 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2.0 STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	6,200 lbs. min.	_____
4. Wheelbase	138 – 145 in.	_____
5. Cargo length	6.5 ft. nominal	_____
6. Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
7. Cab configuration	Extended cab	_____
8. Door configuration	Four (4) doors	_____
9. Engine	V8, EFI, gasoline, state displacement	_____
10. Fuel consumption <i>PE20</i>	State city rating, L/100km	_____
10.1 Fuel consumption <i>PE21</i>	State city rating, L/100km	_____
11. Block heater	Required with cord through grille	_____
12. Coolant	Extended Life Coolant, -35°C	_____
13. Battery	600 CCA minimum	_____
14. Transmission	Automatic	_____
15. Transmission cooling	As required for trailer towing	_____
16. Steering	Power	_____
17. Brakes	Power with ABS	_____
18. Wheels	Standard manufacturer’s wheels, without locking nuts	_____
19. Tires – Front & rear	BSW Tier 1 or 2 all terrain mud and snow, state size	_____

DETAILED SPECIFICATIONS PE20/21 (continued)

20. Spare wheel & tire	Required with underbody carrier	_____
21. Mudflaps	Required, front and rear, OEM, moulded	_____
22. Rear axle	Limited slip or posi-traction	_____
22.1 Front axle – PE21	4WD with dash mounted electronic shift	_____
23. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
24. Windshield	Tinted	_____
25. Windshield wipers	Intermittent	_____
25.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
26. Mirrors	Interior rearview & heated dual exterior	_____
27. Ignition keys	Three (3) sets required	_____
28. Air conditioning	Required	_____
29. Tilt steering	Required	_____
30. Cruise control	Required	_____
31. Door locks	Power	_____
32. Remote keyless entry	Two (2) required	_____
33. Windows	Power	_____
34. Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
35. Seat, rear	Cloth-faced, bench	_____
36. Radio	AM-FM with CD player	_____
37. 12-Volt power point	Required	_____
38. Bluetooth [®] technology	Required for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit	_____
39. Air bags	Required, front driver’s and passenger	_____
40. Fuel tank	90 litre minimum, fully fuelled upon delivery	_____
41. Tubular side steps	Dual, chrome finish, OEM	_____
42. Bumper	Rear step bumper	_____
43. Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	_____
44. Colour - Interior	Blue or grey	_____
- Exterior	White	_____
45. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
46. Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	_____

DETAILED SPECIFICATIONS PE20/21 (continued)

47. Delivery contact

The Contractor shall contact the Contract Administrator prior to delivery of the equipment

48. PDI

A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list

PC20 (4x2) – Section A, Item 6
PC21 (4x4) – Section A, Item 6a



6,500 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	6,500 – 8,000 lbs.	_____
4. Wheelbase	136 - 145 in.	_____
5. Cargo length	5.5 ft. nominal	_____
6. Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
7. Cab configuration	Crew cab	_____
8. Door configuration	Four (4) full sized, front hinged doors	_____
9. Engine	V8, EFI, gasoline, state displacement	_____
10. Fuel consumption <i>PC20</i>	State city rating, L/100km	_____
10.1 Fuel consumption <i>PC21</i>	State city rating, L/100km	_____
11. Block heater	Required with cord through grille	_____
12. Coolant	Extended Life Coolant, -35°C	_____
13. Battery	600 CCA minimum	_____
14. Transmission	Automatic	_____
15. Transmission cooling	As required for trailer towing	_____
16. Steering	Power	_____
17. Brakes	Power with ABS	_____
18. Wheels	Standard manufacturer’s wheels, without locking nuts	_____
19. Tires – front & rear	BSW Tier 1 or 2 all terrain mud and snow, state size	_____

DETAILED SPECIFICATIONS PC20/21 (continued)

20. Spare wheel & tire	Required with underbody carrier	_____
21. Mudflaps	Required, front and rear, OEM, moulded	_____
22. Rear axle	Limited slip or posi-traction	_____
22.1 Front axle – PC21	4WD with dash mounted electronic shift	_____
23. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
24. Windshield	Tinted	_____
25. Windshield wipers	Intermittent	_____
25.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
26. Mirrors	Interior rearview & heated dual exterior	_____
27. Ignition keys	Three (3) sets required	_____
28. Air conditioning	Required	_____
29. Tilt steering	Required	_____
30. Cruise control	Required	_____
31. Door locks	Power	_____
32. Remote keyless entry	Two (2) required	_____
33. Windows	Power	_____
34. Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
35. Seat, rear	Cloth-faced, bench	_____
36. Radio	AM-FM with CD player	_____
37. Air bags	Required, front driver's and passenger	_____
38. 12-Volt power point	Required	_____
39. Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
40. Fuel tank	90 litre minimum, fully fuelled upon delivery	_____
41. Tubular side steps	Dual, chrome finish, OEM	_____
42. Bumper	Rear step bumper	_____
43. Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	_____
44. Colour - Interior	Blue or grey	_____
- Exterior	White	_____
45. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
46. Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	_____

DETAILED SPECIFICATIONS PC20/21 (continued)

47. Delivery contact

The Contractor shall contact the Contract Administrator prior to delivery of the equipment

48. PDI

A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list

PR30 (4x2) – Section B, Item 7/7a
PR31 (4x4) – Section B, Item 7b/7c/7d



8,500 LBS. GVWR PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	8,500 lbs. min., state	_____
4. Wheelbase	133 – 141 in.	_____
5. Cargo length	8 ft. nominal	_____
6. Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
7. Cab configuration	Regular cab	_____
8. Engine	V8, EFI, gasoline, state displacement	_____
9. Block heater	Required with cord through grille	_____
10. Coolant	Extended Life Coolant, -35°C	_____
11. Battery	600 CCA minimum	_____
12. Transmission	Automatic	_____
13. Transmission cooling	As required for trailer towing	_____
14. Steering	Power	_____
15. Brakes	Power with ABS	_____
16. Wheels	Standard manufacturer’s wheels, without locking nuts	_____
17. Tires – front & rear	LT, BSW Tier 1 or 2 all terrain mud & snow, state size	_____
18. Spare wheel & tire	Required with underbody carrier	_____
19. Mudflaps	Required, front and rear, OEM, moulded	_____
20. Rear axle	Limited slip or posi-traction	_____

DETAILED SPECIFICATIONS PR30/31 (continued)

20.1 Front axle – PR31	4WD with dash mounted electronic shift	_____
21. Floor covering	Carpeting throughout w/throw-in rubber floor mats	_____
22. Windshield	Tinted	_____
23. Windshield wipers	Intermittent	_____
23.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
24. Mirrors	Interior rearview & heated dual exterior	_____
25. Ignition keys	Three (3) sets required	_____
26. Air conditioning	Required	_____
27. Tilt steering	Required	_____
28. Cruise control	Required	_____
29. Door locks	Power	_____
30. Remote keyless entry	Two (2) required	_____
31. Windows	Power	_____
32. Seats, front	Cloth-faced, split bench	_____
33. Radio	AM-FM with CD player	_____
34. 12-Volt power point	Required	_____
35. Bluetooth® technology	Required for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit	_____
36. Air bags	Required, front driver’s and passenger	_____
37. Fuel tank	90 litre minimum, fully fuelled upon delivery	_____
38. Tubular side steps	Dual, chrome finish, OEM	_____
39. Bumper	Rear step bumper	_____
40. Towing prep package	Class III (5,000 lbs.) capacity min. c/w trailer plug wiring and receiver hitch	_____
40.1 Electric brake controller	Required, factory installed.	_____
41. Colour - Interior	Blue or grey	_____
- Exterior	White	_____
42. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
43. Delivery time	Within 45-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	_____
44. Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____

DETAILED SPECIFICATIONS PR30/31 (continued)

45. PDI A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list _____

Options:

Note: Options to be priced only as indicated on Form B: Prices

46. Option 1: Engine Diesel engine, 6.0 Litre min, state displacement _____

47. Option 2: Snow Plow Pkg. Snow plow prep package including HD alternator(s), skid plates, trans. cooler, etc. as recommended by manufacturer _____



PE30 (4x2) – Section B, Item 8/8a
PE31 (4x4) – Section B, Item 8b/8c/8d

8,500 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	8,500 lbs. min., state	_____
4. Wheelbase	138 – 145 in.	_____
5. Cargo length	6.5 ft. nominal	_____
6. Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
7. Cab configuration	Extended cab	_____
8. Door configuration	Four (4) doors	_____
9. Engine	V8, EFI, gasoline, state displacement	_____
10. Block heater	Required with cord through grille	_____
11. Coolant	Extended Life Coolant, -35°C	_____
12. Battery	600 CCA minimum	_____
13. Transmission	Automatic	_____
14. Transmission cooling	As required for trailer towing	_____
15. Steering	Power	_____
16. Brakes	Power with ABS	_____
17. Wheels	Standard manufacturer’s wheels, without locking nuts	_____
18. Tires – front & rear	LT, BSW Tier 1 or 2 all terrain mud & snow, state size	_____
19. Spare wheel & tire	Required with underbody carrier	_____

DETAILED SPECIFICATIONS PE30/31 (continued)

20. Mudflaps	Required, front and rear, OEM, moulded	_____
21. Rear axle	Limited slip or posi-traction	_____
21.1 Front axle – PE31	4WD with dash mounted electronic shift	_____
22. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
23. Windshield	Tinted	_____
24. Windshield wipers	Intermittent	_____
24.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
25. Mirrors	Interior rearview & heated dual exterior	_____
26. Ignition keys	Three (3) sets required	_____
27. Air conditioning	Required	_____
28. Tilt steering	Required	_____
29. Cruise control	Required	_____
30. Door locks	Power	_____
31. Remote keyless entry	Two (2) required	_____
32. Windows	Power	_____
33. Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
34. Seat, rear	Cloth-faced, bench	_____
35. Radio	AM-FM with CD player	_____
36. Air bags	Required, front driver's and passenger	_____
37. 12-Volt power point	Required	_____
38. Bluetooth® technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
39. Fuel tank	90 litre minimum, fully fuelled upon delivery	_____
40. Tubular side steps	Dual, chrome finish, OEM	_____
41. Bumper	Rear step bumper	_____
42. Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	_____
42.1 Electric brake controller	Required, factory installed.	_____
43. Colour - Interior	Blue or grey	_____
- Exterior	White	_____
44. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
45. Delivery time	Within 45-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	_____

DETAILED SPECIFICATIONS PE30/31 (continued)

- | | | |
|----------------------|---|-------|
| 46. Delivery contact | The Contractor shall contact the Contract Administrator prior to delivery of the equipment | _____ |
| 47. PDI | A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list | _____ |

Options:

Note: Options to be priced only as indicated on Form B: Prices

- | | | |
|----------------------------|--|-------|
| 48. Option 1: Engine | Diesel engine, 6.0 Litre min, state displacement | _____ |
| 49. Option 2: Cargo length | 8 ft. nominal (154-161 in. WB) | _____ |

PC30 (4x2) – Section B, Item 9/9a
PC31 (4x4) – Section B, Item 9b/9c



9,200 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	9,200 lbs. min., SRW, state GVWR	_____
3.1 MGI	Vehicles over 10,000 lbs. GVWR shall be supplied with a current year Manitoba Gov’t Inspection with Safety Sticker on the driver’s side window	_____
4. Wheelbase	167 – 175 in.	_____
5. Cargo length	8 ft. nominal	_____
6. Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
7. Cab configuration	Crew cab	_____
8. Door configuration	Four (4) full sized, front hinged doors	_____
9. Engine	V8, EFI, gasoline, state displacement	_____
10. Block heater	Required with cord through grille	_____
11. Coolant	Extended Life Coolant, -35°C	_____
12. Battery	600 CCA minimum	_____
13. Transmission	Automatic	_____
14. Transmission cooling	As required for trailer towing	_____
15. Steering	Power	_____
16. Brakes	Power with ABS	_____
17. Wheels	Standard manufacturer’s wheels, without locking nuts	_____

DETAILED SPECIFICATIONS PC30/31 (continued)

18. Tires – front & rear	LT, BSW Tier 1 or 2 all terrain mud & snow, state size	_____
19. Spare wheel & tire	Required with underbody carrier	_____
20. Mudflaps	Required, front and rear, OEM, moulded	_____
21. Rear axle	Limited slip or posi-traction	_____
21.1 Front axle – PC31	4WD with dash mounted electronic shift	_____
22. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
23. Windshield	Tinted	_____
24. Windshield wipers	Intermittent	_____
24.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
25. Mirrors	Interior rearview & heated dual exterior	_____
26. Ignition keys	Three (3) sets required	_____
27. Air conditioning	Required	_____
28. Tilt steering	Required	_____
29. Cruise control	Required	_____
30. Door locks	Power	_____
31. Remote keyless entry	Two (2) required	_____
32. Windows	Power	_____
33. Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
34. Seat, rear	Cloth-faced, bench	_____
35. Radio	AM-FM with CD player	_____
36. Air bags	Required, front driver's and passenger	_____
37. 12-Volt power point	Required	_____
38. Bluetooth® technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
39. Fuel tank	110 litre minimum, fully fuelled upon delivery	_____
40. Tubular side steps	Dual, chrome finish, OEM	_____
41. Bumper	Rear step bumper	_____
42. Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	_____
42.1 Electric brake controller	Required, factory installed.	_____
43. Colour - Interior	Blue or grey	_____
- Exterior	White	_____
44. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____

DETAILED SPECIFICATIONS PC30/31 (continued)

- | | | |
|----------------------|--|-------|
| 45. Delivery time | Within 45-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days | _____ |
| 46. Delivery contact | The Contractor shall contact the Contract Administrator prior to delivery of the equipment | _____ |
| 47. PDI | A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list | _____ |

Options:

Note: Options to be priced only as indicated on Form B: Prices

- | | | |
|----------------------|--|-------|
| 48. Option 1: Engine | Diesel engine, 6.0 Litre min, state displacement | _____ |
|----------------------|--|-------|

Section C, Item 10

DETAILED SPECIFICATIONS 09088

SUPPLY & INSTALLATION OF WARNING LIGHTS AND EQUIPMENT

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. LIGHTING SPECIFICATIONS

- 2.1 Backrack – required, supplied and installed. _____
- 2.2 Utility light bracket – 16"x7", driver's side mounted, required for mounting mini light bar. _____
- 2.3 Mini light bar – Whelen R2LPPA, mounted to top-driver's side of Backrack, 360° visibility, wired through ignition, fused as per manufacturer's recommendations. _____
- 2.4 Actuation switch – Sho-Me 05.0507, backlit, labelled "beacon" with a permanent type, engraved style label. Exact mounting location to be determined at time of installation. _____
- 2.5 L-bracket – Sho-Me 05.X503.BRKT. _____
- 2.6 All wiring for warning light and switch shall be colour coded, loomed and properly secured. _____
- 2.6.1 All electrical connectors shall be crimped and soldered, then sealed using heat shrink tubing. _____
- 2.6.2 All joining of wires shall be soldered and sealed using heat shrink tubing or approved OEM weathertight connections (crimp-on electrical connectors for joining of wires are not acceptable). _____
- 2.6.3 Any holes required to run wires through shall be drilled (not punched), grommeted and sealed as required. _____