FORM A: BID (See B8)

1.	Contract Title	MAGER COMBINED SE CONTRACT NO. 1	WER DISTRICT SEWER SE	PARATION
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact p of the Bid.	erson to represen
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Offer		rs to perform the Work in acid Price, in Canadian funds, s	

5.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
6.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
7.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
8.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
9.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
10.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

11.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this						
		day of	, 20					
		Signature of Bidder or Bidder's Authorized Official or Officials						
		(Print here name and official capacity of individual whose signal	ature appears above					
		(Print here name and official capacity of individual whose signal	ature appears above					

SEAL

(See B9)

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	on Row - 1st MH N of Rosewarne Ave to of Rosewarne Ave					
A. 1	Land Drainage Sewer	CW 2130				
a)	300mm trenchless installation, Class B sand bedding, Class 3 backfill		m	180.0		
	375mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill		m m	95.0 10.0		
A. 2 a)	Manhole SD-010 1200mm diameter base	CW 2130	· vert. m	12.2		
A. 3 a)	Catch Basin SD-024		Vort. III	12.2		
-	1800mm		each	1		
A. 4 a)	Remove and Replace Catch Basin SD-024	CW 2130		*		·
A. 5	1800mm Remove Existing Catch Pits and Replace with Catch Basins	CW 2130	each	1		
a) i)	SD-024 1800mm	·	each	4		
A. 6	Abandon Existing Catch Basin	CW 2130	each	4		
A. 7	Abandon Existing Catch Pits	CW 2130	each	1		
A. 8	Sewer Services	CW 2130				
a) i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	30.0		
A. 9	Connecting to Existing Manhole	E4				
a)	375mm		each	1 1		

(See B9)

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 10	Replacing Existing Flat Top Reducer	CW 2130				
a)	Pre-cast					
i	900x610 SQ		each	1 1		,
A. 11	Connecting to Existing Catch Pit	CW 2130				
a)	250mm	011/0/00	each	1 1		
A. 12	Plugging Existing Sewer Services Smaller Than 300mm	CW 2130				
a)	250mm		each	11		
A. 13	Sewer Inspection	CW 2145		÷		
a)	300mm		m	180.0		
b)	375mm		m	105.0		·
A. 14	Partial Slab Patches	CW 2130				,
a)	150mm reinforced concrete pavement		m ²	130.0		
A. 15	Concrete Curb Renewal	CW 2130				
a)	Barrier Curb (SD-204)	,	m	80.0		
A. 16	100mm Concrete Sidewalk	CW 3325	m ²	30.0		
A. 17	Temporary Concrete Restorations	E6				
a)	150mm concrete pavement		m ²	130.0		
b)	100mm concrete sidewalk		m ²	30.0		·
A. 18	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m ²	130.0		
				Kingston Ro	w Sub-total	

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

UNIT PRICES SPEC. LINUT APPROX. UNIT								
1	ITEM		DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
			arne Avenue - 1st MH E of Kingston Row E of Kingston Row			1		
В.	1		Land Drainage Sewer	CW 2130			-	
	a)	i)	300mm trenchless installation, Class B sand bedding, Class 3 backfill		m	95.0		
	b)	,	375mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand		m	105.0		
			bedding, Class 5 backfill		m	3.0		
В.	2		Manhole	CW 2130		,		
	a)		SD-010					
В.	3	i)	1200mm diameter base Remove Existing Catch Pits and Replace with Catch Basins	CW 2130	vert. m	5.9		
	a)		SD-024					
		i)	1200mm		each	2		
		i)	1800mm		each	4		
В.	4		Abandon Existing Catch Basins	CW 2130	each	6		
B.	5		Sewer Services	CW 2130	,			
2	a)	i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		. m	40.0		
B	6		Connecting to Existing Manhole	CW 2130				
	a)		375mm		each	1		
	7 8		Cement Stabilized Fill Connecting New Sewer Service to Existing Sewer Service	CW 2030 CW 2130	m ³	0.3		
В.	a) . 9		250mm Plugging Existing Sewer Services Smaller Than 300mm	CW 2130	each	1		
	a)		250mm		each	13		
В	. 10		Sewer Inspection	CW 2145				
	a)		300mm		m	95.0		
	b)		375mm		m	110.0		

(See B9)

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 11 a)	Partial Slab Patches 150mm reinforced concrete pavement	CW 2130	m²	120.0		
B. 12 a)	Concrete Curb Renewal Barrier Curb (SD-204)	CW 2130	m	85.0		
B. 13	Temporary Concrete Restorations	E6	m ²	120.0		
a) B. 14	150mm concrete pavement Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m ²	120.0		
			R	osewarne A	ve Sub-total	

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

JNIT PR		SPEC.	1 1 5 1 1 1 1 1	APPROX.	UNIT	AMOUNT
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	ark Road - 2nd MH E of Killarney St to 4th Killarney St					
C. 1	Land Drainage Sewer	CW 2130				
a)	450mm					
	i) trenchless installation, Class B sand bedding, Class 3 backfill		m	205.0		
į	i) trenchless installation, Class B sand					
	bedding, Class 5 backfill		m	5.0		
C. 2	Manhole	CW 2130				
b)	SD-010					
	i) 1200mm diameter base		vert. m	8.6		
C. 3	Remove Existing Catch Pits and Replace with Catch Basins	CW 2130				
a)	SD-024					
•	i) 1800mm		each	1		
C. 4	Abandon Existing Catch Basins	CW 2130	each	1		
C. 5	Sewer Services	CW 2130				
a)	250mm					
	i) trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
C. 6	Connecting to Existing Manhole	CW 2130				
a)	450mm		each	1		
C. 7	Cement Stabilized Fill	CW 2030	m ³	0.5		
C. 8	Replacing Existing Risers	CW 2130				
a)	Pre-cast concrete					
	i) 750mm dia.		vert. m	0.6		
C. 9	Replacing Existing Manhole Rungs	CW 2130	each	2		
C. 10	Connecting New Sewer Services to Existing Sewer Services	CW 2130				
	a) 250 mm	0,110,155	each	1		
C. 11	Plugging Existing Sewer Services Smaller Than 300mm	CW 2130				
a)	250mm		each	4		
C. 12	Sewer Inspection	CW 2145				
a)	450mm		m	210.0		

(See B9)

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 13	Partial Slab Patches	CW 2130				
a)	150mm reinforced concrete pavement		m²	100.0		
C. 14	Concrete Curb Renewal	CW 2130				
a)	Barrier Curb (SD-204)		m	105.0		
C. 15	100mm Concrete Sidewalk	CW 3325	m²	15.0		
C. 16	Temporary Concrete Restorations	E6			•	
a)	150mm concrete pavement		m²	100.0		
b)	100mm concrete sidewalk		m ²	15.0		
C. 17	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m²	100.0		
				Elm Park R	d Sub-total	

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

ITEN	Л	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. Cun	nin	gton Avenue - MH at Killarney St to 4th					
MHE	of K	illarney St					
D. 1		Land Drainage Sewer	CW 2130				
a)	i)	375mm trenchless installation, Class B sand bedding, Class 3 backfill		m	390.0		,
D. 2		Manhole	CW 2130				
a)		SD-010					
D. 3	i)	1200mm diameter base Remove Existing Catch Pits and Replace with Catch Basins	CW 2130	vert. m	15.1		
a)		SD-024					
	i)	1800mm		each	7		
D. 4		Abandon Existing Catch Basins	CW 2130	each	7		
D. 5		Sewer Services	CW 2130				
a)	i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	50.0		
D. 6		Connecting to Existing Manhole	CW 2130	each	1		
D. 7		Replacing Existing Risers	CW 2130				
a)		Pre-cast concrete					
	ij	750mm dia.		vert. m	0.3		
D. 8		Replacing Existing Manhole Rungs	CW 2130	each	1		
D. 9		Connecting to Existing Catch Basin	CW 2130		·		-
a) D. 10		250mm Connecting New Sewer Service to Existing Sewer Service	CW 2130	each	1		
a) D. 11		250mm Plugging Existing Sewer Services Smaller Than 300mm	CW 2130	each	1		
a)		250mm		each	18		
D. 12		Sewer Inspection	CW 2145				
a)		375mm		m	390.0		

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 13	Partial Slab Patches	CW 2130				
a)	150mm reinforced concrete pavement		m^2	205.0		
D. 14	Concrete Curb Renewal	CW 2130				
a)	Barrier Curb (SD-204)		m	185.0		
D. 15	100mm Concrete Sidewalk	CW 3325	m ²	20.0		
D. 16	Temporary Concrete Restorations	E6				
a)	150mm concrete pavement		m ²	205.0		
b)	100mm concrete sidewalk		m ²	20.0		
D. 17	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m ²	205.0		
			Cu	ınnington Av	∕e - Subtotal	

(See B9)

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

	ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
			side Avenue - 3rd MH E of Killarney St to of Killarney St					
Ε.	1		Land Drainage Sewer	CW 2130				
	a)	:\	375mm					
		,	trenchless installation, Class B sand bedding, Class 3 backfill		m	135.0		
		11)	trenchless installation, Class B sand bedding, Class 5 backfill		m	5.0		
Ε.	2		Manhole	CW 2130				
	a)		SD-010					
Ε.	3	i)	1200mm diameter base Remove Existing Catch Pits and Replace with Catch Basins	CW 2130	vert. m	10.2		
	a)		SD-024					
		i)	1800mm		each	2		
Ε.	4		Abandon Existing Catch Basins	CW 2130	each	2		
Ε.	5		Sewer Services	CW 2130				
	a)	i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
Ξ.	6		Connecting to Existing Manhole	CW 2130				
	a)		375mm		each	1		
Ξ.	7		Cement Stabilized Fill	CW 2030	m³	7.2		
Ξ.	8		Replacing Existing Flat Top Reducer	CW 2130			*	
	a)		Pre-cast					
Ξ.	9	i)	900x610 SQ Plugging Existing Sewer Services Smaller Than 300mm	CW 2130	each	2		
	a)		250mm		each	4		
Ξ.	10		Sewer Inspection	CW 2145				
	a)		375mm		m	155.0		
Ξ.	11		Partial Slab Patches	CW 2130				•
	a)		150mm reinforced concrete pavement		m ²	70.0		

(See B9)

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 12	Concrete Curb Renewal	CW 2130				
a)	Barrier Curb (SD-204)		m	40.0		
E. 13	100mm Concrete Sidewalk	CW 3325	m²	15.0		
E. 14	Temporary Concrete Restorations	E6				
a)	150mm concrete pavement		m ² .	70.0		
b)	100mm concrete sidewalk		m ²	15.0		
E. 15	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m ²	70.0	·	
	Springside Ave - Subtotal					

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

	ITEN	Λ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
			Boulevard - 1st MH E of Killarney St to of Killarney St					
F.	1		Land Drainage Sewer	CW 2130				
	a)	,	375mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill		m m	5.0 210.0		
F.	2		Manhole	CW 2130				
	a)		SD-010		·			
F.	3	i)	1200mm diameter base Remove Existing Catch Pits and Replace with Catch Basins	CW 2130	vert. m	8.5		
	a)		SD-024					
		i)	1800mm		each	4		
F.	4		Abandon Existing Catch Basins	CW 2130	each	4		
F.	5		Sewer Services	CW 2130				
	a)	i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	35.0		·
F.	6		Connecting to Existing Manhole	CW 2130	-			
	a)		375mm	r	each	1 1		
	7 8		Cement Stabilized Fill Plugging Existing Sewer Services Smaller Than 300mm	CW 2030 CW 2130	m³	1.8		
	a)		250mm		each	8		
F.	9		Sewer Inspection	CW 2145				
	a)		375mm		m	215.0		-
F.	10		Partial Slab Patches	CW 2130				
	a)		150mm reinforced concrete pavement		m ²	25.0		
F.	11		Concrete Curb Renewal	CW 2130				
	a)		Barrier Curb (SD-204)		m	45.0		
F.	12		100mm Concrete Sidewalk	CW 3325	m ²	45.0		

The City of Winnipeg
Bid Opportunity No. 921-2009 Addendum No. 1
Template Version: C120090615

FORM B (R1): PRICES

(See B9)

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 13 a)	Temporary Concrete Restorations 150mm concrete pavement	E6	m²	25.0		
b)	100mm concrete sidewalk Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m ²	45.0 25.0		
	Sunset Blvd - Subtotal					

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	lawn Avenue - 3rd MH E of Killarney St to E of Killarney St					
G. 1	Land Drainage Sewer	CW 2130				
a)	375mm i) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand		m	10.0		
	bedding, Class 5 backfill		m	155.0		·
G. 2	Manhole	CW 2130				
a)	SD-010			7.0		
	i) 1200mm diameter base		vert. m	7.3		
G. 3	Connecting to Existing Manhole	CW 2130				
a)	375mm		each	1 1		
G. 4	Cement Stabilized Fill	CW 2030	m³	0.3		
G. 5	Sewer Services	CW 2130				
a)	250mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill		m m	15.0 10.0		
G. 6	Replacing Existing Risers	CW 2130				
a)	Pre-cast concrete					
	i) 750mm dia.	* .	vert. m	2.9		
G. 7	Replacing Existing Manhole Rungs	CW 2130	each	2		
G. 8	Connecting to Existing Catch Basin	CW 2130				
a) G. 9	250mm Plugging Existing Sewer Services Smaller Than 300mm	CW 2130	each	3		
a)	250mm		each	2		
G. 10	Sewer Inspection	CW 2145				
a)	375mm	3	m	165.0		
G. 11	Partial Slab Patches	CW 2130				
a)	150mm reinforced concrete pavement		m ²	25.0		

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

a) 150mm concrete p b) 100mm concrete s G. 15 Construction of As Type 1A	idewalk phaltic Concrete Patches CW 34	10 m ²	75.0 25.0		
b) 100mm concrete s		1	75.0		
a) 150mm concrete p					
1	avement	m ²	25.0		·
G. 14 Temporary Concre	te Restorations E6				·
G. 13 100mm Concrete S	Sidewalk CW 33	25 m ²	75.0		
a) Barrier Curb (SD-2	04)	m	40.0		
G. 12 Concrete Curb Rer	newal CW 21	30			
ITEM DES	CRIPTION SPEC	I UNII	APPROX. QUANTITY	UNIT PRICE	AMOUNT

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

UNIT PRIC	ES			LADDROY	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	PRICE	AMOUNT
H. St. Anno Fermor Av	e's Road - MH at Hull Ave to 1st MH W of e			,		
1 . 1	Land Drainage Sewer	CW 2130				
i)	450mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill		m m	60.0		
b) i)	525mm trenchless installation, Class B sand bedding, Class 3 backfill		m	65.0		
H. 2 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	6.9		4
H. 3 a) i)	Remove and Replace Catch Basin SD-024 1800mm	CW 2130	each	2		
H. 4 a) i)	Sewer Services 250mm trenchless installation, Class B sand	CW 2130	m	30.0		
H. 5	bedding, Class 3 backfill 300mm trenchless installation, Class B sand bedding, Class 3 backfill Replace Existing Catch Basin Frame and Cover	CW 2130	m	15.0		
a)	AP-009 Barrier Curb and Gutter Inlet Cover		each	1		·
H. 6	Patching Existing Manholes	CW 2130	vert. m	1.0		
H. 7	Replacing Existing Manhole Rungs	CW 2130	each	1		
H. 8	Replace Existing Catch Basin Hoods	CW 2130	each	1		
H. 9 a) b)	Replace Existing Catch Basins Cover AP-006 Standard Grated Cover AP-009 Barrier Curb and Gutter Inlet Cover	CW 2130	each each	1 1		

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. 10	Connecting to Existing Catch Basin	CW 2130				
a)	250mm		each	5		
b)	300mm		each	1 1		
H. 11	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	250mm		each	1 1		
H. 12	Plugging Existing Sewer Services Smaller Than 300mm	CW 2130				
a)	250mm		each	5		
H. 13	Sewer Inspection	CW 2145				
a)	450mm		m	180.0		
b)	525mm		m	65.0		
H. 14	Partial Slab Patches	CW 2130				
a)	150mm reinforced concrete pavement		m ²	100.0		
H. 15	Concrete Curb Renewal	CW 2130				
a)	Barrier Curb (SD-204)		m	145.0		
H. 16	Temporary Concrete Restorations	E6				
a)	150mm concrete pavement		m ²	100.0		
H. 17	Construction of Asphaltic Concrete Patches	CW 3410	m ²	100.0		
H. 18	Type 1A Watermain	CW 2110		100.0		
a)	150mm					
	trenchless installation, Class B sand		m	5.0	-	
	bedding, Class 3 backfill	CW 2110				
H. 19 a)	Fittings Vertical Bends	CVV 2110				
	1) 150mm x 150mm		each	4.0		
H. 20	Watermain Insulation	CW 2110	m	6.0	Rd - Subtotal	

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

	ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I. F	Provi	sio	nal Items					
l. I.	1 2		Cement Stabilized Fill	CW 2030 CW 2110	m³	25		
••	_		Watermain Repair - Up to 3.0 meters Long					
	a)		150mm					
		i)	Class 3 backfill		each	1 1		
	b)		250mm					
		i)	Class 3 backfill		each	1 1		
	c)		300mm					
		i)	Class 3 backfill		each	1 1		
۱.	3		Water Services	CW 2110				
	a)		19mm					
		i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	925.0		·
	b) -	i)	25mm trenchless installation, Class B sand bedding, Class 3 backfill		m	55.0		
	c)	i)	51mm trenchless installation, Class B sand bedding, Class 3 backfill		m	55.0		
١.	4		Coproation Stops	CW 2110				
	a)		19mm		each	65		
	b)		25mm		each	2		
	c)		51mm		each	2	•	
I.	5		Curb Stops	CW 2110				
	a)		19mm		each	65		
	b)		25mm		each	2		
	c)		51mm	,	each	2		
١.	6		Curb Stop Boxes	CW 2110				
	a)		19mm		each	65	,	
	b)		25mm		each	2		
	c)		51mm		each	2		

2009 MAGER COMBINED SEWER DISTRICT SEWER SEPARATION

CONTRACT NO. 1

	TEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	7		10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)		On Water Services		each	62		
	8		Continuity Bonding	CW 2110	each	7		
	9		Sewer Services	CW 2130			·	
	a)	i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	375.0		
	b)	i)	200mm trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0	,	
	10		Drainage Connection Pipe	CW 2130		10.0		
	11		Sewer Service Risers	CW 2130				
	a)		SD-015					
		i)	150mm		vert. m	50.0		
	14		Sodding	CW 3510	m ²	20.0		
	15		Regrading Existing Interlocking Paving Stone Installation	CW 2330	m ²	50.0		
١.	16		Adjustment of Precast Sidewalk Blocks	CW 3225	m ²	20.0		
					Pro	visional Item	ns - Subtotal	

TOTAL BID PRICE (GST extra)	(in figures)\$	
in words)		

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENT	STHAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten produced for the payment of which sun	eld and firmly bound unto THE CITY OF WINNIP bercent (10%) of the Total Bid Price set out in the n the Principal and Surety bind themselves, their hijointly and severally, firmly by these presents.	Bid hereinafter
WHEREAS the Principal has submitted a	a Bid to the Obligee for	
BID OPPORTUNITY NO. 921-2009		
MAGER COMBINED SEWER	R DISTRICT SEWER SEPARATION CONTRACT N	O. 1
as more fully set out in the Bid Opportun	ity.	
if said Bid is accepted and the Principal, the said Obligee and furnishes the requi	obligation is such that if the Bid of the Principal is not in accordance with the terms of the Bid, enters into red performance security for guaranteeing the faithfold, but otherwise shall remain in full force and effec	a Contract with ful performance
IN WITNESS WHEREOF the Principal a	nd Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of: (Witness as to Principal if no seal)	(Name of Principal) Per: Per:	(Seal)
	(Name of Surety) By: (Attorney-in-Fact)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond he become bound as Surety for the Principal,		rees with THE CITY OF WINNIPEG to
		of
(Name of Bidder)		
(Place)		
the Bidder to you on	, 20 fo	r
BID OPPORTUNITY NO. 921-2009		
MAGER COMBINED SEWER	DISTRICT SEWER SEPA	ARATION CONTRACT NO. 1
in an amount equal to fifty percent (50%) Work shown and described in the Bid Performance Bond to be maintained and operiod. The Performance Bond shall be in	Opportunity, if our Princontinue in full force and	ncipal's Bid is accepted by you, such effect until the expiration of the warranty
It is a condition that this Agreement to mentioned above is not required from Submission Deadline.		
AND IT IS HEREBY DECLARED AND nothing of any kind or matter whatsoever or release of liability of the Surety, any notwithstanding.	that will not discharge th	e Principal shall operate as a discharge
SIGNED AND SEALED this	day of	, 20
	(Name of Surety)	
	By: (Attorney-in-Fac	t) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY - BID OPPORTUNITY NO. 921-2009
MAGER COMBINED SEWER DISTRICT SEWER SEPARATION CONTRACT NO. 1
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder) WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 19, 2010

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)