

- CHECK VALVE - SHUT-OFF VALVE

D.H.W.T.

2 DOMESTIC HOT WATER TANK DETAIL

--- 12" HEAT TRAP

THERMOMETER -

PRESS/TEMP RELIEF VALVE —

DRAIN VALVE ---

FUNNEL FLOOR DRAIN ----

M3.1 SCALE: NTS

GENERAL NOTES:

- 1. THIS DRAWING IS DIAGRAMMATIC ONLY. DO NOT SCALE.
- 2. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING EXACT LAYOUTS, ROUTING ETC.
- PROVIDE ISOLATION VALVES AT ALL GROUPS OF FIXTURES; AND FIXTURE STOPS AT ALL FIXTURES. (PLUMBING ONLY)
- 4. PROVIDE TRAP PRIMERS FOR ALL DRAINS WHICH ENCOUNTER LIMITED USE. IE. FLOOR DRAINS.

DRAWING NOTES:

- 1 EXISTING 1000 SANITARY SERVICE TO CONNECT TO CITY OF WINNIPEG SANITARY MAIN. REFER TO SITE PLAN FOR CONTINUATION.
- 2 1000 DOMESTIC WATER SERVICE TO CONNECT TO CITY OF WINNIPEG WATER MAIN. REFER TO SITE PLAN FOR CONTINUATION.
- 3 50¢ PRESSURE PIPE CONNECT TO SANITARY RISER.
- (4) 400X400 CATCH BASIN.
- (5) WATER METER. REFER TO WATER METER DETAIL #3/M7.1 & #3/M3.1.
- 6 TYPICAL DOMESTIC HOT WATER TANK SPECIFIED. REFER TO DETAIL #2/M3.1.
- 7 TYPICAL ELEVATOR SUMP PUMP LOCATED IN
- 8 CONCENTRIC REDUCER 1000X750
- 9 DOMESTIC HOT WATER RECIRCULATION PUMP AS SPECIFIED. REFER TO DRAWING ME1.2 FOR
- 10 NATURAL GAS PIPING TO SERVE BOILERS B-1 AND B-2. REFER TO DRAWING M4.1 FOR
- EXACT LOCATION OF BOILERS.
- 11) DOMESTIC COLD, HOT AND RECIRC. PIPING RUNNING IN BASEMENT CEILING SPACE. (12) 50¢ PRESSURE PIPE TO MAIN FLOOR.
- (13) BACKFLOW PREVENTOR ASSEMBLY.
- EXISTING 1000 SANITARY PIPE UNDER SLAB TO REMAIN.
- (15) 32¢ GAS PIPE UP TO MAIN FLOOR.
- (16) 65¢ GAS PIPE FROM GAS METER @ 7" W.C.
- (17) 1000 SANITARY PIPE UNDER SLAB.
- (18) 1000 SANITARY PIPE RUNNING AT HIGH LEVEL.
- (19) NEW 1000 SANITARY UNDER SLAB.
- (20) WEEPING TILES SUMP PIT AND PUMPS.
- 21) 12ø TO GLYCOL SYSTEM C/W RPP BACKFLOW PREVENTOR.
- 22) 12¢ TO HUMIDIFIER SYSTEM.

PLUMBING FIXTURE CONNECTION SIZES

FIXTURE DESCRIPTION		TARY ECTION	DOME COLD CONNE	H₂0	DOMESTIC HOT H₂O CONNECTION	
	INCHES	ММ	INCHES	ММ	INCHES	ММ
WATER CLOSET WITH FLUSH TANK	3	. 75	0.5	12		
LAVATORY	1.25	32	0.5	12	0.5	12
URINAL	2	50	0.75	19		
SHOWER	2 or 3	50 or 75	0.75	19	0.5	12
SINK (SINGLE COMPARTMENT)	1.5	38	0.5	12	0.5	12
KITCHEN SINK (TRIPLE COMPARTMENT)	. 2	50	0.75	19	0.75	19
DRINKING FOUNTAIN	1.25	32	0.5	12		
MOP SINK (FLOOR MOUNTED)	3	75	0.5	12	0.5	12

BUILDING PLUMBING SERVICES

FIXTURE DESCRIPTION	QTY	SANITARY FIXTURE UNITS	TOTAL SANITARY FIXTURE UNITS	DOMESTIC H₂0 FIXTURE UNITS PER FIXTURE		TOTAL DOMESTIC H₂O FIXTURE UNITS	
				COLD H₂0	HOT H₂O	COLD H₂0	HOT H₂0
WATER CLOSET WITH FLUSH TANK	14	4	56	5		70	
LAVATORY	12	1.25	15	2	2	24	24
URINAL	2	2	4	5		10	
SHOWER (1 HEAD) *RESIDENTIAL*	2	1.5	3	4	4	8	8
SINK (SINGLE COMPARTMENT)	2	1.5	3	. 2	2	4	4
KITCHEN SINK (TRIPLE COMPARTMENT)	1	2 W/ 2" TRAP 3 W/ 3" TRAP	3	4	4	4	4
DRINKING FOUNTAIN	1	1	1	1		1	
MOP SINK (FLOOR MOUNTED)	· 2	3	6	3	3	6	6
HOSE BIBB	3			7		21	
2° FLOOR DRAIN	7	2	14				**************************************
3" FLOOR DRAIN	5	3	15				
4" FLOOR DRAIN	1	4	4				
			120			146	44
	TOTAL FIXTURE UNITS					COMBINED HOT & COLD	
						190	
	PEAK FLOW RATE GPM (I/s)		49 (3.09)	PEAK FLOW RATE GPM (I/s)		64 (4.03)	



APEGI Certificate of Authorization MCW/AGE Consulting Professional Engineers

No. 589 Expiry: April 30, 2010

FEB 26, 2010

DEC 02, 2009

D ISSUED FOR TENDER

C ISSUED FOR 99% REVIEW

A ISSUED FOR 60% REVIEW

FEB 10, 2010 B ISSUED FOR 90% REVIEW **JAN 08, 2010**

This drawing must not be scaled.

The general Contractor must verify all dimensions, datums and levels prior to commencement of work. All errors and omissions must be reported immediately to the Architect.

Variations and modifications to work shown on this drawing shall not be carried out without written permission from the

This drawing is the exclusive property of the Architect and cannot be reproduced without written permission of the Architect. Reproduction must bear the name of the Architect. Copyright © 2009.



MCW / AGE 210-1821 Wellington Avenue Winnipeg, Manitoba, R3H 0G4 Phone - (204) 779-7900 Fax - (204) 779-1119 E-Mail: mcw_wpg@mcw.com





SINCLAIR COMMUNITY CENTRE **ADDITION & RENOVATIONS**

BASEMENT PLAN-


project number: 5878 N.T.S. KLG

490 Sinclair Street, Winnipeg sheet title

2010-02-26

PLUMBING AND GAS PIPING LAYOUT

drawing number: M3.1



4 GAS PIPING RISER DIAGRAM

M3.1 SCALE: NTS

-50ø BY-PASS

-WATER METER

3 WATER METER & BACKFLOW PREVENTER SCHEMATIC DIAGRAM M3.1 SCALE: NTS

75¢ WATER MAIN

TO SYSTEM

2- 50ø BACKFLOW-

38¢ TO NEAREST— FLOOR DRAIN