

FORM A: BID
(See B8)

1. Contract Title PROVINCE OF MANITOBA/CITY OF WINNIPEG LOCAL STREET RENEWALS: ARTHUR WRIGHT CRESCENT, DORCHESTER AVENUE, HUGO STREET, JEFFERSON AVENUE, MARGATE ROAD, YALE AVENUE

2. Bidder _____
Name of Bidder

Street

City Province Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- In accordance with B11.1, the Bidder encloses bid security in the form of:
- (Choose one)
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No. | Dated |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>Arthur Wright Crescent E. Leg - Arthur Wright Way to Margate Rd.</u>					
	EARTH AND BASE WORKS					
A.1	Grading of Boulevards	CW 3110-R12	m ²	1080		
	ROADWORKS - RENEWALS					
A.2	Partial Slab Patches	CW 3230-R6				
	i) 150 mm Concrete Pavement (Type A)		m ²	5		
	ii) 150 mm Concrete Pavement (Type B)		m ²	55		
A.3	Drilled Dowels	CW 3230-R6				
	i) 19.1 mm Diameter		each	120		
A.4	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	130		
A.5	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	4		
	b) 5 sq.m. to 20 sq.m.		m ²	45		
	c) Greater than 20 sq.m.		m ²	255		
A.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m ²	30		
A.7	Supply of Precast Sidewalk Blocks	CW 3235-R7	m ²	20		
A.8	Removal of Precast Sidewalk Blocks	CW 3235-R7	m ²	20		
A.9	Concrete Curb Removal	CW 3240-R8				
	i) Lip Curb	SD-202C	m	660		
	ii) Curb Ramp		m	20		
A.10	Concrete Curb Installation	CW 3240-R8				
	i) Barrier (125mm ht, Dowelled)	SD-205	m	620		
	ii) Modified Barrier (125mm ht, Dowelled)	SD-203B	m	35		
	iii) Curb Ramp (10-15mm ht, Integral)	SD-229A,B,C	m	20		
A.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
	ROADWORKS - NEW CONSTRUCTION					
A.12	Construction of Asphaltic Concrete Pavements	CW 3410-R8				

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Main Line Paving					
a)	Type IA		tonne	705		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
JOINT AND CRACK SEALING						
A.13	Reflective Crack Maintenance	CW 3250-R7	m	985		
ADJUSTMENTS						
A.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	8		
A.15	Lifter Rings	CW 3210-R7				
i)	51mm		each	4		
A.16	Adjustment of Valve Boxes	CW 3210-R7	each	3		
LANDSCAPING						
A.17	Sodding	CW 3510-R9				
i)	width < 600mm		m ²	130		
ii)	width > or = 600mm		m ²	1075		
MISCELLANEOUS						
A.18	Partial Depth Planning of Existing Joints	E.13	m ²	175		
A.19	Asphalt Patching of Partial Depth Joints	E.13	tonne	20		
A	<u>Arthur Wright Crescent E. Leg - Arthur Wright Way to Margate Rd.</u>				Subtotal:	
B	<u>Margate Road - Arthur Wright Crescent to Mandalay Drive</u>					
EARTH AND BASE WORKS						
B.1	Grading of Boulevards	CW 3110-R12	m ²	1030		
ROADWORKS - RENEWALS						
B.2	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m ²	60		
B.3	Partial Slab Patches	CW 3230-R6				
i)	150 mm Concrete Pavement (Type A)		m ²	20		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	150 mm Concrete Pavement (Type B)		m ²	210		
iii)	150 mm Concrete Pavement (Type D)		m ²	70		
B.4	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	370		
B.5	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	420		
B.6	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	20		
b)	5 sq.m. to 20 sq.m.		m ²	155		
c)	Greater than 20 sq.m.		m ²	330		
B.7	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m ²	40		
B.8	Supply of Precast Sidewalk Blocks	CW 3235-R7	m ²	20		
B.9	Removal of Precast Sidewalk Blocks	CW 3235-R7	m ²	20		
B.10	Concrete Curb Removal	CW 3240-R8				
i)	Lip Curb	SD-202C	m	700		
ii)	Curb Ramp		m	55		
B.11	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (125mm ht, Dowelled)	SD-205	m	590		
ii)	Modified Barrier (125mm ht, Dowelled)	SD-203B	m	75		
iii)	Curb Ramp (10-15mm ht, Integral)	SD-229A,B,C	m	55		
ROADWORKS - NEW CONSTRUCTION						
B.12	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	10		
B.13	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	670		
ii)	Tie-ins and Approaches					

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	a) Type IA		tonne	50		
	JOINT AND CRACK SEALING					
B.14	Reflective Crack Maintenance	CW 3250-R7	m	860		
	ADJUSTMENTS					
B.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
B.16	Lifter Rings	CW 3210-R7				
	i) 51mm		each	4		
B.17	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	4		
B.18	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
	LANDSCAPING					
B.19	Sodding	CW 3510-R9				
	i) width > or = 600mm		m ²	2060		
	MISCELLANEOUS					
B.20	Partial Depth Planning of Existing Joints	E.13	m ²	195		
B.21	Asphalt Patching of Partial Depth Joints	E.13	tonne	25		
B	<u>Margate Road - Arthur Wright Crescent to Mandalay Drive</u>				Subtotal:	
C	<u>Jefferson Avenue - Powers Street to Main Street</u>					
	ROADWORKS - RENEWALS					
C.1	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
	i) 200 mm Concrete Pavement (Type A)		m ²	10		
	ii) 200 mm Concrete Pavement (Type B)		m ²	230		
	iii) 200 mm Concrete Pavement (Type C)		m ²	15		
	iv) 200 mm Concrete Pavement (Type D)		m ²	100		
C.2	Drilled Dowels	CW 3230-R6				
	i) 19.1 mm Diameter		each	305		
C.3	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	620		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.4	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (125mm ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
b)	3 m to 30 m		m	80		
c)	Greater than 30 m		m	50		
ii)	Barrier (125mm ht, Separate)	SD-203A				
a)	Less than 3 m		m	15		
b)	3 m to 30 m		m	75		
c)	Greater than 30 m		m	90		
iii)	Curb Ramp (10-15mm ht, Monolithic)	SD-229C,D	m	35		
C.5	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	960		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	85		
C.6	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	5060		
ii)	50 - 100 mm Depth (Asphalt)		m ²	900		
	JOINT & CRACKING AND SEALING					
C.7	Longitudinal Joint & Crack Filling (> 25mm in width)	CW 3250-R7	m	340		
C.8	Reflective Crack Maintenance	CW 3250-R7	m	2115		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.9	Catch Pit	CW 2130-R11				
i)	SD-023		each	11		
C.10	Drainage Connection Pipe	CW 2130-R11	m	22		
C.11	Connecting to Existing Catch Basin	CW 2130-R11				
i)	250mm Drainage Connection Pipe		each	11		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.12	Abandoning Existing Drainage Inlets	CW 2130-R11	each	11		
	ADJUSTMENTS					
C.13	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
C.14	Adjustment of Valve Boxes	CW 3210-R7	each	1		
C.15	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	12		
C	<u>Jefferson Avenue - Powers Street to Main Street</u>				Subtotal:	
D	<u>Dorchester Avenue - Guelph Street to Harrow Street</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R12	m ³	675		
D.2	Crushed Sub-base Material	CW 3110-R12, E14				
i)	100 mm - Limestone	E.14	tonne	1060		
D.3	Supplying and Placing Base Course Material	CW 3110-R12	m ³	115		
D.4	Grading of Boulevards	CW 3110-R12	m ²	1645		
D.5	Separation Geotextile Fabric	CW 3130-R2	m ²	1460		
D.6	Supply and Install Geogrid	CW 3135	m ²	1460		
	ROADWORKS - RENEWALS					
D.7	Pavement Removal	CW 3110-R12				
i)	Concrete Pavement		m ²	1500		
D.8	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	70		
D.9	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	15		
b)	5 sq.m. to 20 sq.m.		m ²	85		
c)	Greater than 20 sq.m.		m ²	180		
D.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m ²	15		
D.11	Supply of Precast Sidewalk Blocks	CW 3235-R7	m ²	35		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.12	Removal of Precast Sidewalk Blocks	CW 3235-R7	m ²	25		
D.13	Concrete Curb Removal	CW 3240-R8				
i)	Barrier Integral		m	20		
D.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
ROADWORKS - NEW CONSTRUCTION						
D.15	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	1220		
D.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	300		
ii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	20		
iii)	Construction of Curb Ramp (10-15mm ht, Integral)	SD-229C	m	25		
D.17	Interlocking Paving Stones	CW 3330-R5	m ²	5		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
D.18	Catch Basin	CW 2130-R11				
i)	SD-024, 1800mm deep		each	4		
D.19	Abandoning Existing Catch Basins	CW 2130-R11	each	4		
D.20	Installation of Subdrains	CW 3120-R3	m	80		
ADJUSTMENTS						
D.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
D.22	Lifter Rings	CW 3210-R7				
i)	51mm		each	1		
D.23	Adjustment of Valve Boxes	CW 3210-R7	each	3		
D.24	Adjustment of Curb Stop Boxes	CW 3210-R7	each	14		
LANDSCAPING						
D.25	Sodding	CW 3510-R9				
i)	width < 600mm		m ²	45		
ii)	width > or = 600mm		m ²	1645		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Dorchester Avenue - Guelph Street to Harrow Street</u>				Subtotal:	
E	<u>Hugo Street - Fleet Avenue to Warsaw Avenue</u>					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R12	m ³	935		
E.2	Crushed Sub-base Material	CW 3110-R12, E14				
i)	100 mm - Limestone		tonne	1245		
E.3	Supplying and Placing Base Course Material	CW 3110-R12	m ³	135		
E.4	Grading of Boulevards	CW 3110-R12	m ²	1235		
E.5	Removal of Existing Concrete Bases	CW 3110-R12				
i)	600mm Diameter or Less		each	1		
E.6	Separation Geotextile Fabric	CW 3130-R2	m ²	1715		
E.7	Supply and Install Geogrid	CW 3135	m ²	1715		
	ROADWORKS - RENEWALS					
E.8	Pavement Removal	CW 3110-R12				
i)	Concrete Pavement		m ²	1485		
E.9	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	120		
E.10	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m ²	505		
E.11	Concrete Curb Removal	CW 3240-R8				
i)	Curb Ramp		m	35		
	ROADWORKS - NEW CONSTRUCTION					
E.12	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	1480		
E.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	190		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	80		
iii)	Construction of Lip Curb (40mm ht, Integral)	SD-202B	m	10		
iv)	Construction of Curb Ramp (10-15mm ht, Integral)	SD-229C	m	60		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
E.14	Catch Basin	CW 2130-R11				
i)	SD-024, 1800mm deep		each	3		
ii)	SD-025, 1800mm deep		each	1		
E.15	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
E.16	Abandoning Existing Catch Basins	CW 2130-R11	each	4		
E.17	Abandoning Existing Drainage Inlets	CW 2130-R11	each	4		
E.18	Installation of Subdrains	CW 3120-R3	m	80		
ADJUSTMENTS						
E.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
E.20	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	1		
E.21	Lifter Rings	CW 3210-R7				
i)	51mm		each	2		
E.22	Adjustment of Valve Boxes	CW 3210-R7	each	4		
E.23	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
LANDSCAPING						
E.24	Sodding	CW 3510-R9				
i)	width > or = 600mm		m ²	1235		
E	<u>Hugo Street - Fleet Avenue to Warsaw Avenue</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>Yale Avenue - Rockwood Street to Wilton Street</u>					
	EARTH AND BASE WORKS					
F.1	Excavation	CW 3110-R12	m ³	820		
F.2	Crushed Sub-base Material	CW 3110-R12, E14				
	i) 100 mm - Limestone		tonne	1235		
F.3	Supplying and Placing Base Course Material	CW 3110-R12	m ³	135		
F.4	Grading of Boulevards	CW 3110-R12	m ²	1505		
F.5	Separation Geotextile Fabric	CW 3130-R2	m ²	1705		
F.6	Supply and Install Geogrid	CW 3135	m ²	1705		
	ROADWORKS - RENEWALS					
F.7	Pavement Removal	CW 3110-R12				
	i) Concrete Pavement		m ²	1435		
F.8	Drilled Dowels	CW 3230-R6				
	i) 19.1 mm Diameter		each	105		
F.9	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
	i) Sidewalk	SD-228A				
	a) Greater than 20 sq.m.		m ²	540		
F.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m ²	5		
F.11	Supply of Precast Sidewalk Blocks	CW 3235-R7	m ²	20		
F.12	Removal of Precast Sidewalk Blocks	CW 3235-R7	m ²	25		
F.13	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
	ROADWORKS - NEW CONSTRUCTION					
F.14	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m ²	1425		
F.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
	i) Construction of Barrier (180mm ht, Separate)	SD-203A	m	270		
	ii) Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	20		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Construction of Curb Ramp (10-15mm ht, Integral)	SD-229C	m	30		
F.16	Interlocking Paving Stones	CW 3330-R5	m ²	5		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
F.17	Catch Pit	CW 2130-R11				
i)	SD-023		each	2		
F.18	Drainage Connection Pipe	CW 2130-R11	m	4		
F.19	Abandoning Existing Catch Basins	CW 2130-R11	each	2		
F.20	Connecting to Existing Catch Basin	CW 2130-R11				
i)	250mm Drainage Connection Pipe		each	2		
F.21	Abandoning Existing Drainage Inlets	CW 2130-R11	each	2		
F.22	Installation of Subdrains	CW 3120-R3	m	96		
ADJUSTMENTS						
F.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
F.24	Lifter Rings	CW 3210-R7				
i)	51mm		each	1		
F.25	Adjustment of Valve Boxes	CW 3210-R7	each	1		
F.26	Adjustment of Curb Stop Boxes	CW 3210-R7	each	15		
LANDSCAPING						
F.27	Sodding	CW 3510-R9				
i)	width < 600mm		m ²	95		
ii)	width > or = 600mm		m ²	1505		
F	<u>Yale Avenue - Rockwood Street to Wilton Street</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>Arthur Wright Crescent E. Leg - Arthur Wright Way to Margate Rd.</u>				Subtotal:	
B	<u>Margate Road - Arthur Wright Crescent to Mandalay Drive</u>				Subtotal:	
C	<u>Jefferson Avenue - Powers Street to Main Street</u>				Subtotal:	
D	<u>Dorchester Avenue - Guelph Street to Harrow Street</u>				Subtotal:	
E	<u>Hugo Street - Fleet Avenue to Warsaw Avenue</u>				Subtotal:	
F	<u>Yale Avenue - Rockwood Street to Wilton Street</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____
(in words)		_____				

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 315-2010

PROVINCE OF MANITOBA/CITY OF WINNIPEG LOCAL STREET RENEWALS: ARTHUR WRIGHT CRESCENT, DORCHESTER AVENUE, HUGO STREET, JEFFERSON AVENUE, MARGATE ROAD, YALE AVENUE

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____ .

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 315-2010

PROVINCE OF MANITOBA/CITY OF WINNIPEG LOCAL STREET RENEWALS: ARTHUR WRIGHT CRESCENT, DORCHESTER AVENUE, HUGO STREET, JEFFERSON AVENUE, MARGATE ROAD, YALE AVENUE

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 315-2010

PROVINCE OF MANITOBA/CITY OF WINNIPEG LOCAL STREET RENEWALS: ARTHUR
WRIGHT CRESCENT, DORCHESTER AVENUE, HUGO STREET, JEFFERSON AVENUE,
MARGATE ROAD, YALE AVENUE

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 19, 2010

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)