FORM A: BID (See B8)

1.	Contract Title	2010 WATERMAINAN R	ENEWALS AND SEWER RE	HABILITATION
		- CONTRACT 11		
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact pe of the Bid.	erson to represen
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms us ascribed to them in the C	sed in the Contract shall ha General Conditions.	ive the meanings
5.	Offer		rs to perform the Work in ac d Price, in Canadian funds, s	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or of	ficials have signed this
		day of	, 20
		Signature of Bidder or Bidder's Authorized Official or Officials	
		(Print here name and official capacity of individual who	se signature appears above)
		(Print here name and official capacity of individual who	se signature appears above)

FORM B: PRICES

(See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
113.	PART A – WATERMAIN RENEWALS			30/111111	. 11102	
A	Perth Avenue – Aikins Street to Main Street					
A. 1	Watermain Renewals	CW 2110				
a)	150mm					
i)	Trenchless installation, Class B sand		m	170.0		
ii)	bedding, Class 5 backfill Trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	2		
A. 3	Watermain Valve	CW 2110				
a)	150mm		each	2		
A. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm – 45°		each	2		
A. 5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection – no plug existing					
i)	150mm		each	2		
A. 6	Water Services	CW 2110				
a)	19mm					
i)	Trenchless installation, Class B sand bedding, Class 3 Backfill		m	210.0		
A. 7	Corporation Stops	CW 2110				
a)	19mm		each	19		
b)	38mm		each	3		

FORM B: PRICES

(See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 8	Curb Stops	CW 2110		QOANTITI	TRIOL	
a)	19mm		each	19		
A. 9	Curb Stop Boxes	CW 2110				
a)	19mm		each	19		
A.10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	38mm		each	3		
A.11	10.9 Kilogram Zinc Anodes	CW 2110				
a)	On metallic watermains		each	1		
b)	On water services		each	10		
A.12	Continuity Bonding	CW 2110	each	19		
A.13	Partial Slab Patches	CW 3230				
a)	200mm reinforced concrete pavement		m²	5.0		
A.14	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)		m²	100.0		
A.15	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	5.0		
b)	Ramp curb (SD-229 A)		m	5.0		
A.16	Construction of Asphaltic Patches (Type 1A)	CW 3410	m²	10.0		
	Subtotal Section A – Perth Avenue		· 			

FORM B: PRICES

(See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Dorchester Avenue – Guelph Street to			<u> </u>		
	Harrow Street					
B. 1	Watermain Renewals	CW 2110				
a)	150mm					
i)	Trenchless installation, Class B sand bedding, Class 5 backfill		m	45.0		
ii)	Trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
iii)	Trenchless installation with extraction of existing watermain, Class B sand bedding, Class 5 backfill		m	125.0		
b)	250mm					
i)	Trenchless installation, Class B sand bedding, Class 5 backfill		m	5.0		
ii)	Trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	1		
B. 3	Watermain Valve	CW 2110				
a)	150mm		each	3		
b)	250mm		each	1		
B. 4	Fittings	CW 2110				
a)	Tee					
i)	250mm x 250mm x 250mm		each	2		
b)	Reducer					
i)	250mm x 150mm		each	2		
c)	Bends					
i)	250mm – 45°		each	2		

FORM B: PRICES

(See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

PRICES DESCRIPTION	SPEC	LINIT	ΔPPRΩY	LINIT	AMOUNT
	REF.	UIVII	QUANTITY	PRICE	AIVIOUNT
Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
In-line connection - no plug existing					
150mm		each	2		
250mm		each	2		
Water Services	CW 2110				
19mm					
Trenchless installation, Class B sand bedding, Class 3 Backfill		m	85.0		
Corporation Stops	CW 2110				
19mm		each	22		
Curh Stone	CW 2110				
•	CW 2110				
19mm		each	11		
Curb Stop Boxes	CW 2110				
19mm		each	11		
Connecting Existing Copper Water Services to New Watermains	CW 2110				
19mm		each	11		
10.9 Kilogram Zinc Anodes	CW 2110				
On metallic watermains		each	1		
On water services		each	25		
Partial Slab Patches	CW 3230				
150mm reinforced concrete pavement		m²	20.0		
Miscellaneous Concrete Slab Renewal	CW 3235				
Sidewalk (SD-228A)		m²	15.0		
	In-line connection – no plug existing 150mm 250mm Water Services 19mm Trenchless installation, Class B sand bedding, Class 3 Backfill Corporation Stops 19mm Curb Stops 19mm Curb Stop Boxes 19mm Connecting Existing Copper Water Services to New Watermains 19mm 10.9 Kilogram Zinc Anodes On metallic watermains On water services Partial Slab Patches 150mm reinforced concrete pavement Miscellaneous Concrete Slab Renewal	Connecting to Existing Watermains and Large Diameter Water Services In-line connection – no plug existing 150mm 250mm Water Services 19mm Trenchless installation, Class B sand bedding, Class 3 Backfill Corporation Stops 19mm Curb Stops 19mm Curb Stop Boxes 19mm Connecting Existing Copper Water Services to New Watermains 19mm 10.9 Kilogram Zinc Anodes On metallic watermains On water services Partial Slab Patches 150mm reinforced concrete pavement Miscellaneous Concrete Slab Renewal CW 2110 CW	Connecting to Existing Watermains and Large Diameter Water Services In-line connection – no plug existing 150mm 250mm each 250mm Water Services 19mm Trenchless installation, Class B sand bedding, Class 3 Backfill Corporation Stops 19mm Curb Stops 19mm Curb Stops 19mm Curb Stops CW 2110 Curb Stop Boxes 19mm Connecting Existing Copper Water Services to New Watermains 19mm each Con metallic watermains On water services Partial Slab Patches 150mm reinforced concrete pavement Miscellaneous Concrete Slab Renewal CW 2110 CW 2110 each CW 2110 EXEMPTIAN CW 2110 Each Each Each Each Each Each Each Eac	REF. QUANTITY	Connecting to Existing Watermains and Large Diameter Water Services In-line connection – no plug existing 150mm 250mm 250mm 250mm Water Services 19mm Trenchless installation, Class B sand bedding, Class 3 Backfill Corporation Stops 19mm Curb Stops 19mm Curb Stop Boxes 19mm Curb Stop Boxes 19mm Connecting Existing Copper Water Services to New Watermains 19mm 10.9 Kilogram Zinc Anodes On metallic watermains On water services Partial Slab Patches 150mm reinforced concrete pavement Miscellaneous Concrete Slab Renewal CW 2110 CW 2110 CW 2110 CW 2110 CW 2110 Each 11 QUANTITY PRICE AU 2110 CW 2110 Each 2 Each 2 CW 2110 Each 1 Each 1 Each 2 CW 212 CW 213 Each 1 Each 2 E

FORM B: PRICES

(See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO.		REF.		QUANTITY	PRICE	
B.14	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	5.0		
b)	Ramp curb (SD-229 A)		m	5.0		
B.15	Construction of Asphaltic Patches (Type 1A)	CW 3410	m²	20.0		
Subtotal Section B – Dorchester Avenue						

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Hugo Street – Fleet Avenue to Warsaw Avenue					
C. 1	Watermain Renewals	CW 2110				
a)	150mm					
i)	Trenchless installation, Class B sand bedding, Class 5 backfill		m	20.0		
ii)	Trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
b)	250mm					
i)	Trenchless installation, Class B sand		m	115.0		
ii)	bedding, Class 5 backfill Trenchless installation, Class B sand Bedding, Class 3 backfill		m	20.0		
C. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	1		
C. 3	Watermain Valve	CW 2110				
a)	150mm		each	2		
b)	250mm		each	1		
C. 4	Fittings	CW 2110				
a)	Cross					
i)	250mm x 150mm		each	1		

FORM B: PRICES

(See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO.		REF.	ONT	QUANTITY	PRICE	711100111
b)	Bend (SD-004)					
i)	150mm – 45°		each	4		
c)	Reducers					
i)	200mm x 150mm		each	1		
C. 5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection – no plug existing					
i)	150mm		each	1		
ii)	200mm		each	1		
iii)	250mm		each	2		
C. 6	Connecting Existing Copper Water Services to New Watermain	CW 2110				
a)	19mm		each	2		
C. 7	Corporation Stops	CW 2110				
a)	19mm		each	2		
C. 8	10.9 Kilogram Zinc Anodes	CW 2110				
a)	On metallic watermains		each	2		
C. 9	Continuity Bonding	CW 2110	each	2		
C.10	Abandoning Large Diameter Water Service	CW 2110				
a)	350mm		each	1		
C.11	Abandoning Existing Valves	E 11	each	1		
	Subtotal Section C – Hugo Street					

FORM B: PRICES

(See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	Hugo Street – 350 Watermain Abandonment – Pembina Highway to Wellington Crescent					
D. 1	Abandoning Large Diameter Water Services	CW 2110				
a)	250mm		each	1		
b)	350mm		each	3		
D. 2	Abandoning Existing Valves	E 11	each	4		
D.3	Watermain Renewals	CW 2110				
a)	200mm					
i)	In an open trench, Class B sand bedding, Class 3 backfill		m	3.0		
b)	250mm					
i)	In an open trench, Class B sand bedding, Class 5 backfill		m	2.0		
b)	350mm					
i)	In an open trench, Class B sand bedding, Class 3 backfill		m	5.0		
D. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	350mm - 45º		each	1		
D. 5	Connecting to Existing Watermain Services	CW 2110				
a)	Inline connection –no plug existing					
i)	200mm		each	2		
ii)	250mm		each	2		
iii)	350mm		each	4		

FORM B: PRICES (See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT	AMOUNT
NO. D. 6	10.9 Kilogram Zinc Anodes	CW 2110		QUANTITY	PRICE	
D. 0	10.0 Rilogiam Zino Anodes	000 2110				
a)	On metallic watermains		each	5		
D. 7	Continuity Bonding	CW 2110	each	3		
	Community Domaining		00.011			
	Destination of the Post of the control of the contr	0144 0000				
D. 8	Partial Slab Patches	CW 3230				
a)	200mm reinforced concrete pavement		m²	20.0		
ļ						
D. 9	Miscellaneous Concrete Slab Renewal	CW 3235				
		011 0200				
ļ	Sidewalk (SD-228A)		m²	20.0		
ļ						
D10	Concrete Curb Renewal	CW 3240				
2)	Barrier curb (SD-204)		m	10.0		
a)	Barrier curb (3D-204)		111	10.0		
b)	Ramp curb (SD-229 A)		m	6.0		
c)	Curb and Gutter (SD-200)		m	5.0		
3)	Carb and Cattor (CD 200)			0.0		
		0144 0 440				
D.11	Construction of Asphaltic Patches	CW 3410	m²	20.0		
	(Type 1A)			<u> </u>		<u> </u>
	Subtotal Section D – Hugo 350 Waterma					

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	Provisional Items					
F. 1	Cement Stabilized Fill	CW 2030	m³	10.0		
F. 2	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	150mm		each	2		
F. 3	Re-grading of Existing Sewer Service – Longer Than 1.5 meters	CW 2110				
a)	150mm		m	3		
F. 4	Adjustment of Precast Sidewalk Blocks	CW 3235	m²	5.0		

FORM B: PRICES

(See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 5	Maintaining Curb Stop Excavations	CW 2110	day	30		
F. 6	Sodding	CW 3510	m²	10.0		
F. 7	Street Lighting Cable	E 5				
a)	In a trench		m	150.0		
F. 8	Temporary Surface Restorations	E 10	m²	15.0		
	Subtotal Section F – Provisional Items					

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
140.	PART B – SEWER REHABILITATION	IXEI .		QUANTITI	TRIOL	
A	Yale Avenue – Rockwood Street to 1 st Manhole East of Rockwood					
A. 1	Combined Sewers	CW 2130				
a)	300mm					
i)	Trenchless installation, Class B sand bedding, Class 3 backfill		m	7.0		
b)	375mm					
i)	Trenchless installation, Class B sand		m	78.0		
ii)	bedding, Class 5 backfill Trenchless installation, Class B sand bedding, Class 3 backfill		m	8.0		
A. 2	New Manhole on Existing Sewer	CW 2130				
a)	SD-010		vt.m	3.5		
A.3	Catch Basin (SD – 024)	CW 2130	each	2		
A.4	Sewer Service Installation	CW 2130				
a)	150mm					
i)	Trenchless installation, Class B sand bedding, Class 3 backfill		m	60.0		

FORM B: PRICES (See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
b)	250mm			Q07.11111		
i)	Trenchless installation, Class B sand bedding, Class 3 backfill		m	18.0		
A. 5	Connecting to Existing Manhole	CW 2130				
a)	300mm		each	1		
A.6	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres	CW 2130				
a)	150mm		each	7		
b)	250mm		each	2		
c)	300mm		each	2		
A. 7	Abandoning Existing Sewers With Cement-Stabilized Flowable Fill	CW 2130				
a)	375mm		m³	40.0		
A. 8	Abandoning Existing Manholes	CW 2130	each	2		
A. 9	Abandoning Existing Drainage Inlets	CW 2130	each	2		
A.10	Removal of Existing Catch Basin	CW 2130	each	2		
A.11	Sewer Inspection	CW 2145				
a)	300mm Combined Sewer		m	7.0		
b)	375mm Combined Sewer		m	86.0		
A.12	Partial Slab Patches	CW 3230				
a)	200mm reinforced concrete pavement		m²	30.0		
A.13	Miscellaneous Concrete Slab Renewal	CW 3235				
	Sidewalk (SD-228A)		m²	15.0		
A.14	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	5.0		

FORM B: PRICES

(See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

• • • • •						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
b)	Ramp curb (SD-229 A)		m	5.0		
A.15	Construction of Asphaltic Patches (Type 1A)		m²	30.0		
	Subtotal Section B – Yale Avenue					

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Dorchester Avenue – Guelph Street to Harrow Street	KET.		QUANTITY	FRICE	
B. 1	Sewer Repair – Up to 3.0 Meters Long	CW 2130				
a)	450mm					
i)	In a trench with Class B sand bedding Class 3 backfill		each	3		
b)	150mm					
i)	In a trench with Class B sand bedding Class 3 backfill		each	1		
B. 2	Sewer Repair – In Addition to First 3.0 meters	CW 2130				
a)	450mm					
i)	In a trench with Class B sand bedding Class 3 backfill		m	1		
B. 3	Sewer Service Installation	CW 2130				
a)	250mm					
i)	Trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
B. 4	Sewer Inspection	CW 2145				
a)	450mm Combined Sewer		m	175.0		
	Subtotal Section B Dorchester Avenue	l		l		

FORM B: PRICES

(See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Hugo Street – Fleet Avenue to Warsaw Avenue					
C. 1	New Manhole on Existing Sewer	CW 2130				
a)	SD-010		vt.m	6.5		
C. 2	Sewer Repair – Up to 3.0 Meters Long	CW 2130				
a)	300mm					
i)	In a trench with Class B sand bedding Class 3 backfill		each	1		
C. 4	Sewer Inspection	CW 2145				
a)	300mm Combined Sewer		m	41.0		
	Subtotal Section C – Hugo Street					

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	Provisional Items					
F. 1	Cement Stabilized Fill	CW 2030	m³	10.0		
F. 4	Adjustment of Precast Sidewalk Blocks	CW 3235	m²	5.0		
F. 6	Sodding	CW 3510	m²	10.0		
F. 8	Temporary Surface Restorations	E 10	m²	15.0		
	Subtotal Section F – Provisional Items					

FORM B: PRICES

(See B9)

2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION

- CONTRACT 11

UNIT	PRICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT

	SUMMARY	
	PART A - WATERMAIN RENEWALS	
Α	PERTH AVENUE	Subtotal
В	DORCHESTER AVENUE	Subtotal
С	HUGO AVENUE	Subtotal
D	HUGO AVENUE ABANDONMENT	Subtotal
E	PROVISIONAL ITEMS	Subtotal
	PART B - SEWER REHABILITATION	
Α	YALE AVENUE	Subtotal
В	DORCHESTER AVENUE	Subtotal
С	HUGO AVENUE	Subtotal
D	PROVISIONAL ITEMS	Subtotal

	Name of Bidder	
(in words)		
TOTAL BID PRICE (GST extra) (in figures) \$		

(Seal)

Template Version: C120100203 - C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

	טוט טטוט
KNOW ALL MEN BY THESE PRESENTS	THAT
(hereinafter called the "Principal") and	
called the "Obligee") in the sum of ten pe described, for the payment of which sum to	and firmly bound unto THE CITY OF WINNIPEG (hereinafte rcent (10%) of the Total Bid Price set out in the Bid hereinafte the Principal and Surety bind themselves, their heirs, executors intly and severally, firmly by these presents.
WHEREAS the Principal has submitted a E	Bid to the Obligee for
BID OPPORTUNITY NO. 430- 2010	
2010 WATERMAINAN RE - CONTRACT 11	ENEWALS AND SEWER REHABILITATION
as more fully set out in the Bid Opportunity	'.
if said Bid is accepted and the Principal, in the said Obligee and furnishes the require	bligation is such that if the Bid of the Principal is not accepted, o accordance with the terms of the Bid, enters into a Contract with d performance security for guaranteeing the faithful performanced, but otherwise shall remain in full force and effect.
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the
day of	, 20
SIGNED AND SEALED in the presence of:	(Name of Principal) Per: (Seal)
(Witness as to Principal if no seal)	Per: (Seal) Per:
	(Name of Surety)

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

become bound as Surety for the Principal,	ertakes and agrees with THE CITY	f OF WINNIPEG to
(Name of Bidder)		of
(Place)		
the Bidder to you on	, 20 for	
BID OPPORTUNITY NO. 430- 2010		
2010 WATERMAINAN RENEWA – CONTRACT 11	LS AND SEWER REHABILIT	ATION
in an amount equal to fifty percent (50%) of the Co Work shown and described in the Bid Opportur Performance Bond to be maintained and continue in period. The Performance Bond shall be in the form	nity, if our Principal's Bid is acce n full force and effect until the expira	pted by you, such
It is a condition that this Agreement to Bond st mentioned above is not required from our Princip Submission Deadline.		
AND IT IS HEREBY DECLARED AND AGREED nothing of any kind or matter whatsoever that will nor release of liability of the Surety, any law or us notwithstanding.	not discharge the Principal shall ope	rate as a discharge
SIGNED AND SEALED this day of	·	20
(Na	ame of Surety)	
Ву	(Attorney-in-Fact)	(Seal)

(Address)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2)

(See B11)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY - BID OPPORTUNITY NO. 430- 2010
2010 WATERMAINAN RENEWALS AND SEWER REHABILITATION – CONTRACT 11
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate
in the aggregate Canadian dollars.
Canadian dollars. This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such
Canadian dollars. This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us. The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 23, 2010

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	e of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)