



Existing Catch Basin to be Lowered to Elevations Listed Below
 top elevation: 88.66
 invert elevation: 88.22
 bottom elevation: 87.88

--- Existing Contours
 — Proposed Contours
 - - - - - Drainage Piping

* C.B.* - Remove 600mm Concrete Ring and Replace with 1 (one) 150mm Concrete Riser and 1 (one) 75mm Concrete Riser to Accomodate Drop in Elevation for New Grading Scheme - (Concrete Ring is 750mm dia.)
 -Drainage Piping to Connect Directly to CB

CONTRACTOR TO CONFIRM ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO CONTRACT ADMINISTRATOR PRIOR TO CONSTRUCTION. LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.



<p>THE CITY OF WINNIPEG Planning, Property and Development Department Planning and Land Use Division Unit 15 - 30 Fort Street, Winnipeg, MB, (R3C 4X5)</p>	DESIGNED BY	IL	CHECKED BY		DRAWING TITLE	DRAWING NO.
	DRAWN BY	IL	APPROVED BY	MANAGER, PARK AND OPEN SPACES	DATE	B.22-G3A-R1
	HORIZ. SCALE	1:200		MANAGER, PLANNING AND LAND USE DIVISION	DATE	
	DATE	April 10				SITE ADDRESS
					BROADWAY NEIGHBORHOOD CENTRE Nature Grounds Development Proposed Grading Plan	
					185 YOUNG STREET	