



463-2010 ADDENDUM 1

2010 ACTIVE TRANSPORTATION/INFRASTRUCTURE STIMULUS PROGRAM – PANDORA AVENUE BIKE PATH

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: July 9, 2010
BY: Wally Jackson, P.Eng. CIM
TELEPHONE NO. (204) 943-3178

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

- Revise: E9.1.1 to read: Further to CW 3110, this specification covers supply and placement of recycled concrete base material for Full-Depth Partial Slab Patches (Class A,B,C, & D), miscellaneous concrete slabs, sidewalks, bike paths and multi-use pathways.
- Revise: E9.4.1 to read: Recycled concrete base material when used for Full-Depth Partial Slab Patches (Class A,B,C, & D), miscellaneous concrete slabs, sidewalks, bike paths and multi-use pathways will be considered equal to granular or limestone base course material specified in Section 2.2 of CW 3110.