

FORM A: BID
(See B7)

1. Contract Title ON STREET TRANSIT PRIORITY IMPROVEMENTS – PHASE 3 –
PORTAGE CORRIDOR GEOMETRIC IMPROVEMENTS AND
GRAHAM TRANSIT MALL REHABILITATION

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent
the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings
ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the
Contract for the Total Bid Price, in Canadian funds, set out on Form B:
Prices, appended hereto.

6. Bid Security

In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

| | | | |
|-----|-------|-------|-------|
| No. | _____ | Dated | _____ |
| | _____ | | _____ |
| | _____ | | _____ |

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-----------------|----------------|------------------|------------|--------|
| A | <u>PART 1 - PORTAGE CORRIDOR</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| A.1 | Crushed Sub-base Material | CW 3110-R12 | | | | |
| i) | 50 mm - Limestone | | tonne | 130 | | |
| A.2 | Supplying and Placing Base Course Material | CW 3110-R12, E8 | m ³ | 20 | | |
| | ROADWORKS - RENEWALS | | | | | |
| A.3 | Pavement Removal | CW 3110-R12 | | | | |
| i) | Concrete Pavement | | m ² | 220 | | |
| A.4 | Partial Slab Patches | CW 3230-R6 | | | | |
| i) | 230 mm Concrete Pavement (Type B) | | m ² | 40 | | |
| A.5 | Drilled Dowels | CW 3230-R6 | | | | |
| i) | 28.6 mm Diameter | | each | 90 | | |
| A.6 | Drilled Tie Bars | CW 3230-R6 | | | | |
| i) | 20 M Deformed Tie Bar | | each | 90 | | |
| A.7 | Miscellaneous Concrete Slab Removal | CW 3235-R7 | | | | |
| i) | Sidewalk | | m ² | 1000 | | |
| A.8 | Miscellaneous Concrete Slab Installation | E16 | | | | |
| i) | Sidewalk | SD-228A | m ² | 650 | | |
| A.9 | Concrete Curb Installation | CW 3240-R8 | | | | |
| i) | Barrier (150mm ht, Dowelled) | SD-205 | m | 290 | | |
| ii) | Curb Ramp (10-15mm ht, Monolithic) | SD-229A,B,C | m | 35 | | |
| A.10 | Supply and Installation of Dowel Assemblies | CW 3310-R14 | m | 60 | | |
| A.11 | Removal, Salvage and Reinstallation of Paving Stones | E18 | m ² | 475 | | |
| A.12 | Construction of Asphaltic Concrete Overlay | CW 3410-R8 | | | | |
| l) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 20 | | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--|---|-------------|----------------|------------------|------------|--------|
| ROADWORK - NEW CONSTRUCTION | | | | | | |
| A.13 | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians | CW 3310-R14 | | | | |
| i) | Construction of 230 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled) | | m ² | 220 | | |
| A.14 | Interlocking Paving Stones | E18 | | | | |
| i) | Supply and Install 60mm Paving Stones | | m ² | 525 | | |
| A.15 | Lean Mix Concrete Base | E17 | m ² | 750 | | |
| ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | | |
| A.16 | Catch Basin | CW 2130-R11 | | | | |
| i) | SD-024, 1800 mm deep | | each | 2 | | |
| A.17 | Sewer Service Risers | CW 2130-R11 | | | | |
| i) | 250mm | | | | | |
| a) | SD-015 | | vert m | 6 | | |
| A.18 | Connecting to Existing Sewer | CW 2130-R11 | | | | |
| i) | 250mm (PVC) of connecting pipe | | | | | |
| a) | Connecting to 2100mm SRS | | each | 1 | | |
| A.19 | Connecting New Sewer Service to Existing Sewer Service | CW 2130-R11 | | | | |
| i) | 250mm | | each | 1 | | |
| ADJUSTMENTS | | | | | | |
| A.20 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 4 | | |
| A.21 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51mm | | each | 2 | | |
| A.22 | Adjustment of Valve Boxes | CW 3210-R7 | each | 2 | | |
| A.23 | Adjustment of Curb and Gutter Inlet Frames | CW 3210-R7 | each | 2 | | |
| REMOVALS | | | | | | |
| A.24 | Removal of Concrete Foundations | E12 | | | | |
| i) | Kiosk Foundation | | each | 1 | | |
| ii) | Bus Stop Totem Foundation | | each | 1 | | |
| A.25 | Demolish Concrete Raised Planter Wall | E14 | L.S. | 1 | | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|------------|----------------|------------------|------------|--------|
| | LANDSCAPING | | | | | |
| A.26 | Sodding | CW 3510-R9 | | | | |
| i) | width > or = 600mm | | m ² | 72 | | |
| A.27 | Relocate Existing Totem Sign | E22 | each | 1 | | |
| A.28 | Relocate Existing Benches | E22 | each | 2 | | |
| A.29 | Relocate Existing Recycling Centre | E22 | each | 1 | | |
| A.30 | Detectable Warning Surface Tiles | E9 | each | 12 | | |
| A.31 | Cast-in-Place Concrete Foundations | E13 | | | | |
| i) | Bus Stop Flag Foundation | | L.S. | 1 | | |
| ii) | Bus Stop Totem Foundation | | L.S. | 1 | | |
| iii) | Tree Well | | L.S. | 1 | | |
| iv) | Raised Planter - West of Balmoral | | L.S. | 1 | | |
| v) | Raised Planter - East of Balmoral | | L.S. | 1 | | |
| vi) | Extend Raised Planter - East of Vaughan | | L.S. | 1 | | |
| A.32 | Tree Vault | E26 | m ² | 20 | | |
| A.33 | Expand Existing Tree Pits | E27 | each | 2 | | |
| A.34 | Supply and Install Tree Cover | E26 | each | 2 | | |
| A.35 | Supply and Install Sidewalk Panels | E26 | each | 9 | | |
| A.36 | Supply and Install Tree Guards | E26 | each | 2 | | |
| A.37 | Raised Planter Preparation | E25 | m ² | 80 | | |
| A.38 | Plant Material | E28 | | | | |
| i) | American Elm | | each | 2 | | |
| ii) | Japanese Tree Lilac | | each | 3 | | |
| iii) | Summerwine Ninebark | | each | 8 | | |
| iv) | Pygmy Carragana | | each | 93 | | |
| A.39 | Extended Maintenance of Plant Material | E29 | L.S./yr | 2 | | |
| A.40 | Electrical Connection for Totem Sign | E23 | each | 1 | | |
| A.41 | 1.2m Height Aluminum Fence | E24 | m | 5 | | |
| A.42 | Hydro Excavation | E11 | hr | 5 | | |
| A | <i>PART 1 - PORTAGE CORRIDOR</i> | | | | Subtotal: | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-----------------|----------------|------------------|------------|--------|
| B | <u>PART 2 - GRAHAM TRANSIT MALL</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| B.1 | Supplying and Placing Base Course Material | CW 3110-R12, E8 | m ³ | 20 | | |
| | ROADWORKS - RENEWALS | | | | | |
| B.2 | Slab Replacement - Early Opening (72 hour) | CW 3230-R6 | | | | |
| i) | 230 mm Concrete Pavement (Plain-Dowelled) | | m ² | 1820 | | |
| B.3 | Partial Slab Patches - Early Opening (72 hour) | CW 3230-R6 | | | | |
| i) | 230 mm Concrete Pavement (Type B) | | m ² | 40 | | |
| ii) | 230 mm Concrete Pavement (Type D) | | m ² | 20 | | |
| B.4 | Drilled Dowels | CW 3230-R6 | | | | |
| i) | 28.6 mm Diameter | | each | 1000 | | |
| B.5 | Drilled Tie Bars | CW 3230-R6 | | | | |
| i) | 20 M Deformed Tie Bar | | each | 300 | | |
| ii) | 25 M Deformed Tie Bar | | each | 100 | | |
| B.6 | Miscellaneous Concrete Slab Renewal | E16 | | | | |
| i) | Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m ² | 230 | | |
| b) | 5 sq.m. to 20 sq.m. | | m ² | 175 | | |
| B.7 | Concrete Curb Removal | CW 3240-R8 | | | | |
| i) | Barrier Separate | | m | 50 | | |
| B.8 | Concrete Curb Installation | CW 3240-R8 | | | | |
| i) | Barrier (150mm ht, Dowelled) | SD-205 | m | 5 | | |
| B.9 | Supply and Installation of Dowel Assemblies | CW 3310-R14 | m | 250 | | |
| B.10 | Removal, Salvage and Reinstallation of Paving Stones | E18 | m ² | 1300 | | |

FORM B: PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--|---|------------|----------------|------------------|------------|--------|
| ROADWORK - NEW CONSTRUCTION | | | | | | |
| B.11 | Interlocking Paving Stones | E18 | | | | |
| i) | Supply and Install 60mm Paving Stones | | m ² | 10 | | |
| ii) | Supply and Install 80mm Paving Stones (except Transit Blue) | | m ² | 215 | | |
| iii) | Supply and Install 80mm Paving Stones (Transit Blue) | | m ² | 150 | | |
| B.12 | Lean Mix Concrete Base | E17 | m ² | 20 | | |
| B.13 | Reset Granite Curb | E19 | m | 400 | | |
| B.14 | Replace Granite Curb | E21 | | | | |
| i) | 900mm Length | | m | 25 | | |
| ii) | 300mm Length | | m | 8 | | |
| B.15 | Reset Granite Curb Ramp | E20 | m | 150 | | |
| ADJUSTMENTS | | | | | | |
| B.16 | Adjustment of Valve Boxes | CW 3210-R7 | each | 5 | | |
| B.17 | Adjustment of Curb and Gutter Inlet Frames | CW 3210-R7 | each | 6 | | |
| MISCELLANEOUS | | | | | | |
| B.18 | Detectable Warning Surface Tiles | E9 | each | 72 | | |
| B | <u>PART 2 - GRAHAM TRANSIT MALL</u> | | | | Subtotal: | |
| SUMMARY | | | | | | |
| A | <u>PART 1 - PORTAGE CORRIDOR</u> | | | | Subtotal: | |
| B | <u>PART 2 - GRAHAM TRANSIT MALL</u> | | | | Subtotal: | |
| TOTAL BID PRICE (GST extra) (in figures) _____ | | | | | | |
| (in words) _____ | | | | | | |
| _____ | | | | | | |

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 473-2010

ON STREET TRANSIT PRIORITY IMPROVEMENTS – PHASE 3 – PORTAGE CORRIDOR GEOMETRIC IMPROVEMENTS AND GRAHAM TRANSIT MALL REHABILITATION

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 473-2010

ON STREET TRANSIT PRIORITY IMPROVEMENTS – PHASE 3 – PORTAGE CORRIDOR GEOMETRIC IMPROVEMENTS AND GRAHAM TRANSIT MALL REHABILITATION

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 473-2010

ON STREET TRANSIT PRIORITY IMPROVEMENTS – PHASE 3 – PORTAGE CORRIDOR
GEOMETRIC IMPROVEMENTS AND GRAHAM TRANSIT MALL REHABILITATION

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 11, 2010.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)