Template Version: C320100621 - C LR

FORM A: BID (See B8)

1.	Contract Title	WINNIPEG TRANSIT GARAGE, 421 OSBORNE STREET FORKLIFT PIT REPAIRS			
2.	Bidder				
		Name of Bidder			
		Street			
		City Province Postal Co			
		Facsimile Number			
	(Mailing address if different)	Street or P.O. Box			
		City Province Postal Co			
		The Bidder is:			
	(Choose one)	a sole proprietor			
		a partnership			
		a corporation			
		carrying on business under the above name.			
3.	Contact Person	The Bidder hereby authorizes the following contact person to re the Bidder for purposes of the Bid.			
		Contact Person Title			
		Telephone Number Facsimile Number			
4.	Definitions	All capitalized terms used in the Contract shall have the meanin ascribed to them in the General Conditions.	gs		
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.			
6.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt a Purchase Order from the Award Authority authorizing tommencement of the Work.			

Template Version: C320100621 - C LR

7.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.				
8.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
9.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.				
10.	Signatures	The Bidder or the Bidder's authorized official or officials have signed				
		, 20				
		Signature of Bidder or Bidder's Authorized Official or Officials				
		(Print here name and official capacity of individual whose signature appears above)				

(Print here name and official capacity of individual whose signature appears above

Template Version: C320100621 - C LR

FORM B: PRICES

(See B9)

WINNIPEG TRANSIT GARAGE, 421 OSBORNE STREET FORKLIFT PIT REPAIRS

UNIT PRICES

DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
General Conditions: Mobilization and demobilization, preparatory work,	-	l.s.	1	FRIOL	
insurance, permits, etc. Site Work, Temporary Facilities and Controls: Site protection and barricades, shoring and bracing,	Division 01	l.s.	1		
Selective demolition and repair of area around pit as noted on	Division 03	l.s.	1		
Supply and installation of new cast-	05 12 30	l.s.	1		
Supply and installation of mechanical ventilation system for	Divisions 23 and 26	l.s.	1		
Top Surface Delamination (0 to 3"	03 71 00	Sq. Ft.	50		
Top Surface Delamination (3 to 6" depth).	03 71 00	Sq. Ft.	10		
Through-slab Repairs	03 71 00	Sq. Ft.	5		
Top Surface Scaling	03 73 00	Sq. Ft.	20		
Hand Patching Repairs	03 72 40	Sq. Ft.	15		
Concrete Grouting Repairs	03 72 50	Sq. Ft.	10		
L BID PRICE (GST extra) (in figures) \$	§	<u> </u>	<u> </u>	1	
rds)					
	General Conditions: Mobilization and demobilization, preparatory work, insurance, permits, etc. Site Work, Temporary Facilities and Controls: Site protection and barricades, shoring and bracing, temporary utilities and controls, etc. Selective demolition and repair of area around pit as noted on drawing details Supply and installation of new castin support angle for pit cover Supply and installation of mechanical ventilation system for pit Top Surface Delamination (0 to 3" depth). Top Surface Delamination (3 to 6" depth). Through-slab Repairs Top Surface Scaling Hand Patching Repairs Concrete Grouting Repairs	General Conditions: Mobilization and demobilization, preparatory work, insurance, permits, etc. Site Work, Temporary Facilities and Controls: Site protection and barricades, shoring and bracing, temporary utilities and controls, etc. Selective demolition and repair of area around pit as noted on drawing details Supply and installation of new castin support angle for pit cover Supply and installation of mechanical ventilation system for pit Top Surface Delamination (0 to 3" depth). Top Surface Delamination (3 to 6" depth). Through-slab Repairs Top Surface Scaling Hand Patching Repairs Concrete Grouting Repairs SPEC. REF. - REF. Division 01 Division 03 Division 03 05 12 30 05 12 30 05 12 30 05 12 30 05 12 30 07 100 07 100 07 20 3 71 00 07 3 71 00 07 3 71 00 07 3 71 00 07 3 72 40 07 3 72 40 07 3 72 50	General Conditions: Mobilization and demobilization, preparatory work, insurance, permits, etc. Site Work, Temporary Facilities and Controls: Site protection and barricades, shoring and bracing, temporary utilities and controls, etc. Selective demolition and repair of area around pit as noted on drawing details Supply and installation of new castin support angle for pit cover Supply and installation of mechanical ventilation system for pit Top Surface Delamination (0 to 3" depth). Top Surface Delamination (3 to 6" depth). Through-slab Repairs Top Surface Scaling Hand Patching Repairs Concrete Grouting Repairs SPEC. REF. I.S. I.S. I.S. Division Division 03 I.S. Division 03 I.S. 05 12 30 I.S. 03 71 00 Sq. Ft. 03 71 00 Sq. Ft. 03 71 00 Sq. Ft. 03 72 40 Sq. Ft. Sq. Ft. Concrete Grouting Repairs LBID PRICE (GST extra) (in figures) \$	General Conditions: Mobilization and demobilization, preparatory work, insurance, permits, etc. Site Work, Temporary Facilities and Controls: Site protection and barricades, shoring and bracing, temporary utilities and controls, etc. Selective demolition and repair of area around pit as noted on drawing details Supply and installation of mechanical ventilation system for pit Top Surface Delamination (0 to 3" depth). Top Surface Delamination (3 to 6" depth). Top Surface Scaling Hand Patching Repairs SPEC. REF. UNIT APPROX. QUANTITY APPROX. QUANTITY I.s. Division I.s. 1 Division I.s. 1 Division I.s. 1 Divisions I.s. 1 O3 71 00 Sq. Ft. 50 Sq. Ft. 50 Sq. Ft. 50 Approx. QUANTITY APPROX. QUANTITY APPROX. QUANTITY APPROX. QUANTITY I.s. 1 O1 O1 O2 O3 O3 O3 O3 O3 O3 O3 O3 O3	General Conditions: Mobilization and demobilization, preparatory work, insurance, permits, etc. Site Work, Temporary Facilities and Controls: Site protection and barricades, shoring and bracing, temporary utilities and controls, etc. Selective demolition and repair of area around pit as noted on drawing details Supply and installation of mechanical ventilation system for pit Top Surface Delamination (0 to 3" depth). Top Surface Delamination (3 to 6" depth). Top Surface Scaling Hand Patching Repairs Concrete Grouting Repairs SPEC. REF. UNIT APPROX. QUANTITY PRICE APPROX. QUANTITY PRICE APPROX. QUANTITY PRICE I.s. 1 Division Unit APPROX. QUANTITY PRICE APPROX. QUANTITY PRICE APPROX. QUANTITY PRICE I.s. 1 Division Unit APPROX. QUANTITY PRICE APPROX. QUANTITY PRICE APPROX. QUANTITY PRICE APPROX. QUANTITY PRICE I.s. 1 Division Unit APPROX. QUANTITY PRICE I.s. 1 Division Unit APPROX. QUANTITY PRICE I.s. 1 Division Unit APPROX. QUANTITY PRICE APPROX. QUANTITY PRICE I.s. 1 Division Unit APPROX. QUANTITY III PRICE APPROX. QUANTITY PRICE APPROX. QUANTITY PRICE

Name of Bidder	