



## 71-2010 ADDENDUM 2

### HVAC UPGRADES AND RELATED WORKS FOR FORT ROUGE LEISURE CENTRE; PHASE ONE – 625 OSBORNE STREET

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY**

ISSUED: 2010/04/01  
BY: Coleen Groening  
TELEPHONE NO. (204) 986-2491

**THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS**

Template Version: A20070419

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.**

---

#### **PART B – BIDDING PROCEDURES**

**Revise:** B2.1 to read: The Submission Deadline is 4:00 pm Winnipeg time, March 9, 2010.

#### **PART E – SPECIFICATIONS**

**Add:** 26 50 21, 3.2.1.2 Where wiring is required to be run in public areas it shall be run in metallic surface wiremold. All surface raceway shall be painted to match surroundings. Surface Raceway shall be approved by Contract Administrator at all locations prior to installation.

#### **DRAWINGS**

**Replace:** 71-2010\_Drawing\_P1-E03-R0 with 71-2010\_Addendum\_2-Drawing\_P1-E03-R1

**Replace:** 71-2010\_Drawing\_P1-E05-R0 with 71-2010\_Addendum\_2-Drawing\_P1-E05-R1

**Replace:** 71-2010\_Drawing\_P1-E06-R0 with 71-2010\_Addendum\_2-Drawing\_P1-E06-R1