



206-2011 ADDENDUM #3

UPGRADE FILTER SYSTEM AND CIRCULATION PUMP – WINDSOR OUTDOOR POOL, 333 SPEERS

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: April 28, 2011
BY: Kathy Roberts
TELEPHONE NO. (204) 470-7380

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART D – SUPPLEMENTAL CONDITIONS

Revise: D2.2(c)(v) to read: Equipment: Supply and install the following new equipment:

QTY	ITEM
2	5-1/2 hp circulation pumps. Standard of Acceptance: Hayward model HCP55
4	36" top mount sand filters, c/w sand. Standard of Acceptance: Hayward model S3602T
1	6" saddle-type flow meter. Standard of Acceptance: Blue & White model F30600P
9	1-1/2" vinyl liner return fittings. Standard of Acceptance: Hayward models SP1023 and SP1419D. To be mounted with East Inlet adapters model LDP150
2	Auto Pump Shut-Off System (anti-entrapment), complete with remote horn. Standard of Acceptance: Emotron model PSP202025