



579-2012 ADDENDUM 1

ELEVATOR ADDITION COMPLETE WITH FIVE-YEAR CONTINUING FULL MAINTENANCE CONTRACT AT CENTURY ARENA – 1377 CLARENCE AVENUE

ISSUED: November 28, 2012
BY: Lou Chubenko
TELEPHONE NO. (204) 470-7881

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20120228

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 4:00 P.M. Winnipeg time, December 4, 2012.

PART E – SPECIFICATIONS

- Add: **Section 08 44 13** 2.1.5 Non-Vision Panels:
Provide glass spandrel panel where indicated on drawings from manufacturer's standard colour range complete with insulated back pan by manufacturer.
- Add: **Section 08 44 13** 2.1.6 Vinyl Stripes (Frosted Vision Strips):
Provide Frosted Vision Strips where indicated on drawings with the note Vinyl Stripes. Stripes shall be etched into glass and shall be vandal and weather resistant. Stripes shall be colour contrasting to the environment to meet 2010 City of Winnipeg Accessibility Design Standards.
- Add: **Section 09 91 23** 2.5.6 Exterior Cementitious Panels:
Paint exterior cementitious panels with EXT 3.3 A – Latex, Matte/Flat finish. Three coats MPI #10.
- Delete: **Section 08 80 50** 2.1.5.1 Thickness as determined by manufacturer for window sizing.

DRAWINGS

- Replace: 579-2012_Drawing_A-3.1-R0 with 579-2012_Addendum_1-Drawing_A-3.1-R1
579-2012_Drawing_A-3.2-R0 with 579-2012_Addendum_1-Drawing_A-3.2-R1
579-2012_Drawing_A-3.3-R0 with 579-2012_Addendum_1-Drawing_A-3.3-R1
579-2012_Drawing_A-3.4-R0 with 579-2012_Addendum_1-Drawing_A-3.4-R1
579-2012_Drawing_A-3.5-R0 with 579-2012_Addendum_1-Drawing_A-3.5-R1
579-2012_Drawing_A-5.1-R0 with 579-2012_Addendum_1-Drawing_A-5.1-R1
579-2012_Drawing_A-5.2-R0 with 579-2012_Addendum_1-Drawing_A-5.2-R1

579-2012_Drawing_S1.1-R0 with 579-2012_Addendum_1-Drawing_S1.1-R2

579-2012_Drawing_S2.1-R0 with 579-2012_Addendum_1-Drawing_S2.1-R2

579-2012_Drawing_S5.1-R0 with 579-2012_Addendum_1-Drawing_S5.1-R2

579-2012_Drawing_M1.0-R0 with 579-2012_Addendum_1-Drawing_M0.1-R1

579-2012_Drawing_EP2.0-R0 with 579-2012_Addendum_1-Drawing_EP2.0-R1

579-2012_Drawing_E4.0-R2 with 579-2012_Addendum_1-Drawing_E4.0-R3