

FORM A: BID
(See B7)

1. Contract Title SUPPLY AND DELIVERY OF PICK-UP TRUCKS

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

(Mailing address if different)

Email Address of Bidder

Facsimile Number

Street or P.O. Box

City

Province

Postal Code

(Choose one)

GST Registration Number (if applicable)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this _____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF PICK-UP TRUCKS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QTY.	UNIT PRICE
SECTION A					
1.	5000 lbs. GVWR Extended Cab PU Truck	PE10	Each	4	
2.	5000 lbs. GVWR 4wd Extended Cab PU Truck	PE11	Each	2	
3.	5000 lbs. GVWR Crew Cab PU Truck	PC10	Each	2	
4.	5000 lbs. GVWR 4wd Crew Cab PU Truck	PC11	Each	4	
5.	6200 lbs. GVWR Extended Cab PU Truck	PE20	Each	10	
5a.	6200 lbs. GVWR Extended Cab PU Truck w/Option 1: Tonneau Cover	PE20	Each	2	
6.	6200 lbs. GVWR 4wd Extended Cab PU Truck	PE21	Each	15	
6a.	6200 lbs. GVWR 4wd Extended Cab PU Truck w/Option 1: Tonneau Cover	PE21	Each	6	
7.	6500 lbs. GVWR Crew Cab PU Truck	PC20	Each	2	
7a.	6500 lbs. GVWR Crew Cab PU Truck w/Option 1: Tonneau Cover	PC20	Each	2	
8.	6500 lbs. GVWR 4wd Crew Cab PU Truck	PC21	Each	2	
8a.	6500 lbs. GVWR 4wd Crew Cab PU Truck w/Option 1: Tonneau Cover	PC21	Each	3	
SECTION B					
9.	9500 lbs. GVWR Extended Cab PU Truck	PE30	Each	1	
9a.	9500 lbs. GVWR Extended Cab PU Truck w/Option 2: 8 ft. Box Length and Option 3: Diesel Engine	PE30	Each	5	
10.	9500 lbs. GVWR 4wd Extended Cab PU Truck	PE31	Each	11	

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF PICK-UP TRUCKS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QTY	UNIT PRICE
10a.	9500 lbs. GVWR 4wd Extended Cab PU Truck w/Option 3: Diesel Engine	PE31	Each	4	
10b.	9500 lbs. GVWR 4wd Extended Cab PU Truck w/Option 2: 8 ft. Box Length and Option 3: Diesel Engine	PE31	Each	26	
11.	9500 lbs. GVWR Crew Cab PU Truck	PC30	Each	2	
11a.	9500 lbs. GVWR Crew Cab PU Truck w/Option 3: Diesel Engine	PC30	Each	2	
12.	9500 lbs. GVWR 4wd Crew Cab PU Truck	PC31	Each	3	
12a.	9500 lbs. GVWR 4wd Crew Cab PU Truck w/Option 3: Diesel Engine	PC31	Each	5	
SECTION C					
13.	Supply & Installation of Warning Lights and Equipment	13001	Each	100	

 Name of Bidder

FORM N: DETAILED SPECIFICATIONS PE10/11

PE10 (4x2) – Section A, Item 1
PE11 (4x4) – Section A, Item 2



5000 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3.	GVWR	5000 lbs. approx., state _____
4.	Wheelbase	126 in. approx., state _____
5.	Cargo length	6.0 ft. approx., state _____
6.	Cargo box liner	Carlson spray-on liner or equal, 0.080 in. thickness, black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails _____
7.	Cab configuration	Extended cab _____
8.	Door configuration	Four (4) doors _____
9.	Engine	4-cylinder, FI gasoline, state displacement _____
10.	Anti-idling programming	Preferred, to shut engine off after 15-minutes, state availability _____
11.	CNG compatible	Preferred, state _____
12.	Fuel consumption <i>PE10</i>	State city rating, L/100km _____
12.1	Fuel consumption <i>PE11</i>	State city rating, L/100km _____
13.	Block heater	Required, submersible type with cord through grille _____
14.	Coolant	Extended Life Coolant, -35°C _____
15.	Battery	550 CCA _____
16.	Transmission	Automatic _____
17.	Steering	Power _____
18.	Brakes	Power with ABS _____

DETAILED SPECIFICATIONS PE10/11 (continued)

19.	Wheels	Standard manufacturer's wheels, without locking nuts	_____
20.	Tires – Front & rear	BSW Tier 1 or 2 all season, state size	_____
21.	Spare wheel & tire	Required with underbody carrier	_____
22.	Mudflaps	Required, front and rear, OEM, moulded	_____
23.	Rear axle	Limited slip or posi-traction	_____
23.1	Front axle – <i>PE11</i>	4WD with dash mounted electronic shift	_____
24.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
25.	Windshield	Tinted	_____
26.	Windshield wipers	Intermittent	_____
26.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
27.	Mirrors	Interior rearview & heated dual exterior	_____
28.	Ignition keys	Three (3) sets required	_____
39.	Air conditioning	Required	_____
30.	Tilt steering	Required	_____
31.	Cruise control	Required	_____
32.	Door locks	Power	_____
33.	Remote keyless entry	Two (2) required	_____
34.	Windows	Power	_____
35.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
36.	Seat, rear	Cloth-faced, bench	_____
37.	Radio	AM-FM with CD player	_____
38.	12-Volt power point	Required	_____
39.	Bluetooth® technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
40.	Air bags	Required, front driver's and passenger	_____
41.	Fuel tank	90 litre approx., fully fuelled upon delivery	_____
42.	Tubular side steps	Dual, chrome finish, OEM	_____
43.	Bumper	Rear step bumper	_____
44.	License plate bracket	Required, front bumper mounted w/license plate mounting hardware	_____
45.	Towing prep package	Class I (2,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
46.	Colour - Interior	Blue or grey	_____
	- Exterior	White	_____

DETAILED SPECIFICATIONS PE10/11 (continued)

47.	Warranty:		
47.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	_____
47.2	Powertrain coverage	Five (5) years or 100 000 km (62,137 miles)	_____
48.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
49.	Delivery time	Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
50.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
51.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

FORM N: DETAILED SPECIFICATIONS PC10/11

PC10 (4x2) – Section A, Item 3
PC11 (4x4) – Section A, Item 4



5000 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3.	GVWR	5000 lbs. approx., state _____
4.	Wheelbase	126 in. approx., state _____
5.	Cargo length	5.0 ft. approx., state _____
6.	Cargo box liner	Carlson spray-on liner or equal, 0.080 in. thickness, black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails _____
7.	Cab configuration	Crew cab _____
8.	Door configuration	Four (4) doors _____
9.	Engine	4-cylinder, FI gasoline, state displacement _____
10.	Anti-idling programming	Preferred, to shut engine off after 15-minutes, state availability _____
11.	CNG compatible	Preferred, state _____
12.	Fuel consumption <i>PC10</i>	State city rating, L/100km _____
12.1	Fuel consumption <i>PC11</i>	State city rating, L/100km _____
13.	Block heater	Required, submersible type with cord through grille _____
14.	Coolant	Extended Life Coolant, -35°C _____
15.	Battery	550 CCA _____
16.	Transmission	Automatic _____
17.	Steering	Power _____
18.	Brakes	Power with ABS _____

DETAILED SPECIFICATIONS PC10/11 (continued)

19.	Wheels	Standard manufacturer's wheels, without locking nuts	_____
20.	Tires – Front & rear	BSW Tier 1 or 2 all season, state size	_____
21.	Spare wheel & tire	Required with underbody carrier	_____
22.	Mudflaps	Required, front and rear, OEM, moulded	_____
23.	Rear axle	Limited slip or posi-traction	_____
23.1	Front axle – <i>PC11</i>	4WD with dash mounted electronic shift	_____
24.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
25.	Windshield	Tinted	_____
26.	Windshield wipers	Intermittent	_____
26.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
27.	Mirrors	Interior rearview & heated dual exterior	_____
28.	Ignition keys	Three (3) sets required	_____
29.	Air conditioning	Required	_____
30.	Tilt steering	Required	_____
31.	Cruise control	Required	_____
32.	Door locks	Power	_____
33.	Remote keyless entry	Two (2) required	_____
34.	Windows	Power	_____
35.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
36.	Seat, rear	Cloth-faced, bench	_____
37.	Radio	AM-FM with CD player	_____
38.	12-Volt power point	Required	_____
39.	Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
40.	Air bags	Required, front driver's and passenger	_____
41.	Fuel tank	90 litre approx., fully fuelled upon delivery	_____
42.	Tubular side steps	Dual, chrome finish, OEM	_____
43.	Bumper	Rear step bumper	_____
44.	License plate bracket	Required, front bumper mounted w/license plate mounting hardware	_____
45.	Towing prep package	Class I (2,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
46.	Colour - Interior	Blue or grey	_____
	- Exterior	White	_____

DETAILED SPECIFICATIONS PC10/11 (continued)

47.	Warranty:		
47.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	_____
47.2	Powertrain coverage	Five (5) years or 100 000 km (62,137 miles)	_____
48.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
49.	Delivery time	Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
50.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
51.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

FORM N: DETAILED SPECIFICATIONS PE20/21

PE20 (4x2) – Section A, Item 5
PE21 (4x4) – Section A, Item 6



6200 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3.	GVWR	6,200 lbs. approx., state _____
4.	Wheelbase	145 in. approx., state _____
5.	Cargo length	6.5 ft. nominal _____
6.	Cargo box liner	Carlson spray-on liner or equal, 0.080 in. thickness, black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails _____
7.	Cab configuration	Extended cab _____
8.	Door configuration	Four (4) doors _____
9.	Engine	FI gasoline, state displacement _____
9.1	Horsepower	195 hp, state _____
9.2	Torque	260 lb-ft, state _____
10.	Anti-idling programming	Preferred, to shut engine off after 15-minutes, state availability _____
11.	CNG compatible	Preferred, state _____
12.	Fuel consumption <i>PE20</i>	State city rating, L/100km _____
12.1	Fuel consumption <i>PE21</i>	State city rating, L/100km _____
13.	Block heater	Required, submersible type with cord through grille _____
14.	Coolant	Extended Life Coolant, -35°C _____
15.	Battery	600 CCA _____
16.	Transmission	Automatic _____

DETAILED SPECIFICATIONS PE20/21 (continued)

17.	Transmission cooling	As required for trailer towing	_____
18.	Steering	Power	_____
19.	Brakes	Power with ABS	_____
20.	Wheels	Standard manufacturer's wheels, without locking nuts	_____
21.	Tires – Front & rear	BSW Tier 1 or 2 all season, state size	_____
22.	Spare wheel & tire	Required with underbody carrier	_____
23.	Mudflaps	Required, front and rear, OEM, moulded	_____
24.	Rear axle	Limited slip or posi-traction	_____
24.1	Front axle – <i>PE21</i>	4WD with dash mounted electronic shift	_____
25.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
26.	Windshield	Tinted	_____
27.	Windshield wipers	Intermittent	_____
27.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
28.	Mirrors	Interior rearview & heated dual exterior	_____
29.	Ignition keys	Three (3) sets required	_____
30.	Air conditioning	Required	_____
31.	Tilt steering	Required	_____
32.	Cruise control	Required	_____
33.	Door locks	Power	_____
34.	Remote keyless entry	Two (2) required	_____
35.	Windows	Power	_____
36.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
37.	Seat, rear	Cloth-faced, bench	_____
38.	Radio	AM-FM with CD player	_____
39.	12-Volt power point	Required	_____
40.	Bluetooth® technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
41.	Air bags	Required, front driver's and passenger	_____
42.	Fuel tank	90 litre approx., fully fuelled upon delivery	_____
43.	Tubular side steps	Dual, chrome finish, OEM	_____
44.	Bumper	Rear step bumper	_____
45.	License plate bracket	Required, front bumper mounted w/license plate mounting hardware	_____

DETAILED SPECIFICATIONS PE20/21 (continued)

46.	Towing prep package	Class 2.5 (4,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
46.1	Electric brake controller	Required, factory installed	_____
47.	Colour - Interior	Blue or grey	_____
	- Exterior	White	_____
48.	Warranty:		
48.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	_____
48.2	Powertrain coverage	Five (5) years or 100 000 km (62,137 miles)	_____
49.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
50.	Delivery time	Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
51.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
52.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Options:

Note: Options to be priced only as indicated on Form B: Prices (Items 5a and 6a).

53.	Option 1: Tonneau Cover	Retrax P/N 10362 or equal, state make and model being bid	_____
-----	-------------------------	--	-------

FORM N: DETAILED SPECIFICATIONS PC20/21

**PC20 (4x2) – Section A, Items 7
 PC21 (4x4) – Section A, Item 8**



6500 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3.	GVWR	6,500 lbs. approx., state _____
4.	Wheelbase	146 in. approx., state _____
5.	Cargo length	6.0 ft. nominal _____
6.	Cargo box liner	Carlson spray-on liner or equal, 0.080 in. thickness, black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails _____
7.	Cab configuration	Crew cab _____
8.	Door configuration	Four (4) doors _____
9.	Engine	FI gasoline, state displacement _____
9.1	Horsepower	225 hp, state _____
9.2	Torque	260 lb-ft, state _____
10.	Anti-idling programming	Preferred, to shut engine off after 15-minutes, state availability _____
11.	CNG compatible	Preferred, state _____
12.	Fuel consumption <i>PC20</i>	State city rating, L/100km _____
12.1	Fuel consumption <i>PC21</i>	State city rating, L/100km _____
13.	Block heater	Required, submersible type with cord through grille _____
14.	Coolant	Extended Life Coolant, -35°C _____
15.	Battery	600 CCA _____
16.	Transmission	Automatic _____
17.	Transmission cooling	As required for trailer towing _____

DETAILED SPECIFICATIONS PC20/21 (continued)

18.	Steering	Power	_____
19.	Brakes	Power with ABS	_____
20.	Wheels	Standard manufacturer's wheels, without locking nuts	_____
21.	Tires – Front & rear	BSW Tier 1 or 2 all season, state size	_____
22.	Spare wheel & tire	Required with underbody carrier	_____
23.	Mudflaps	Required, front and rear, OEM, moulded	_____
24.	Rear axle	Limited slip or posi-traction	_____
24.1	Front axle – <i>PC21</i>	4WD with dash mounted electronic shift	_____
25.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
26.	Windshield	Tinted	_____
27.	Windshield wipers	Intermittent	_____
27.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
28.	Mirrors	Interior rearview & heated dual exterior	_____
29.	Ignition keys	Three (3) sets required	_____
30.	Air conditioning	Required	_____
31.	Tilt steering	Required	_____
32.	Cruise control	Required	_____
33.	Door locks	Power	_____
34.	Remote keyless entry	Two (2) required	_____
35.	Windows	Power	_____
36.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
37.	Seat, rear	Cloth-faced, bench	_____
38.	Radio	AM-FM with CD player	_____
39.	12-Volt power point	Required	_____
40.	Bluetooth® technology	Required for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit	_____
41.	Air bags	Required, front driver’s and passenger	_____
42.	Fuel tank	90 litre approx., fully fuelled upon delivery	_____
43.	Tubular side steps	Dual, chrome finish, OEM	_____
44.	Bumper	Rear step bumper	_____
45.	License plate bracket	Required, front bumper mounted w/license plate mounting hardware	_____

DETAILED SPECIFICATIONS PC20/21 (continued)

46.	Towing prep package	Class 2.5 (4,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
46.1	Electric brake controller	Required, factory installed	_____
47.	Colour - Interior	Blue or grey	_____
	- Exterior	White	_____
48.	Warranty:		
48.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	_____
48.2	Powertrain coverage	Five (5) years or 100 000 km (62,137 miles)	_____
49.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
50.	Delivery time	Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
51.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
52.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Options:

Note: Options to be priced only as indicated on Form B: Prices (Items 7a and 8a).

53.	Option 1: Tonneau Cover	Retrax P/N 10362 or equal, state make and model being bid	_____
-----	-------------------------	--	-------

FORM N: DETAILED SPECIFICATIONS PE30/31

PE30 (4x2) – Section B, Item 9
PE31 (4x4) – Section B, Item 10



9500 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	9500 lbs. approx., state	_____
4. Wheelbase	145 in. approx., state	_____
5. Cargo length	6.5 ft. nominal	_____
6. Cargo box liner	Carlson spray-on liner or equal, 0.080 in. thickness, black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
7. Cab configuration	Extended cab	_____
8. Door configuration	Four (4) doors	_____
9. Engine	FI gasoline, state displacement	_____
10. Anti-idling programming	Preferred, to shut engine off after 15-minutes, state availability	_____
11. Block heater	Required, submersible type with cord through grille	_____
12. Coolant	Extended Life Coolant, -35°C	_____
13. Battery	650 CCA	_____
14. Transmission	Automatic	_____
15. Transmission cooling	As required for trailer towing	_____
16. Steering	Power	_____
17. Brakes	Power with ABS	_____
18. Wheels	Standard manufacturer’s wheels, without locking nuts	_____

DETAILED SPECIFICATIONS PE30/31 (continued)

19.	Tires – Front & rear	LT, BSW Tier 1 or 2 all-terrain mud and snow, state size	_____
20.	Spare wheel & tire	Required with underbody carrier	_____
21.	Mudflaps	Required, front and rear, OEM, moulded	_____
22.	Rear axle	Limited slip or posi-traction	_____
22.1	Front axle – PE31	4WD with dash mounted electronic shift	_____
23.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
24.	Windshield	Tinted	_____
25.	Windshield wipers	Intermittent	_____
25.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
26.	Mirrors	Interior rearview & heated dual exterior	_____
27.	Ignition keys	Three (3) sets required	_____
28.	Air conditioning	Required	_____
29.	Tilt steering	Required	_____
30.	Cruise control	Required	_____
31.	Door locks	Power	_____
32.	Remote keyless entry	Two (2) required	_____
33.	Windows	Power	_____
34.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
35.	Seat, rear	Cloth-faced, bench	_____
36.	Radio	AM-FM with CD player	_____
37.	12-Volt power point	Required	_____
38.	Bluetooth® technology	Required for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit	_____
39.	Air bags	Required, front driver’s and passenger	_____
40.	Fuel tank	90 litre approx., fully fuelled upon delivery	_____
41.	Tubular side steps	Dual, chrome finish, OEM	_____
42.	Bumper	Rear step bumper	_____
43.	License plate bracket	Required, front bumper mounted w/license plate mounting hardware	_____
44.	Towing prep package	Class 4 (8,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
44.1	Electric brake controller	Required, factory installed	_____
45.	Colour - Interior	Blue or grey	_____
	- Exterior	White	_____

DETAILED SPECIFICATIONS PE30/31 (continued)

46.	Warranty:		
46.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	_____
46.2	Powertrain coverage	Five (5) years or 160 000 km (99,419 miles)	_____
47.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. and MGI (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
48.	Delivery time	Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days	_____
49.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
50.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Options:

Note: Options to be priced only as indicated on Form B: Prices.

51.	Option 2: Box Length	8 ft. Cargo Box length (Items 9a and 10b)	_____
52.	Option 3: Engine	Diesel engine, 6-L class, state displacement (Options 9a, 10a and 10b)	_____

FORM N: DETAILED SPECIFICATIONS PC30/31

PC30 (4x2) – Section B, Item 11
PC31 (4x4) – Section B, Item 12



9500 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3.	GVWR	9500 lbs. approx., state _____
4.	Wheelbase	166 – 175 in. _____
5.	Cargo length	8 ft. nominal _____
6.	Cargo box liner	Carlson spray-on liner or equal, 0.080 in. thickness, black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails _____
7.	Cab configuration	Crew cab _____
8.	Door configuration	Four (4) full sized, front hinged doors _____
9.	Engine	FI gasoline, state displacement _____
10.	Anti-idling programming	Preferred, to shut engine off after 15-minutes, state availability _____
11.	Block heater	Required, submersible type with cord through grille _____
12.	Coolant	Extended Life Coolant, -35°C _____
13.	Batteries	650 CCA _____
14.	Transmission	Automatic _____
15.	Transmission cooling	As required for trailer towing _____
16.	Steering	Power _____
17.	Brakes	Power with ABS _____
18.	Wheels	Standard manufacturer’s wheels, without locking nuts _____

DETAILED SPECIFICATIONS PC30/31 (continued)

19.	Tires – Front & rear	LT, BSW Tier 1 or 2 all-terrain mud and snow, state size	_____
20.	Spare wheel & tire	Required with underbody carrier	_____
21.	Mudflaps	Required, front and rear, OEM, moulded	_____
22.	Rear axle	Limited slip or posi-traction	_____
22.1	Front axle – <i>PC31</i>	4WD with dash mounted electronic shift	_____
23.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
24.	Windshield	Tinted	_____
25.	Windshield wipers	Intermittent	_____
25.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	_____
26.	Mirrors	Interior rearview & heated dual exterior	_____
27.	Ignition keys	Three (3) sets required	_____
28.	Air conditioning	Required	_____
29.	Tilt steering	Required	_____
30.	Cruise control	Required	_____
31.	Door locks	Power	_____
32.	Remote keyless entry	Two (2) required	_____
33.	Windows	Power	_____
34.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
35.	Seat, rear	Cloth-faced, bench	_____
36.	Radio	AM-FM with CD player	_____
37.	12-Volt power point	Required	_____
38.	Bluetooth [®] technology	Required for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit	_____
39.	Air bags	Required, front driver’s and passenger	_____
40.	Fuel tank	90 litre approx., fully fuelled upon delivery	_____
41.	Tubular side steps	Dual, chrome finish, OEM	_____
42.	Bumper	Rear step bumper	_____
43.	License plate bracket	Required, front bumper mounted w/license plate mounting hardware	_____
44.	Towing prep package	Class 4 (8,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
44.1	Electric brake controller	Required, factory installed	_____
45.	Colour - Interior	Blue or grey	_____
	- Exterior	White	_____

DETAILED SPECIFICATIONS PC30/31 (continued)

46. Warranty:

46.1 Basic vehicle Three (3) years or 60 000 km (37,282 miles) _____

46.2 Powertrain coverage Five (5) years or 160 000 km (99,419 miles) _____

47. Delivery point Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. and MGI (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB _____

48. Delivery time Within **26-calendar weeks** from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days _____

49. Delivery contact The Contractor shall contact the Contract Administrator prior to delivery of the equipment _____

50. PDI A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list _____

Options:

Note: Options to be priced only as indicated on Form B: Prices (Items 11a and 12a)

51. Option 3: Engine Diesel engine, 6-L class, **state** displacement _____

FORM N: DETAILED SPECIFICATIONS 13001

Section C, Item 13

SUPPLY & INSTALLATION OF WARNING LIGHTS AND EQUIPMENT

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. LIGHTING SPECIFICATIONS

- 2.1 Cargo rack – Backrack® or Headrack® equivalent, supplied and installed. _____
- 2.2 Utility light bracket – 16"x7", driver's side mounted, required for mounting mini light bar. _____
- 2.3 Mini light bar – Whelen R2LPPA or SWS 16311, mounted to top-driver's side of Backrack/Headrack, 360° visibility, wired through ignition, fused as per manufacturer's recommendations. _____
- 2.4 Actuation switch – backlit with high/off/low settings, labelled “beacon” with a permanent type, engraved style label. Exact mounting location to be determined at time of installation. _____
- 2.5 L-bracket – required for actuation switch. _____
- 2.6 All wiring for warning light and switch shall be colour coded, loomed and properly secured. _____
- 2.6.1 All electrical connectors shall be crimped and soldered, then sealed using heat shrink tubing. _____
- 2.6.2 All joining of wires shall be soldered and sealed using heat shrink tubing or approved OEM weathertight connections (crimp-on electrical connectors for joining of wires are not acceptable). _____
- 2.6.3 Any holes required to run wires through shall be drilled (not punched), grommeted and sealed as required. _____

FORM Q-SUSTAINABILITY QUESTIONNAIRE

Product Information

(Yes/No)

Product Sustainability: High Quality, Small Ecological Footprint

1. Have you employed environmentally innovative best practices and/or technologies in the goods you are supplying in this Bid Opportunity as compared to similar goods? If yes, please describe them below.

Describe:

2. Have you obtained 3rd party environmental certifications for any of the products that you are supplying in this Bid Opportunity?

Describe:

3. Have you performed a life cycle assessment of the goods you are supplying in this Bid Opportunity? If yes, please describe below.

Describe:

4. Are there any other environmentally innovative best practices and/or technologies in the goods you are supplying in this Bid Opportunity that we could have specified in this tender, but have not? If yes, please describe them below.

Describe:

Company Information

Energy and Climate: Reducing Energy Costs and Greenhouse Gas Emissions

1. Have you measured your corporate greenhouse gas emissions? If yes, please report your total annual greenhouse gas emissions reported in the most recent year measured?

Describe:

2. Have you set publicly available greenhouse gas reduction targets? If yes, what are those targets?

Describe:

Material Efficiency: Reducing Waste and Enhancing Quality

1. Do you measure the total amount of solid waste generated from the facilities that produce your product(s) for this Bid Opportunity? If yes, please report for the most recent year measured.

Describe:

2. Have you set publicly available solid waste reduction targets? If yes, what are those targets?

Describe:

3. Do you measure the total water use from facilities that produce your product(s) for this Bid Opportunity? If yes, please report for the most recent year measured.

Describe:

4. Have you set publicly available water use reduction targets? If yes, what are those targets?

Describe:

Natural Resources: Responsibly Sourced Raw Materials

1. Have you established publicly available sustainability purchasing guidelines for your direct suppliers that address issues such as environmental compliance, employment practices and product safety?

Describe:

Social Responsibility: Ensuring Responsible and Ethical Production

1. Do you have a process for managing social compliance at the manufacturing level?

Describe:

2. Do you work with your supply base to resolve issues found during social compliance evaluations and also document specific corrections and improvements?

Describe:

3. Do you invest in community development activities in the markets you source from and/or operate within? _____

Describe:
